

Examcollection

<http://www.ipass4sure.com/examcollection.htm>



<http://www.ipass4sure.com>

000-484

IBM

Enterprise Connectivity with J2EE V1.3

<http://www.ipass4sure.com/exams.asp?examcode=000-484>

The 000-484 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 000-484 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 000-484 exam is very challenging, but with our 000-484 questions and answers practice exam, you can feel confident in obtaining your success on the 000-484 exam on your FIRST TRY!

IBM 000-484 Exam Features

- Detailed questions and answers for 000-484 exam
- Try a demo before buying any IBM exam
- 000-484 questions and answers, updated regularly
- Verified 000-484 answers by Experts and bear almost 100% accuracy
- 000-484 tested and verified before publishing
- 000-484 examcollection vce questions with exhibits
- 000-484 same questions as real exam with multiple choice options

Acquiring IBM certifications are becoming a huge task in the field of I.T. More over these exams like 000-484 exam are now continuously updating and accepting this challenge is itself a task. This 000-484 test is an important part of IBM certifications. We have the resources to prepare you for this. The 000-484 exam is essential and core part of IBM certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 000-484 Test and save time and money while developing your skills to pass your IBM 000-484 Exam? Let us help you climb that ladder of success and pass your 000-484 now!

DEMO EXAM

For Full Version visit

<http://www.ipass4sure.com/allexams.asp>

Question: 1

A developer successfully creates and tests a stateful Session Bean. Following deployment, intermittent NullPointerExceptions begin to occur, particularly when the server is heavily loaded. Which bean method is MOST likely to be related to the problem?

- A. setSessionContext
- B. ejbCreate
- C. ejbPassivate
- D. beforeCompletion
- E. ejbLoad

Answer: C

Question: 2

A developer implements a BMP entity bean which uses a relational database. Identify the lifecycle methods that involve database access.

- A. ejbCreate()
- B. ejbPostCreate()
- C. ejbActivate()
- D. ejbPassivate()
- E. ejbRemove()

Answer: A, E

Question: 3

An EJB that is deployed with container-manager transaction contains a business method. This method performs an operation that potentially throws a NullPointerException. If this occurs, the bean cannot recover and should rollback its transaction. What is the BEST way to implement this scenario?

- A. Catch the NullPointerException exception, then throw an application exception. The container will rollback the transaction automatically.
- B. Catch the NullPointerException exception, then throw an application exception that wraps the original exception. The container will rollback the transaction automatically.
- C. Catch the NullPointerException exception, call setRollbackOnly(), thus forcing a rollback of the transaction, then throw an application exception.
- D. Do nothing and let the NullPointerException propagate to the container. The container will rollback the transaction automatically.

Answer: C

Question: 4

Which of the following are TRUE regarding ejbPostCreate() methods?

- A. Only entity beans have ejbPostCreate() methods.
- B. ejbPostCreate() method signatures must match ejbCreate() method signatures.
- C. ejbPostCreate() methods are optional.
- D. Corresponding postCreate() methods exist in the bean's home interface.
- E. ejbPostCreate() is called by the EJB container following creation of the bean's EJBObject.

Answer: A, B, E

Question: 5

Which of the following represents the order in which a stateful session bean's methods might get executed, according to its life cycle?

- A. `ejbPassivate()`, `setSessionContext()`, `ejbActivate()`, `ejbRemove()`.
- B. `ejbActivate()`, `setSessionContext()`, `ejbPassivate()`, `ejbRemove()`.
- C. `setSessionContext()`, `ejbActivate()`, `ejbPassivate()`, `ejbRemove()`.
- D. `setSessionContext()`, `ejbPassivate()`, `ejbActivate()`, `ejbRemove()`.

Answer: D

Question: 6

An EJB is required to hold a customer's address information. This information must be made available to future customer transactions. The bean must be deployable to any EJB server. The exact server runtime configuration is unknown. Which bean type BEST suits these requirements?

- A. A stateless session bean.
- B. A stateful session bean.
- C. A BMP entity bean.
- D. A CMP entity bean.
- E. A message-driven bean.

Answer: D

Question: 7

The remote home interface for an EJB only contains a single method. The signature of this method is `create(int xyz)`. What type of bean MUST it be?

- A. stateless session bean
- B. stateful session bean
- C. BMP entity bean
- D. CMP entity bean
- E. message-driven bean

Answer: B

Question: 8

Two entity beans share a bidirectional, container-managed relationship (CMR). What statements are TRUE regarding these beans? .

- A. None of the entity beans need to have a local interface.
- B. Only one of the two entity beans MUST have a local interface; the other bean can have either a remote or a local interface.
- C. Both entity beans MUST have local interfaces.
- D. None of the entity beans have to be container-managed-persistence (CMP) beans.
- E. Only one of the two entity beans MUST be a container-managed-persistence (CMP) bean. The other bean can be either a container-managed (CMP) or bean-managed (BMP) bean.
- F. Both entity beans must be container-managed persistence (CMP) beans.

Answer: C, F

Question: 9

Which of the following are TRUE about primary keys and entity beans?

- A. All entity beans must have a `findByPrimaryKey(primaryKey)` method implemented in the bean class.

- B. All entity beans must have a `findByPrimaryKey(primaryKey)` method declared in each home interface.
- C. All primary key classes must be legal value types in RMI-IIOP.
- D. A custom primary key class must be defined.
- E. Entity beans must be located using the `findByPrimaryKey(primaryKey)` method.

Answer: B, C

Question: 10

An EJB is required to model the catalog object of a "J2EE Book Store". The catalog object represents different categories and products and provides browsing and searching services to its clients. Also, it only reads catalog data from the underlying database. Which of the following designs BEST suits the requirement?

- A. stateless session bean with Data Access Object (DAO)
- B. stateful session bean with Data Access Object (DAO)
- C. BMP entity bean with DAO Data Access Object (DAO)
- D. CMP entity bean

Answer: A

Question: 11

An EJB is required to process order fulfillment. No immediate reply is required by the client, but a confirmation email is expected instead when the order is fulfilled. Which bean type BEST suits the requirements?

- A. stateless session bean
- B. stateful session bean
- C. BMP entity bean
- D. CMP entity bean
- E. message-driven bean

Answer: E

Question: 12

A developer sets up a topic with a message-driven bean. During testing, the developer notes that messages are lost when a client disconnects. What possible changes will ensure that all unexpired messages are delivered when a client has been disconnected?

- A. Use a queue instead of a topic.
- B. Code the `onMessage()` method in the client code so that no acknowledgement is sent until after the messages have completed processing.
- C. Specify `<subscription-durability>Durable</subscription-durability>` in the deployment descriptor for the topic.
- D. Design the client code to implement the `javax.jms.MessageListener` interface.

Answer: A, C

Question: 13

An EJB client initializes and begins a transaction. It then invokes a bean business method. The bean uses container-managed transaction demarcation. The business method executes within the scope of the client supplied transaction. Which of the following are possible values for the bean method's transaction attribute?

- A. `NotSupported`



Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;
<http://www.ipass4sure.com/all exams.asp>

View list of All Study Guides (SG);
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;
<http://www.ipass4sure.com/all exams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

