

Examcollection

<http://www.ipass4sure.com/examcollection.htm>



<http://www.ipass4sure.com>

000-744

IBM

DS4000 Technical Version 1

<http://www.ipass4sure.com/exams.asp?examcode=000-744>

The 000-744 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 000-744 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 000-744 exam is very challenging, but with our 000-744 questions and answers practice exam, you can feel confident in obtaining your success on the 000-744 exam on your FIRST TRY!

IBM 000-744 Exam Features

- Detailed questions and answers for 000-744 exam
- Try a demo before buying any IBM exam
- 000-744 questions and answers, updated regularly
- Verified 000-744 answers by Experts and bear almost 100% accuracy
- 000-744 tested and verified before publishing
- 000-744 examcollection vce questions with exhibits
- 000-744 same questions as real exam with multiple choice options

Acquiring IBM certifications are becoming a huge task in the field of I.T. More over these exams like 000-744 exam are now continuously updating and accepting this challenge is itself a task. This 000-744 test is an important part of IBM certifications. We have the resources to prepare you for this. The 000-744 exam is essential and core part of IBM certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 000-744 Test and save time and money while developing your skills to pass your IBM 000-744 Exam? Let us help you climb that ladder of success and pass your 000-744 now!

DEMO EXAM

For Full Version visit

<http://www.ipass4sure.com/allexams.asp>

QUESTION: 1

You arrive at a customer site to implement the DS4000 solution and find that the customer wants to use RAID 1+0 instead of RAID 5 for everything. What is a possible concern in this situation?

- A. capacity
- B. random IO performance
- C. throughput performance
- D. disk rebuild times

Answer: A

QUESTION: 2

What is the minimum number of HDDs required for RAID 6?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: D

QUESTION: 3

Three hosts are redundantly connected to a DS4000 system. Two are running a non-clustered Windows 2003 Server and the other is running Red Hat Linux. How many Storage Partitions are used in this configuration?

- A. 0
- B. 1
- C. 3
- D. 8

Answer: C

QUESTION: 4

When creating a FlashCopy of a logical drive, a repository logical drive is created. The repository logical drive is for metadata and copy-on-write data when a change is made to the FlashCopy source logical drive. By default, what is its size?

- A. 10% of the source volume
- B. 20% of the source volume
- C. 50% of the source volume
- D. 100% of the source volume

Answer: B

QUESTION: 5

Which statement is FALSE regarding hot spare drives in the DS4000 subsystem?

- A. The storage server will attempt to find a spare in the same enclosure as the failed drive first.
- B. The storage server will give preference to a spare the same size as the failed drive.
- C. The storage server will use a spare with at least the same capacity as the failed drive.
- D. The controller may use a spare that is larger than the failed drive and block the remaining capacity from use.

Answer: B

QUESTION: 6

When performing an array migration, what is NOT required?

- A. verification that there is no logical drive name duplication between the source and target systems
- B. removal of mappings for all logical drives within the array being migrated
- C. documenting the stripe order of the drives in the array for proper placement on the target subsystem
- D. Advanced Maintenance Place Array Offline

Answer: C

QUESTION: 7

What best describes a drive in eplaced status?

- A. a drive that has replaced a failed drive and needs to be revived in order to complete the data recovery process
- B. a temporary status for a drive that has replaced a failed drive, but has not yet been reconstructed
- C. a hot spare that has spared out for a failed drive in an array causing the hot spare to become the active drive in the array
- D. the final state of a drive that has replaced a failed drive and has been reconstructed

Answer: B

QUESTION: 8

When examining a profile you see the following:

Drive at Enclosure 5, Slot 8 [mirrored pair with drive at enclosure 5, slot 9]

Drive at Enclosure 5, Slot 9 [mirrored pair with drive at enclosure 5, slot 8]

How should this be configured for enclosure loss protection?

- A. Drive at Enclosure 5, Slot 9 [mirrored pair with drive at enclosure 5, slot 9] Drive at Enclosure 5, Slot 9 [mirrored pair with drive at enclosure 5, slot 9]
- B. Drive at Enclosure 3, Slot 1 [mirrored pair with drive at enclosure 5, slot 9] Drive at Enclosure 5, Slot 9 [mirrored pair with drive at enclosure 3, slot 1]
- C. Drive at Enclosure 5, Slot 17 [mirrored pair with drive at enclosure 5, slot 9] Drive at Enclosure 5, Slot 9 [mirrored pair with drive at enclosure 5, slot 17]
- D. Drive at Enclosure 5, Slot 9 [mirrored pair with drive at enclosure 15, slot 19] Drive at Enclosure 15, Slot 19 [mirrored pair with drive at enclosure 5, slot 9]

Answer: B

QUESTION: 9

What is one disadvantage of managing a storage subsystem through the Fibre Channel IO path?

- A. The fibre cable used for data IO cannot be used for management commands.
- B. An access logical drive is required to communicate with the controllers.
- C. Management commands cannot be encapsulated by the Fibre Channel protocol.
- D. Ethernet cables to the controllers are also required to send management commands.

Answer: B

QUESTION: 10

In addition to the storage administrator's e-mail address, what information do you need to set up e-mail alerts to be sent to the storage administrator?

- A. sender's SMTP server address, the sender's e-mail address
- B. sender's POP server address, the sender's e-mail address
- C. storage administrator's POP server address, the sender's e-mail address
- D. storage administrator's SMTP server address, the sender's e-mail address

Answer: A

QUESTION: 11

A customer wants to use SATA drives to reduce costs. Which application matches SATA use?

- A. TSM
- B. Exchange
- C. application with low IOPS
- D. write once, read many times

Answer: C

QUESTION: 12

Which statement about DS4000 firmware upgrades is true?

- A. The controller firmware and NVSRAM files are closely tied to each other and must be installed in the proper combination.



Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;
<http://www.ipass4sure.com/all exams.asp>

View list of All Study Guides (SG);
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;
<http://www.ipass4sure.com/all exams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

