

Examcollection

<http://www.ipass4sure.com/examcollection.htm>

050-v71x-CSESECURID

RSA

RSA SecurID Certified Systems Engineer 7.1x Exam

<http://www.ipass4sure.com/exams.asp?examcode=050-v71x-CSESECURID>

The 050-v71x-CSESECURID practice exam is written and formatted by Certified Senior IT Professionals working for today's prospering companies and data centers all over the world! The 050-v71x-CSESECURID Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently.

The 050-v71x-CSESECURID exam is very challenging, but with our 050-v71x-CSESECURID questions and answers, you can feel confident in obtaining your success on the 050-v71x-CSESECURID exam on your FIRST TRY!

RSA 050-v71x-CSESECURID Exam Features

- Detailed questions and answers for 050-v71x-CSESECURID exam
- Try a demo before buying any RSA exam
- 050-v71x-CSESECURID questions and answers, updated regularly
- Verified 050-v71x-CSESECURID answers by Experts and bear almost 100% accuracy
- 050-v71x-CSESECURID tested and verified before publishing
- 050-v71x-CSESECURID examcollection vce questions with exhibits
- 050-v71x-CSESECURID same questions as real exam with multiple choice options

Acquiring RSA certifications are becoming a huge task in the field of I.T. More over these exams like 050-v71x-CSESECURID exam are now continuously updating and accepting this challenge is its own. This 050-v71x-CSESECURID test is an important part of RSA certifications. We have the resources to prepare you for this. The 050-v71x-CSESECURID exam is essential and core part of RSA certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 050-v71x-CSESECURID Test and save time and money while developing your skills to pass your RSA 050-v71x-CSESECURID Exam? Let us help you climb that ladder of success and pass your 050-v71x-CSESECURID Exam?

DEMO EXAM

For Full Version visit

<http://www.ipass4sure.com/allexams.asp>

QUESTION: 1

If the RSA RADIUS server is NOT installed at the time of the RSA Authentication Manager software installation and the RADIUS function is needed at a later date, (Choose two)

- A. it can be added to the Authentication Manager server through the Operations Console.
- B. it can be added to the Authentication Manager server using the add_rad_svr command line utility.
- C. it can be installed on a separate host and connected to the existing Authentication Manager server.
- D. Authentication Agents can be configured to proxy RADIUS transactions without the need for a RADIUS server
- E. it cannot be added to the Authentication Manager server without uninstalling then re-installing the server software.

Answer: C E

QUESTION: 2

If an organization's general security policy specifies that certain RSA SecurID tokens will be used without a PIN (tokencode only), this can be accomplished by editing the parameters

- A. in the records for individual tokens.
- B. in the Realm Authentication Policy.
- C. in the Security Domain Token Policy.
- D. in the Security Domain Password Policy.

Answer: A

QUESTION: 3

If manual load balancing has just been set up for an Authentication Agent and it appears that the Agent is not contacting the desired servers, it might be helpful to verify the contents of the

- A. sdopts.rec file.
- B. sdconf.rec file.
- C. sdstatus.12 file.
- D. sdagent.rec file.

Answer: A

QUESTION: 4

Which of the following statements is true about the RSA RADIUS Server in an RSA Authentication Manager version 7.1 environment?

- A. A single RADIUS server can be configured to support multiple realms across a single Authentication Manager deployment.
- B. Once the RADIUS server is installed in an Authentication Manager environment, all users default to using the RADIUS protocol for authentication.
- C. If RADIUS is integrated with an Authentication Manager deployment, all users who authenticate via RADIUS must be issued an RSA SecurID token.
- D. If a RADIUS server is not installed at the same time as a Primary or Replica server, it can NOT be added later without uninstalling and re-installing the Primary or Replica software.

Answer: D

QUESTION: 5

As part of the Primary server installation, the installer automatically backs up certain files in the RSA Authentication Manager/backup/ directory. These files

- A. include the system private key file.
- B. hold the contents of the embedded database.
- C. are used to install Replica servers and Server Nodes.
- D. are deleted after the Primary services successfully start.

Answer: A

QUESTION: 6

When planning an RSA SecurID system deployment, the Agents that will be required are dependent on

- A. the type of authenticator assigned to users in the system.
- B. the variety and type of entry points to a given network or protected resource.
- C. the total number of users that exist in all Authentication Manager Security Domains.
- D. the communication (port) configurations of any firewalls separating Agent devices and authentication servers.

Answer: B

QUESTION: 7

Ninety (90) days after installation, if the initial Super Admin user's password is not changed, the initial Super Admin user

- A. is required to change their password before accessing both the Operations Console and Security Console.
- B. can access both the Operations Console and Security Console but is reminded to change passwords after logon.
- C. is allowed to access the Operations Console but is required to change their password before accessing the Security Console.
- D. is locked out of both the Operations Console and the Security Console until another administrator re-sets the password and unlocks the account.

Answer: C

QUESTION: 8

RSA Authentication Agents are typically installed and configured

- A. only outside a corporate or internet firewall.
- B. according to a general security policy and access control plan.
- C. before the installation of the RSA Authentication Manager server.
- D. before users have been assigned and trained on the use of RSA SecurID tokens.

Answer: B

QUESTION: 9

When using an RSA Authentication Agent for PAM, which of the following statements is true?

- A. Users designated for RSA SecurID authentication must have root privileges.
- B. A user's account must specify 'sdshell' to allow RSA SecurID authentication.
- C. When installing the Agent for PAM, the services file must be edited to add "securid_pam" as a TCP service.
- D. Service, rule and module information to support RSA SecurID authentication are contained in the pam.conf file.

Answer: D

QUESTION: 10



Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;
<http://www.ipass4sure.com/all exams.asp>

View list of All Study Guides (SG);
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;
<http://www.ipass4sure.com/all exams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

