Examcollection

http://www.ipass4sure.com/examcollection.htm

1Z0-312

Oracle

Oracle Application Server 10g:Administration II

The 1Z0-312 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 1Z0-312 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 1Z0-312 exam is very challenging, but with our 1Z0-312 questions and answers practice exam, you can feel confident in obtaining your success on the 1Z0-312 exam on your FIRST TRY!

Oracle 1Z0-312 Exam Features

    - Detailed questions and answers for 1Z0-312 exam
    - Try a demo before buying any Oracle exam
    - 1Z0-312 questions and answers, updated regularly
    - Verified 1Z0-312 answers by Experts and bear almost 100% accuracy
    - 1Z0-312 tested and verified before publishing
    - 1Z0-312 examcollection vce questions with exhibits
    - 1Z0-312 same questions as real exam with multiple choice options

Acquiring Oracle certifications are becoming a huge task in the field of I.T. More over these exams like 1Z0-312 exam are now continuously updating and accepting this challenge is itself a task. This 1Z0-312 test is an important part of Oracle certifications. We have the resources to prepare you for this. The 1Z0-312 exam is essential and core part of Oracle certifications and once you clear the exam you will be able to solve the real life problems yourself.Want to take advantage of the Real 1Z0-312 Test and save time and money while developing your skills to pass your Oracle 1Z0-312 Exam? Let us help you climb that ladder of success and pass your 1Z0-312 now!

DEMO EXAM

For Full Version visit

Question: 1
You are using XML requests and database triggers to invalidate multiple objects in your OracleAS Web Cache cluster environment. While observing the Web cache performance, you realized that the OracleAS Web Cache is taking a long time to invalidate the requested contents. Which two options could you use to optimize the invalidation criteria and yet achieve the same goal to? Invalidate the multiple objects? (Choose two.)

A. a value for the BASICSELECTOR element
B. timeout mechanism for the invalidation process
C. an invalidation index for the query-string invalidations
D. a name attribute for the ADVANCEDSELECTOR element
E. an invalidation coordinator to traverse the cluster members

Answer: C, D

Question: 2
You have configured an OracleAS Cold Failover Cluster Infrastructure environment with two nodes. You are using Oracle Database 10g Automatic Storage Management (ASM) features to manage the database file storage. Because of a hardware failure on the active node, the Web Cache cluster attempts to fail over to the passive node but it fails. What could have caused the failover to fail?

A. The user sessions are bound to the previously active node.
B. The ownership of the cached contents in the OracleAS Web Cache could not be changed.
C. The Cluster Synchronization Services (CSS) daemon was not configured on the passive node.
D. The Oracle Process Manager and Notification (OPMN) daemon could not start the OracleAS components on the active node.

Answer: C

Question: 3
You have set the allowNewConnections parameter to false and connectionDisallowedURL is not set in the formsweb.cfg file. What happens when a user attempts to establish a connection?

A. He or she receives an error message indicating bad gateway.
B. He or she receives an error message indicating page not found.
C. He or she receives an error message that indicates URL not found.
D. He or she receives a message that indicates new connections are not allowed, so contact the system administrator.

Answer: D

Question: 4
The following are the details of the two middle-tier installations of the host EDTDR7P1:

1. Business Intelligence and Forms installed in /home/oracle/bi
2. J2EE and Web Cache installed in /home/oracle/j2ee1

You executed the chgiphost command on EDTDR7P1 as follows:
[oracle@EDTDR7P1 scripts]$ pwd
/home/oracle/j2ee1/chgip/scripts
[oracle@EDTDR7P1 scripts]$ ./chgiphost.sh -mid
Which middle-tier installation would be considered by the command?

A. the installation mentioned in the ORACLE_HOME environment variable

B. the installation in the location from where the command is executed
C. all the instances in the host irrespective of the number of installations
D. the middle-tier name is not mentioned in command so the command fails

Answer: A

Question: 5
For a nonemulated data source, the cacheScheme property is set to DYNAMIC_SCHEME. What is the implication of this?

A. The requests return null when requests for connections reach maximum.
B. The requests for connection are redirected to one of the existing connections in the pool.
C. After maximum connection limit is reached, request for a new connection waits until the existing connection is released.
D. A new pooled connection can be created beyond the maximum limit, but each one is automatically closed and freed after use.

Answer: D

Question: 6
The formula used by OracleAS Web Cache to determine the maximum number of file descriptors is shown below:
Max_File_Desc = Max_Conn + WS_Capacity + Outgoing_Conn + 100
Which statement describes the purpose of adding 100 in the formula?

A. It is the total number of estimated incoming connections.
B. It is the number of connections reserved for internal use by OracleAS Web Cache.
C. It is the maximum number of requests to be allowed during a persistent connection.
D. It is the maximum number of clients that can simultaneously connect to the application Web server.

Answer: B

Question: 7
Why would you need to configure the configFileName parameter in the web.xml file?

A. to specify the OC4J configuration file
B. to specify the Forms Servlet configuration file
C. to specify the Oracle HTTP listener configuration file
D. to specify the master HTTP listener configuration file
E. to specify the JAR file required for the browser to access forms

Answer: B

Question: 8
You are cloning a middle-tier instance from ASHOST1 to ASHOST2. You added the following parameter to the cs.properties file in ASHOST2 during the cloning process:
clone_command_line =oracle.iappserver.iapptop:szl_PortListSelect="{\"YES\",
\"/tmp/staticports.ini\"}
What could be the reason for adding this parameter?

A. You do not want Oracle Universal Installer to be invoked to clone the instance.
B. You want the cloned instance to be assigned the ports specified in the staticports.ini file.
C. You want the clone.pl script to update the staticports.ini file in the source before cloning is completed.

D. You want the prepare_clone.pl script to update the staticports.ini file in the source before cloning is completed.

Answer: B

Question: 9
You want to invalidate documents in OracleAS Web Cache using the following criteria:

1. The HTTP request method is an HTTP POST request method
2. The HTTP POST body contains _language=EN-US
3. The embedded URL parameters are _portlet_id and _provider_id

Which two changes would you make to the webcache.xml file to achieve this type of invalidation? (Choose two.)

A. Remove the INVALIDATIONINDEX element.
B. Specify the TYPE attribute to use the value of SUBSTRING.
C. Specify the BASICSELECTOR element in an invalidation request.
D. Specify the NAME attribute to use the value of QUERYSTRING_PARAMETER.

Answer: B, D

Question: 10
Users in your OracleAS Web cache cluster environment complain that they are getting HTTP 504 error while accessing applications that are developed using J2EE. While investigating the reason for this, you observe the following:
access_log
144.10.24.231- - [26/Nov/2006:18:22:35 +0530] "POST /jAC5.4//ACUtilities.do HTTP/1.1" 504 416 event_log entry:
[26/Nov/2006:18:22:23 +0530] [warning 14021] [ecid: 8126204353870,0] Origin server drops request.
[26/Nov/2006:18:22:23 +0530] [error 11364] [ecid: 8126204353870,0] Network error response is returned.
What are the two reasons that could have caused these errors reported in the log files? (Choose two.)

A. The origin server has reached its capacity.
B. The origin server has reached its queue limit.
C. The origin server has reached its failover threshold.
D. There is no load balancer configured in the Web cache cluster.
E. The origin server is not able to forward the requests to a member.

Answer: A, B

Question: 11
You developed a JSP report that depends on the barcode Java classes. You plan to deploy this report on your OracleAS Reports Server. What setting would you do to deploy this report with a paper layout?

A. Add JAR file to the WAR file.
B. Add the barcode classes to the WAR file.
C. Set the <pluginParam> element in reports server settings.
D. Set the classPath property of the engine element in the server configuration file.

Answer: D

Question: 12
Which three tasks can be accomplished using the OracleBI Discoverer EUL Command Line for Java? (Choose three.)

A. Creating workbooks.
B. Creating business area.
C. Exporting and importing EUL objects.
D. Granting and revoking Discoverer privileges to users or roles.
E. Granting and revoking access privileges on workbooks to users.

Answer: C, D, E

Question: 13
You have the following sections mentioned in your formsweb.cfg file:

[default]
otherparams=jvmcontroller=newJVM
[ordersApp]
form=orders.fmx
userid=orders/orderspw@orcl
[salesApp]
form=sales.fmx
userid=sales/salespw@orcl
otherparams=jvmcontroller=

The forms applications contain Java code and each of these applications executes Java code when a user connects to the application. Which statements are true regarding the usage of JVM Controller by the applications? (Choose all that apply.)

A. The salesApp application uses in-process JVM.
B. The ordersApp application uses in-process JVM.
C. The salesApp application uses a JVM Controller by the name newJVM.
D. The ordersApp application uses a JVM Controller by the name newJVM.
E. The ordersApp does not use any JVM Controller until the otherparams=jvmcontroller= or otherparams=jvmcontroller= <name of JVM Controller> parameter is mentioned.

Answer: A, D

Question: 14
You have an OracleAS Identity Management cluster environment with two nodes, NODE1 and NODE2. Because of regular maintenance tasks, you have stopped the Oracle Internet Directory (OID) processes of NODE1 in the cluster. What is the impact of this on the OID processes on the second node?

A. The OIDMON process starts all OID processes automatically.
B. The OIDMON process starts all OID processes except the ODISRV process.
C. The OIDMON process starts all OID processes except the OIDREPLD process.
D. The OID processes need to be restarted manually by using the OPMNCTL command.

Answer: D

Question: 15
You are working for a company that designs and manufactures electronic goods. The company prefers high-quality JPEG or PNG images in their Web reports instead of GIF images. You want

Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of Professional & Certified Experts available via support.
- Free 90 days updates to match real exam scenarios.
- Instant Download Access! No Setup required.
- Price as low as $19, which is 80% more cost effective than others.
- Verified answers researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (Android, iPhone, iPod, iPad)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- *Guaranteed Success*.
- **Fast**, helpful support 24x7.

View list of All certification exams offered;
http://www.ipass4sure.com/allexams.asp

View list of All Study Guides (SG);
http://www.ipass4sure.com/study-guides.asp

View list of All Audio Exams (AE);
http://www.ipass4sure.com/audio-exams.asp

Download Any Certication Exam DEMO.
http://www.ipass4sure.com/samples.asp

To purchase Full version of exam click below;
http://www.ipass4sure.com/allexams.asp

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list Here