

Examcollection

<http://www.ipass4sure.com/examcollection.htm>

1Z0-803

Oracle

Java SE 7 Programmer I

<http://www.ipass4sure.com/exams.asp?examcode=1Z0-803>

The 1Z0-803 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 1Z0-803 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 1Z0-803 exam is very challenging, but with our 1Z0-803 questions and answers practice exam, you can feel confident in obtaining your success on the 1Z0-803 exam on your FIRST TRY!

Oracle 1Z0-803 Exam Features

- Detailed questions and answers for 1Z0-803 exam
- Try a demo before buying any Oracle exam
- 1Z0-803 questions and answers, updated regularly
- Verified 1Z0-803 answers by Experts and bear almost 100% accuracy
- 1Z0-803 tested and verified before publishing
- 1Z0-803 examcollection vce questions with exhibits
- 1Z0-803 same questions as real exam with multiple choice options

Acquiring Oracle certifications are becoming a huge task in the field of I.T. More over these exams like 1Z0-803 exam are now continuously updating and accepting this challenge is itself a task. This 1Z0-803 test is an important part of Oracle certifications. We have the resources to prepare you for this. The 1Z0-803 exam is essential and core part of Oracle certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 1Z0-803 Test and save time and money while developing your skills to pass your Oracle 1Z0-803 Exam? Let us help you climb that ladder of success and pass your 1Z0-803 now!

DEMO EXAM

For Full Version visit

<http://www.ipass4sure.com/allexams.asp>

QUESTION: 1

Given the code fragment:

```
int [] [] array2D = {{0, 1, 2}, {3, 4, 5, 6}};
system.out.print (array2D[0].length+ "" ); system.out.print(array2D[1].getClass(). isArray()
+ ""); system.out.println (array2D[0][1]);
```

What is the result?

- A. 3false1
- B. 2true3
- C. 2false3
- D. 3true1
- E. 3false3
- F. 2true1
- G. 2false1

Answer: D

Explanation:

The length of the elementwith index 0, {0, 1, 2}, is 3. Output: 3

The elementwith index 1, {3, 4, 5, 6}, is of type array. Output: true

The elementwith index 0,{0, 1, 2} has the elementwith index 1:1. Output: 1

QUESTION: 2

View the exhibit:

```
public class Student {
    public String name = "";
    public int age = 0;
    public String major = "Undeclared";
    public boolean fulltime = true;
    public void display() {
        System.out.println("Name: " + name + " Major: " + major);
    }
    public boolean isFullTime() {
        return fulltime;
    }
}
```

Given:

```
Public class TestStudent {
    Public static void main(String[] args) { Student bob = new Student (); Student jian = new
    Student();
    bob.name = "Bob";
    bob.age = 19;
    jian = bob; jian.name = "Jian";
    System.out.println("Bob's Name: " + bob.name);
    }
}
```

What is the result when this program is executed?

- A. Bob's Name: Bob
- B. Bob's Name: Jian
- C. Nothing prints
- D. Bob's name

Answer: B

Explanation:

After the statement `jian = bob;` the `jian` will reference the same object as `bob`.

QUESTION: 3

Given the code fragment:

```
String valid = "true";  
if (valid) System.out.println ("valid");  
else system.out.println ("not valid");  
What is the result?
```

- A. Valid
- B. not valid
- C. Compilation fails
- D. An `IllegalArgumentException` is thrown at run time

Answer: C

Explanation:

In segment 'if (valid)' `valid` must be of type `boolean`, but it is a string. This makes the compilation fail.

QUESTION: 4

Given:

```
public class ScopeTest {  
    int z;  
    public static void main(String[] args){  
        ScopeTest myScope = new ScopeTest();  
        int z = 6;  
        System.out.println(z);  
        myScope.doStuff();  
        System.out.println(z);  
        System.out.println(myScope.z);  
    }  
    void doStuff() {  
        int z = 5;  
        doStuff2();  
    }  
}
```

```

System.out.println(z);
}
void doStuff2() {
    z=4;
}
}

```

What is the result?

- A. 6 5 6 4
- B. 6 5 5 4
- C. 6 5 6 6
- D. 6 5 6 5

Answer: A

Explanation:

Within main z is assigned 6. z is printed. Output: 6 Within doStuff z is assigned 5. DoStuff2 locally sets z to 4 (but MyScope.z is set to 4), but in doStuff z is still 5. z is printed. Output: 5 Again z is printed within main (with local z set to 6). Output: 6 Finally MyScope.z is printed. MyScope.z has been set to 4 within doStuff2(). Output: 4

QUESTION: 5

Which two are valid instantiations and initializations of a multi dimensional array?

- A. `int [] [] array 2D = { { 0, 1, 2, 4 } {5, 6}};` B. `int [] [] array2D = new int [2] [2]; array2D[0] [0] = 1; array2D[0] [1] =2; array2D[1] [0] =3; array2D[1] [1] =4;`
- C. `int [] [] []array3D = {{0, 1}, {2, 3}, {4, 5}};`
- D. `int [] [] [] array3D = new int [2] [2] [2]; array3D [0] [0] = array; array3D [0] [1] = array; array3D [1] [0] = array; array3D [0] [1] = array;`
- E. `int [] [] array2D = {0, 1};`

Answer: B, D

Explanation:

In the Java programming language, a multidimensional array is simply an array whose components are themselves arrays.

QUESTION: 6

An unchecked exception occurs in a method `dosomething()` Should other code be added in the `dosomething()` method for it to compile and execute?

- A. The Exception must be caught
- B. The Exception must be declared to be thrown.
- C. The Exception must be caught or declared to be thrown.
- D. No other code needs to be added.

Answer: C

Explanation:

Valid Java programming language code must honor the Catch or Specify Requirement. This means that code that might throw certain exceptions must be enclosed by either of the following:

- * A try statement that catches the exception. The try must provide a handler for the exception, as described in Catching and Handling Exceptions.
- * A method that specifies that it can throw the exception. The method must provide a throws clause that lists the exception, as described in Specifying the Exceptions Thrown by a Method. Code that fails to honor the Catch or Specify Requirement will not compile.

QUESTION: 7

Given the code fragment:

```
int b = 4;
```

```
b -- ;
```

```
System.out.println (-- b); System.out.println(b);
```

What is the result?

- A. 2 2
- B. 1 2
- C. 3 2
- D. 3 3

Answer: A

Explanation:

Variable b is set to 4. Variable b is decreased to 3.

Variable b is decreased to 2 and then printed. Output: 2

Variable b is printed. Output: 2

QUESTION: 8

Given the code fragment:

```
interface SampleClosable {
public void close () throws java.io.IOException;
}
```

Which three implementations are valid?

- A. public class Test implements SampleCloseable { Public void close () throws java.io.IOException { //do something

```

}
}
B. public class Test implements SampleCloseable { Public void close () throws Exception {
// do something
}
}
C. public class Test implementations SampleCloseable { Public void close () throws
Exception { // do something
}
}
D. public class Test extends SampleCloseable { Public void close ()throws
java.IO.IOException{ // do something
}
}
}

```

Answer: D

Explanation:

To declare a class that implements an interface, you include an implements clause in the class declaration. One interface might extended another interface, but a class cannot extend an interface. Checked exceptions are subject to the Catch or Specify Requirement. All exceptions are checked exceptions, except for those indicated by Error, RuntimeException, and their subclasses.

QUESTION: 9

Given the code fragment:

```

int [] [] array = {{0}, {0, 1}, {0, 2, 4}, {0, 3, 6, 9}, {0, 4, 8, 12, 16}};
System.out.println(array [4] [1]);
System.out.println (array) [1][4]);
int [] [] array = {{0}, {0, 1}, {0, 2, 4}, {0, 3, 6, 9}, {0, 4, 8, 12, 16}};
System.out.println(array [4][1]);
System.out.println(array) [1][4]);

```

What is the result?

- A. 4
- Null
- B. Null 4
- C. An IllegalArgumentException is thrown at run time
- D. 4 An ArrayIndexOutOfBoundsException is thrown at run time

Answer: D

Explanation:

The first println statement, System.out.println(array [4][1]);, works fine. It selects the element/array with index 4, {0, 4, 8, 12, 16}, and from this array it selects the element with index 1, 4 Output: 4 The second println statement, System.out.println(array) [1][4]);, fails. It



Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;
<http://www.ipass4sure.com/all exams.asp>

View list of All Study Guides (SG);
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;
<http://www.ipass4sure.com/all exams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

