

Examcollection

<http://www.ipass4sure.com/examcollection.htm>

1Z0-871

Oracle

MySQL 5 Developer Certified Professional Exam Part

|

<http://www.ipass4sure.com/exams.asp?examcode=1Z0-871>

The 1Z0-871 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 1Z0-871 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 1Z0-871 exam is very challenging, but with our 1Z0-871 questions and answers practice exam, you can feel confident in obtaining your success on the 1Z0-871 exam on your FIRST TRY!

Oracle 1Z0-871 Exam Features

- Detailed questions and answers for 1Z0-871 exam
- Try a demo before buying any Oracle exam
- 1Z0-871 questions and answers, updated regularly
- Verified 1Z0-871 answers by Experts and bear almost 100% accuracy
- 1Z0-871 tested and verified before publishing
- 1Z0-871 examcollection vce questions with exhibits
- 1Z0-871 same questions as real exam with multiple choice options

Acquiring Oracle certifications are becoming a huge task in the field of I.T. More over these exams like 1Z0-871 exam are now continuously updating and accepting this challenge is itself a task. This 1Z0-871 test is an important part of Oracle certifications. We have the resources to prepare you for this. The 1Z0-871 exam is essential and core part of Oracle certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 1Z0-871 Test and save time and money while developing your skills to pass your Oracle 1Z0-871 Exam? Let us help you climb that ladder of success and pass your 1Z0-871 now!

DEMO EXAM

For Full Version visit

<http://www.ipass4sure.com/allexams.asp>

QUESTION: 1

You want to create two databases, test and Test. Which of the following statements is true?

- A. You can create both databases because database names in MySQL are case sensitive.
- B. You can create both databases when your operating system supports case sensitive directory names.
- C. You can create both databases when you quote delimited the database names like `test` and `Test`.
- D. You can create both databases since t and T are different in the ASCII character set.

Answer: B

QUESTION: 2

Which of the following are a valid identifier for the user table in the mysql database?

- A. mysql.user
- B. `mysql.user`
- C. `mysql`.`user`
- D. mysql.`user`

Answer: A, C, D

QUESTION: 3

Is the following statement true or false? "Each database corresponds to a single directory under data directory, regardless of what storage engine table uses in the database"

- A. true
- B. false

Answer: A

QUESTION: 4

Which of the following statements are true? Databases don't have a default character set or collation.

- A. Databases don't have a default character set or collation.
- B. Database have a default character set and a default collation.
- C. When creating a table within a database without specifying a character set and a collation, the default character set and collation from the database are being used.
- D. If a default character set and collation are defined for a database, settings for tables defined in that database will be ignored.

Answer: C, D

QUESTION: 5

Ignoring any warnings that may be issued, which of the following statements will delete the `world` database and its entire contents on execution, but return no error if it doesn't exist?

- A. DROP DATABASE `world` IGNORE ERRORS
- B. DROP IF EXISTS DATABASE `world`
- C. DROP DATABASE IF EXISTS `world`
- D. DELETE DATABASE `world` IGNORE ERRORS
- E. DELETE IF EXISTS DATABASE `world`
- F. DELETE DATABASE IF EXISTS `world`

Answer: C

QUESTION: 6

Which of the following statements will return a list of all of the databases with a name that starts with 'pro'?

- A. LIST DATABASES WHERE NAME LIKE 'pro%'
- B. SHOW DATABASES WHERE NAME LIKE 'pro%'
- C. SELECT DATABASES WHERE NAME LIKE 'pro%'
- D. LIST DATABASES LIKE 'pro%'
- E. SHOW DATABASES LIKE 'pro%'
- F. SELECT DATABASES LIKE 'pro%'

Answer: E

QUESTION: 7

Which of the following statements will provide a list of all of the databases with a name that starts with 'world'?

- A. `SELECT SCHEMA_NAME AS `Database` FROM INFORMATION_SCHEMA.SCHEMATA WHERE SCHEMA_NAME LIKE 'world%'`
- B. `SELECT SCHEMA_NAME AS `Database` FROM SCHEMATA_INFORMATION.SCHEMATA WHERE SCHEMA_NAME LIKE 'world%'`
- C. `SELECT NAME AS `Database` FROM INFORMATION_SCHEMA.DATABASE WHERE NAME LIKE 'world%'`
- D. `SELECT NAME AS `Database` FROM SCHEMATA_INFORMATION.DATABASE WHERE NAME LIKE 'world%'`

Answer: A

QUESTION: 8

Which of the following are true in relation to character set and collation relationships in MySQL?

- A. A collation may belong to only one character set.
- B. A collation may belong to many character sets.
- C. A character set may have only one collation.
- D. A character set may have many collations.

Answer: A, D

QUESTION: 9

In non-strict mode, assuming that the table city does not already exist and you execute the following sequence of commands: `CREATE TABLE city (city_name CHAR(5))`
`INSERT INTO city (city_name) VALUES ('NEW YORK'), ('TOKYO'), ('23+345'), ('LONDON')` -- Ignoring any errors or warnings that may be issued, which values are now in the table?

- A. 'NEW YORK', 'TOKYO', '23+345', 'LONDON'
- B. 'NEW Y', 'TOKYO', '23+34', 'LONDO'
- C. 'NEW YORK', 'TOKYO', ' ', 'LONDON'
- D. 'NEW Y', 'TOKYO', '368', 'LONDO'
- E. 'NEW YORK', 'TOKYO', '368', 'LONDON'

Answer: D

QUESTION: 10

Consider the following:

```
CREATE TABLE friends (  
  name VARCHAR(30)  
)  
  
INSERT INTO friends VALUES (' Tom ')  
  
SELECT name FROM friends
```

Which of the quoted values below will be returned for the name field in the SELECT results?

- A. 'Tom'
- B. ' Tom '
- C. 'Tom'
- D. 'Tom '

Answer: B

QUESTION: 11

Which statement(s) from following list are true for BINARY and VARBINARY data types?

- A. When BINARY values are stored, they are right-padded with null values to the specified length
- B. When VARBINARY values are stored, they are right-padded with null values to the specified length
- C. When BINARY values are retrieved, trailing nulls are removed
- D. When VARBINARY values are retrieved, trailing nulls are removed

Answer: A, C

QUESTION: 12



Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;
<http://www.ipass4sure.com/allexams.asp>

View list of All Study Guides (SG);
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;
<http://www.ipass4sure.com/allexams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

