

Examcollection

<http://www.ipass4sure.com/examcollection.htm>



<http://www.ipass4sure.com>

350-040

Cisco

Cisco CCIE Storage Networking

<http://www.ipass4sure.com/exams.asp?examcode=350-040>

The 350-040 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 350-040 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 350-040 exam is very challenging, but with our 350-040 questions and answers practice exam, you can feel confident in obtaining your success on the 350-040 exam on your FIRST TRY!

Cisco 350-040 Exam Features

- Detailed questions and answers for 350-040 exam
- Try a demo before buying any Cisco exam
- 350-040 questions and answers, updated regularly
- Verified 350-040 answers by Experts and bear almost 100% accuracy
- 350-040 tested and verified before publishing
- 350-040 examcollection vce questions with exhibits
- 350-040 same questions as real exam with multiple choice options

Acquiring Cisco certifications are becoming a huge task in the field of I.T. More over these exams like 350-040 exam are now continuously updating and accepting this challenge is itself a task. This 350-040 test is an important part of Cisco certifications. We have the resources to prepare you for this. The 350-040 exam is essential and core part of Cisco certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 350-040 Test and save time and money while developing your skills to pass your Cisco 350-040 Exam? Let us help you climb that ladder of success and pass your 350-040 now!

DEMO EXAM

For Full Version visit

<http://www.ipass4sure.com/allexams.asp>

QUESTION: 1

Before you can successfully enable the Call Home feature, which of the following must be true?

- A. callhome transport email smtp-server defined
- B. Enterprise license installed
- C. snmp-server location defined
- D. snmp-server contact name defined
- E. callhome site-id defined

Answer: D

QUESTION: 2

Which statements are true about TCP/IP flow control mechanism?

- A. The TCP Maximum Window Size (MWS) is the maximum amount of frames the sender will allow to be outstanding without acknowledgment at one time.
- B. TCP uses a sliding window to control the flow of data end-to-end.
- C. The maximum allowed window size is 1024 frames.
- D. The maximum allowed window size is 1GB.
- E. The TCP Maximum Window Size (MWS) is the maximum amount of bytes the sender will allow to be outstanding without acknowledgment at one time.

Answer: B, D, E

QUESTION: 3

"SCSI LUN discovery" is triggered automatically when:

- A. The switch has dual supervisors
- B. A CSM module is installed in an MDS switch
- C. A 16 port FC Line card installed in an MDS switch
- D. An ASM module is installed in an MDS switch
- E. An IPS module is installed in an MDS switch

Answer: B, D, E

QUESTION: 4

What configuration command enables all discovered storage to be available for iSCSI?

- A. iscsi target enable fc
- B. iscsi import target fc
- C. fc-target import iscsi
- D. enable fc targets dynamic
- E. iscsi virtual-target all

Answer: B

QUESTION: 5

The trunking encapsulation used on Gigabit Ethernet sub interfaces on the Cisco MDS switches adhere to what standard?

- A. IEEE 802.11
- B. RFC 3720
- C. RFC 2625
- D. IEEE 802.1q
- E. IEEE 802.3ae

Answer: D

QUESTION: 6

```
role name guest
description Guest User Role rule 1 deny config
rule 2 deny exec
rule 3 permit config feature zone
rule 4 permit config feature zoneset rule 5 permit show
rule 6 permit exec feature fcping rule 7 permit exec feature fctrace rule 8 permit exec feature
ips
rule 9 permit exec feature discover rule 10 permit config feature ivr rule 11 permit config
feature ficon rule 12 permit config feature fcip
rule 13 permit config feature in-order-guarantee rule 14 permit config feature interface
rule 15 permit exec feature ping rule 16 permit config feature vsan vsan policy deny
permit vsan 10-19
```

What CLI command function will be permitted by the role name "guest"?

- A. change interface mode from auto to F
- B. copy running-config to startup-config
- C. creation of vsan 12
- D. enable TACACS+
- E. creation of port-channels

Answer: A

QUESTION: 7

Host ports belonging to a VSAN which is moved to a suspended state will be:

- A. Transferred to VSAN4094
- B. Transferred to the Default VSAN
- C. Transferred to the Isolated VSAN
- D. Suspended
- E. Disabled

Answer: E

QUESTION: 8

What method is used to assign a pWWN to a dynamically assigned iSCSI initiator in a MDS?

- A. Assigned by iSCSI host
- B. Assigned by Fibre Channel attached Storage System
- C. Assigned by user in the configuration of the iSCSI Target
- D. Assigned by system
- E. Created with iSCSI host name, iSCSI driver and Connection ID

Answer: D

QUESTION: 9

You are asked to design a full-mesh core solution using the following equipment:

- 3 x 9509, fully loaded with 32 port FC modules (DS-X9032)
- 3 x 9506, fully loaded with 32 port FC modules (DS-X9032)

The solution requires 4 Gb/s of bandwidth for the ISLs between switches. What is the number of available physical ports for fibre channel host and storage connectivity within the physical fabric?

- A. 1104
- B. 1200
- C. 708
- D. 996
- E. 816

Answer: E

QUESTION: 0

Click the Exhibit button. In the exhibit what additional steps are needed to create a graphical representation of only "Class F" traffic on interface fc1/4?

The screenshot shows the FC Interface Monitor window for interface fc1/4. The window displays traffic statistics for Class 3 and Class F. The table below shows the data for Class 3 and Class F traffic on interfaces fc1/3 and fc1/4.

Interface	Class 3				Class F			
	Rx Bytes	Rx Frames	Tx Bytes	Tx Frames	Rx Bytes	Rx Frames	Tx Bytes	Tx Frames
fc1/3	0	0	0	0	62	0	117	1
fc1/4	0	0	0	0	20	0	20	0

- A. None, because all fields displayed in the FC Interface Monitor will be graphed
- B. Using the mouse, highlight required fields then select the type of graph
- C. Change the monitor interval to auto, highlight required fields, then select the type of graph
- D. On the monitor window, highlight interface fc1/3 and press delete; then under the protocol tab select "Filter" for "Class F", and select the type of graph
- E. None, because Class "F" traffic cannot be displayed in graph form for an ISL

Answer: B

QUESTION: 11

You are connecting a new switch to an existing two switch Fabric with domain IDs of 1 and 2. The new switch has a domain ID of 1. The principal switch of the existing fabric has a principal switch priority of 10 and is Domain 1. The new switch has a principal switch priority of 1 configured and has the lowest switch WWN of all 3 switches. What switch will be the principal switch after the new switch is added?

- A. The new switch
- B. The new switch will not merge due to overlapping domain ID.
- C. The switch with a domain of 2 in existing Fabric
- D. Merged fabric will have two principal switches.
- E. The switch with a domain of 1 in existing Fabric

Answer: E

QUESTION: 12

What settings would be required on a MDS9000 switch for proper use of a PAA?

- A. PAA requires an ethernet connection to the MDS supervisor.
- B. PAA requires an SD port and must be in its own VSAN.
- C. PAA requires a TE port to connect and must be in its own VSAN.
- D. PAA requires an SD port connection.
- E. PAA requires ST and SD ports.

Answer: D

QUESTION: 13

Given the above IP access list configured on MDS, Which are true?

```

ip access-list acl1 permit ip any any
ip access-list acl1 deny tcp 10.1.1.1 0.0.0.0 eq port telnet any
ip access-list acl1 permit tcp 10.0.0.0 0.0.255.255 eq port telnet any
ip access-list acl1 deny icmp any 10.1.1.1
ip access-list acl1 permit icmp 10.0.0.0 0.0.255.255 any
ip access-list acl1 deny udp any any

interface mgmt0
ip access-group acl1
ip address 10.1.1.1 255.255.255.0

```

- A. MDS can not telnet to host 10.0.1.1
- B. MDS mgmt0 can not access tftp server using UDP
- C. MDS mgmt 0 can ping host 10.0.1.1
- D. Host 10.0.1.1 can not ping with ICMP to MDS mgmt0
- E. Host 10.0.1.1 can telnet to MDS 10.1.1.1

Answer: C, E

QUESTION: 14

What is true about MDS FCIP Profiles?

- A. FCIP profile contains the assigned IP address to which it is bound.
- B. FCIP Profile is assigned to a GiGE interface.
- C. The Profile IDs must match the FCIP interface ID
- D. FCIP profile is not required if only one FCIP interface is used.
- E. Only one FCIP Interface per profile.

Answer: A

QUESTION: 15

What is the effect of a packet/frame loss on SAN Extension transport such as FCIP, DWDM and CWDM?

- A. A packet loss on a FCIP, DWDM and CWDM link does cause the application to abort and restart the SCSI sequence.
- B. A frame drop on SAN Extension connections will always affect the application (that will abort and restart the SCSI sequence).
- C. A frame loss on SAN Extension connections will never directly affect the application because it is handled directly by the switches terminating the FCIP, DWDM or CWDM links.



Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;
<http://www.ipass4sure.com/allexams.asp>

View list of All Study Guides (SG);
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;
<http://www.ipass4sure.com/allexams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

