

# **Examcollection**

<http://www.ipass4sure.com/examcollection.htm>

# 3600-1

## Avaya

### *Avaya Ethernet Routing Switch Implementation and Maintenance Exam*

<http://www.ipass4sure.com/exams.asp?examcode=3600-1>

The 3600-1 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 3600-1 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 3600-1 exam is very challenging, but with our 3600-1 questions and answers practice exam, you can feel confident in obtaining your success on the 3600-1 exam on your FIRST TRY!

#### Avaya 3600-1 Exam Features

- Detailed questions and answers for 3600-1 exam
- Try a demo before buying any Avaya exam
- 3600-1 questions and answers, updated regularly
- Verified 3600-1 answers by Experts and bear almost 100% accuracy
- 3600-1 tested and verified before publishing
- 3600-1 examcollection vce questions with exhibits
- 3600-1 same questions as real exam with multiple choice options

Acquiring Avaya certifications are becoming a huge task in the field of I.T. More over these exams like 3600-1 exam are now continuously updating and accepting this challenge is itself a task. This 3600-1 test is an important part of Avaya certifications. We have the resources to prepare you for this. The 3600-1 exam is essential and core part of Avaya certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 3600-1 Test and save time and money while developing your skills to pass your Avaya 3600-1 Exam? Let us help you climb that ladder of success and pass your 3600-1 now!

# **DEMO EXAM**

For Full Version visit

<http://www.ipass4sure.com/allexams.asp>

**QUESTION: 1**

A technician is adding the Virtual link Aggregation Control Protocol (VLACP) configuration to a Converged Campus Solution where all Ethernet Routing Switches (ERSs) are directly connected without intermediary WAN transport devices. What are two recommended configuration tasks? (Choose two.)

- A. Configure all links to use the same timeout value.
- B. For the Inter Switch Trunks (IST) links, configure the long time-out value.
- C. For the SMLT links, configure the long timeout value.
- D. Configure all links to use a global reserved multicast MAC address for VLACP messages.

**Answer:** B, D

**QUESTION: 2**

The Ethernet Routing Switch (ERS) 8600 supports the feature IP VPN-Lite that does not require the use of an MPLS network. Which function does the ERS 8600 as a Provider Edge (PE) perform for IP VPN-Lite?

- A. The PE uses the Virtual Routing Forwarding (VRF) instances to provide traffic separation
- B. The PE provides route exchange with remote PE devices using OSPF.
- C. The PE encapsulates the IP packets into the separate VPN-Lite VLANs for traffic separation
- D. The PE incorporates Label Distribution Protocol across the core network to connect remote PE devices.

**Answer:** A

**QUESTION: 3**

To confirm that routed Split Multi-Link Trunking (RSMLT) will work on a set of VLANs, which network design aspect should be considered?

- A. RSMLT is enabled on each SMLT VLAN on which the function is required.
- B. RSMLT is enabled on the VLAN group
- C. Router 1 always owns the network
- D. RSMLT is enabled on all SMLT VLANs

**Answer:** A

**QUESTION: 4**

A technician discovers that an Ethernet Routing Switch (ERS) 8300 cat5e copper link is intermittent. The link connects a distant workstation to 8348GTX port 6/2. The cable path is undetermined at this point and it is suspected to traverse many patch panels. How can the ERS 8300 Time Domain reflectometer tool be of help in this situation?

- A. The Virtual Circuit Test command `config ethernet 6/2 vct test` can detect opens, shorts, bad terminations.
- B. The virtual circuit Repair command `config ethernet 6/2 vct repair` can detect the bad cable pairs and repair the cable by moving data to the good cable pairs.
- C. The Virtual Circuit Echo command `config ethernet 6/2 vct echo` can detect the bad cable pairs only when connected to another ERS 8300.
- D. The Virtual Circuit Detect command `config ethernet 6/2 vct detect` can detect how many patch panels are used between the device and switch and provide a percentage of dropped packets.

**Answer:** A

**QUESTION: 5**

Traceout allows a route to be traced to a network using an Ethernet Routing Switch (ERS) 8600 CLI command. In the command output, the possible range of 'w' values is 1-255. The 'w' value represents wait time for what?

- A. Start of command execution
- B. Time to live
- C. Per probe
- D. Completion of traceout report

**Answer:** C

**QUESTION: 6**

What is Enterprise Policy Manager (EPM) used for in an Enterprise network?

- A. to manage traffic prioritization and network access security for business applications
- B. as an alternative to EA servers
- C. to distribute control of packet classification for resiliency and efficiency
- D. to assign user role attributes on the RADIUS server

**Answer:** A

**QUESTION: 7**

Which protocol can be used for end-to-end detection in a network as well as for point-to-point detection?

- A. LACP
- B. VLACP
- C. RSTP
- D. MSTP

**Answer:** B

**QUESTION:** 8

When multiple VLANs are used, Dynamic Host Control protocol (DHCP) relay is required to get the DHCP information from the end user VLAN to the DHCP server. Which statement about how to enable DHCP relay for a VLAN is true?

- A. The physical VLAN IP address is used as the DHCP relay agent.
- B. The IP address of the DHCP relay agent is used.
- C. The IP address of the core server VLAN is used
- D. The virtual VLAN IP address is used as the DHCP relay agent.

**Answer:** B

**QUESTION:** 9

The trace level 9 3 command accomplish?

- A. It captures BGP events at a terse level.
- B. It captures packets copied to the CPU at a verbose level.
- C. It shows CPU utilization.
- D. It captures RCC IP events at verbose level.

**Answer:** B

**QUESTION:** 10

A technician is configuring 802.1Q tagging Virtual Link Aggregation Control Protocol (VLACP) with timeout and untagged frames to be discarded. Which part of the network is being configured?

- A. 1ST
- B. the out-of-band management port



## Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;  
<http://www.ipass4sure.com/all exams.asp>

View list of All Study Guides (SG);  
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);  
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.  
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;  
<http://www.ipass4sure.com/all exams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

