

# **Examcollection**

<http://www.ipass4sure.com/examcollection.htm>

# 6101-1

## Avaya

### *Avaya Ethernet Routing Switch Implementation Exam*

<http://www.ipass4sure.com/exams.asp?examcode=6101-1>

The 6101-1 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 6101-1 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 6101-1 exam is very challenging, but with our 6101-1 questions and answers practice exam, you can feel confident in obtaining your success on the 6101-1 exam on your FIRST TRY!

#### Avaya 6101-1 Exam Features

- Detailed questions and answers for 6101-1 exam
- Try a demo before buying any Avaya exam
- 6101-1 questions and answers, updated regularly
- Verified 6101-1 answers by Experts and bear almost 100% accuracy
- 6101-1 tested and verified before publishing
- 6101-1 examcollection vce questions with exhibits
- 6101-1 same questions as real exam with multiple choice options

Acquiring Avaya certifications are becoming a huge task in the field of I.T. More over these exams like 6101-1 exam are now continuously updating and accepting this challenge is itself a task. This 6101-1 test is an important part of Avaya certifications. We have the resources to prepare you for this. The 6101-1 exam is essential and core part of Avaya certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 6101-1 Test and save time and money while developing your skills to pass your Avaya 6101-1 Exam? Let us help you climb that ladder of success and pass your 6101-1 now!

# **DEMO EXAM**

For Full Version visit

<http://www.ipass4sure.com/allexams.asp>

**QUESTION: 1**

How many Ethernet Routing Switch (ERS) 4500 Switches can be connected in a single stack?

- A. 4
- B. 8
- C. 9
- D. 10
- E. 12

**Answer: B**

**QUESTION: 2**

An engineer needs to assign an IP address of 172.25.36 for out of band management of an Ethernet Routing Switch (ERS) 8600 switch with a subnet mask of 255.255.255.192 Which Command Line Interface (CLI) command should the engineer use?

- A. ERS86000:5# config bootconfig set ip 172.25.10.36/26
- B. ERS86000:5# config bootconfig set ip 172.25.10.36/27
- C. ERS86000:5# config bootconfig net mgemt ip 172.25.10.36/27
- D. ERS86000:5# config bootconfig net mgemt ip 172.25.10.36/26

**Answer: D**

**QUESTION: 3**

What is the front panel port configuration the Ethernet Routing Switch (ERS) 2550T-PWR?

- A. 48 10/100BaseT ports(PoE on 48 ports) Two combo 10/100/1000BaseT or SFP port
- B. 48 10/100BaseT ports(PoE on 24 ports) Two combo 10/100/1000BaseT or SFP port
- C. 50 10/100BaseT ports(PoE on 25 ports) Two combo 10/100/1000BaseT or SFP port
- D. 50 10/100BaseT ports(PoE on 50 ports) Two combo 10/100/1000BaseT or SFP port

**Answer: B**

**QUESTION: 4**

A technician is configuring Split Multi Link Trunking (SMLT) for an Ethernet Routing Switch (ERS) 8600 switch cluster. To ensure the fastest possible recovery time, which feature should be avoided?

- A. VLACP
- B. MLT
- C. 802.3ad
- D. SLPP

**Answer:** B

**QUESTION: 5**

A technician wants to use the New Unit Quick Configuration feature to add new units to a stack of Ethernet Routing Switch (ERS) 5000 switch without resetting it. As well as enabling the feature, what else must be done to use the New Unit Quick Configuration feature?

- A. Save a template on the base unit
- B. Save a template on the backup unit
- C. Insert a new switch in the stack
- D. Apply the feature license

**Answer:** A

**QUESTION: 6**

As stated in RFC 2338, ( Virtual Router Redundancy Protocol) VRRP management problems can occur if the address used by the management station is used incorrectly . Which two statements describe how to avoid management problems? (Choose two)

- A. A VRRP interface MUST accept packets addressed to the IP address(es) associated with the virtual router if it is not the IP address owner(priority = 255)
- B. A VRRP interface MUST NOT accept packets addressed to the IP address(es) associated with the virtual router if it is the IP address owner(priority = 255)
- C. A VRRP interface MUST NOT accept packets addressed to the IP address(es) associated with the virtual router if it is not the IP address owner(priority = 255)
- D. A VRRP interface MUST accept packets addressed to the IP address(es) associated with the virtual router if it is the IP address owner(priority = 255)

**Answer:** A, D

**QUESTION: 7**

A technician is configuring 802.1 Q tagging. VLACP with short timeout, untagged frames to be discarded. Which part of the network is being configured?

- A. layer 2 core
- B. layer 3 core
- C. the edge
- D. the uplinks

**Answer:** D

**QUESTION: 8**

Where is the rate-limit feature of the Converged Campus architecture limited?

- A. uplink ports on the core switches
- B. access ports on the edge switches
- C. inter Switch Trunk ports on the core switches
- D. uplink ports on the edge switches

**Answer:** B

**QUESTION: 9**

A technician is implementing a new network that contains eight Ethernet Routing Switch (ERS) 8600 switches and uses advanced features. What are two possibilities for generating licenses? (Choose two)

- A. one individual advanced feature license for each ERS8600 chassis
- B. one multichassis license using multiple MAC addresses
- C. one advanced feature license for the network
- D. one premier feature license for the network
- E. one site license per ERS 8600

**Answer:** A, B

**QUESTION: 10**

Consider the following deployment requirements:

Support 40 100 Mtv's VoIP telephones, each with a power requirement of 6 Watt Support 40 directly connected 1000 Mtv's Ethernet workstations with UTP cable Support four 1Gb/s Ethernet uplinks to the core switch using multinode fiber Which configuration is the minimum hardware required for an Ethernet Routing Switch (ERS) 8306 chassis that will support the above requirements?

- A. two 8348TX-PWR  
one 8393SF
- B. one 8348GTX  
one 8348TX-PWR  
one 8393SF
- C. one 8348GTX  
one 8348TX-PWR  
one 8308XL  
one 8393SF
- D. two 8348TX-PWR  
one 8308XX  
one 8393SF

**Answer:** B

**QUESTION: 11**

During a power-on or cold-start sequence, at which stage can the flags to change the operational environment of the switch be set?

- A. boot monitor prompt
- B. image search
- C. system test
- D. boot configuration prompt

**Answer:** A

**QUESTION: 12**



## Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;  
<http://www.ipass4sure.com/all exams.asp>

View list of All Study Guides (SG);  
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);  
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.  
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;  
<http://www.ipass4sure.com/all exams.asp>

|            |                    |                  |         |                  |              |           |
|------------|--------------------|------------------|---------|------------------|--------------|-----------|
| 3COM       | CompTIA            | Filemaker        | IBM     | LPI              | OMG          | Sun       |
| ADOBE      | ComputerAssociates | Fortinet         | IISFA   | McAfee           | Oracle       | Sybase    |
| APC        | CWNP               | Foundry          | Intel   | McData           | PMI          | Symantec  |
| Apple      | DELL               | Fujitsu          | ISACA   | Microsoft        | Polycom      | TeraData  |
| BEA        | ECCouncil          | GuidanceSoftware | ISC2    | Mile2            | RedHat       | TIA       |
| BICSI      | EMC                | HDI              | ISEB    | NetworkAppliance | Sair         | Tibco     |
| CheckPoint | Enterasys          | Hitachi          | ISM     | Network-General  | SASInstitute | TruSecure |
| Cisco      | ExamExpress        | HP               | Juniper | Nokia            | SCP          | Veritas   |
| Citrix     | Exin               | Huawei           | Legato  | Nortel           | See-Beyond   | Vmware    |
| CIW        | ExtremeNetworks    | Hyperion         | Lotus   | Novell           | Google       |           |

and many others.. See complete list [Here](#)

