

# **Examcollection**

<http://www.ipass4sure.com/examcollection.htm>



<http://www.ipass4sure.com>

# 642-278

**Cisco**

*Implementing CUCM for TelePresence Video Solutions  
Exam*

<http://www.ipass4sure.com/exams.asp?examcode=642-278>

The 642-278 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 642-278 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 642-278 exam is very challenging, but with our 642-278 questions and answers practice exam, you can feel confident in obtaining your success on the 642-278 exam on your FIRST TRY!

#### Cisco 642-278 Exam Features


- Detailed questions and answers for 642-278 exam
- Try a demo before buying any Cisco exam
- 642-278 questions and answers, updated regularly
- Verified 642-278 answers by Experts and bear almost 100% accuracy
- 642-278 tested and verified before publishing
- 642-278 examcollection vce questions with exhibits
- 642-278 same questions as real exam with multiple choice options

Acquiring Cisco certifications are becoming a huge task in the field of I.T. More over these exams like 642-278 exam are now continuously updating and accepting this challenge is itself a task. This 642-278 test is an important part of Cisco certifications. We have the resources to prepare you for this. The 642-278 exam is essential and core part of Cisco certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 642-278 Test and save time and money while developing your skills to pass your Cisco 642-278 Exam? Let us help you climb that ladder of success and pass your 642-278 now!

# **DEMO EXAM**

For Full Version visit

<http://www.ipass4sure.com/allexams.asp>

**QUESTION: 1**

Refer to the exhibit. The user of IP phone A has opened a trouble ticket that he cannot call IP phone B where is the best place for troubleshooting this issue.

- A. IP phone B
- B. The Cisco Unified Communication Manager system in the site A
- C. IP phone A
- D. IP phone A user
- E. The local VoIP voice gateway of IP phone B
- F. IP phone B user

**Answer:** E

**QUESTION: 2**

How many TFTP servers should be in a Cisco Unified Communications Manager cluster?

- A. 1
- B. 2
- C. 4
- D. 8

**Answer:** A

**QUESTION: 3**

Cisco Unified Communications Manager redundancy for a Cisco TelePresence endpoint is achieved which two of the following? (Choose two)

- A. Configure a Cisco Unified Communications Manager group with two Cisco Unified Communications manager servers in the preferred order.
- B. Configure a Cisco Unified Communications Manager group with three Cisco Unified Communications manager servers in the preferred order.
- C. Configure a Cisco Unified Communications Manager group with three Cisco Unified Communications manager server because redundancy is not supported for Cisco TelePresence endpoints.
- D. Configure a Cisco Unified Communications Manager group with three Cisco Unified Communications manager servers and the calls will be load-balanced between the two Cisco Unified Communications Manager servers in the group.

**Answer:** A, B

**QUESTION:** 4

Video bandwidth limits can be set for Cisco TelePresence System endpoints at which two places? (Choose two)

- A. Region
- B. Calling search space
- C. Device pool
- D. Location
- E. Physical location

**Answer:** A, D

**QUESTION:** 5

Which of the following statements is correct when deploying Cisco TelePresence in a centralized call-processing scenario?

- A. Use Cisco unified SRST to provide for local survivability for the Cisco TelePresence endpoints in the event of a WAN outage and use AAR to provide an alternative path for Cisco TelePresence calls in the event that there is insufficient bandwidth on the WAN.
- B. Cisco TelePresence endpoints do not support SRST. The best solution is to build a redundant WAN.
- C. AAR should be used to reroute Cisco TelePresence calls over a Cisco TelePresence intercompany service provider in the event that the primary enterprise WAN path is unavailable.
- D. Every site in a centralized call-processing deployment must contain a Cisco Unified Communications Manager node for the Cisco TelePresence endpoints to register to.

**Answer:** B

**QUESTION: 6**

When implementing Call Admission Control in a centralized call-processing system, which parameter is used in Cisco Unified Communications Manager to govern the aggregate bandwidth usage of the devices?

- A. Route group
- B. Location
- C. Region
- D. Hunt group
- E. Partition

**Answer:** C

**QUESTION: 7**

In a Cisco TelePresence environment, the load files and firmware are typically large, so TFTP is used to more efficiently distribute these files to their endpoints. Which listening port number is created by TFTP for this distribution?

- A. 6975
- B. 6980
- C. 6970
- D. 6950

**Answer:** C

**QUESTION: 8**

What are two ways that the Cisco TelePresence system can get its Cisco Unified Communications Manager address?

- A. SIP INVITE
- B. DNS
- C. DHCP
- D. Manually configured via Cisco TelePresence System Administration User interface
- E. Cisco discovery Protocol

**Answer:** A, C

**QUESTION: 9**  
DRAG DROP

Click and drag the MoH server parameter on the left to its description on the right. Not all parameters apply.

Run Flag	In conjunction with a sound card, allows you to use a live radio broadcast for MoH
MoH Enabled	enables the number of devices that can be a source of multicast music
Enable Base Multicast	determines the number of devices to which a server can provide a unicast audio stream
Maximum Multicast Connections	when set to 'NO', MoH is not provided, when set to 'YES' MoH is enabled
Fixed Audio Source Device	
Maximum Half Duplex Streams	

**Answer:**

Click and drag the MoH server parameter on the left to its description on the right. Not all parameters apply.

Run Flag	Fixed Audio Source Device
MoH Enabled	Maximum Multicast Connections
Enable Base Multicast	Maximum Half Duplex Streams
Maximum Multicast Connections	Run Flag
Fixed Audio Source Device	
Maximum Half Duplex Streams	

**Explanation:**

Fixed audio source device  
Maximum multicast connections  
Maximum half duplex stream  
Run flag

**QUESTION: 10**

Which two of these characteristics of multicast music on hold? (Choose two)

- A. point in multipoint, two-way audio stream
- B. Separate audio stream for each connection



## Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;  
<http://www.ipass4sure.com/allexams.asp>

View list of All Study Guides (SG);  
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);  
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.  
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;  
<http://www.ipass4sure.com/allexams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

