

Examcollection

<http://www.ipass4sure.com/examcollection.htm>

642-627

Cisco

Implementing Cisco Intrusion Prevention System (IPS) v7.0

<http://www.ipass4sure.com/exams.asp?examcode=642-627>

The 642-627 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 642-627 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 642-627 exam is very challenging, but with our 642-627 questions and answers practice exam, you can feel confident in obtaining your success on the 642-627 exam on your FIRST TRY!

Cisco 642-627 Exam Features

- Detailed questions and answers for 642-627 exam
- Try a demo before buying any Cisco exam
- 642-627 questions and answers, updated regularly
- Verified 642-627 answers by Experts and bear almost 100% accuracy
- 642-627 tested and verified before publishing
- 642-627 examcollection vce questions with exhibits
- 642-627 same questions as real exam with multiple choice options

Acquiring Cisco certifications are becoming a huge task in the field of I.T. More over these exams like 642-627 exam are now continuously updating and accepting this challenge is itself a task. This 642-627 test is an important part of Cisco certifications. We have the resources to prepare you for this. The 642-627 exam is essential and core part of Cisco certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 642-627 Test and save time and money while developing your skills to pass your Cisco 642-627 Exam? Let us help you climb that ladder of success and pass your 642-627 now!

DEMO EXAM

For Full Version visit

<http://www.ipass4sure.com/allexams.asp>

QUESTION: 1

Which three are global correlation network participation modes? (Choose three.)

- A. off
- B. partial participation
- C. reputation filtering
- D. detect
- E. full participation
- F. learning

Answer: A, B, E

QUESTION: 2

DRAG DROP

Click and drag the Cisco IPS module on the left to the correct device that it supports on the right.

AIP-SSM	ISR
IDSM-2	ASA 5520
IPS AIM or IPS NME	Catalyst 6500
AIP-SSC	ASA 5505

Answer:

Click and drag the Cisco IPS module on the left to the correct device that it supports on the right.

AIP-SSM	IPS AIM or IPS NME
IDSM-2	AIP-SSM
IPS AIM or IPS NME	IDSM-2
AIP-SSC	AIP-SSC

Explanation:

IPS AIM or IPS NME

AIP-SSM

IDSM-2

AIP-SSC

QUESTION: 3

What are four properties of an IPS signature? (Choose four.)

- A. reputation rating
- B. fidelity rating

- C. summarization strategy
- D. signature engine
- E. global correlation mode
- F. signature ID and signature status

Answer: B, C, D, F

QUESTION: 4

The custom signature ID of a Cisco IPS appliance has which range of values?

- A. 10000 to 19999
- B. 20000 to 29999
- C. 50000 to 59999
- D. 60000 to 65000
- E. 80000 to 90000
- F. 1 to 20000

Answer: D

QUESTION: 5

When upgrading a Cisco IPS AIM or IPS NME using manual upgrade, what must be performed before installing the upgrade?

- A. Disable the heartbeat reset on the router.
- B. Enable fail-open IPS mode.
- C. Enable the Router Blade Configuration Protocol.
- D. Gracefully halt the operating system on the Cisco IPS AIM or IPS NME

Answer: A

QUESTION: 6

Which Cisco IPS NME interface is visible to the NME module but not visible in the router configuration and acts as the sensing interface of the NME module?

- A. ids-sensor 0/1 interface
- B. ids-sensor 1/0 interface
- C. gigabitEthernet 0/1
- D. gigabitEthernet 1/0

- E. management 0/1
- F. management 1/0

Answer: C

QUESTION: 7

Which two methods can be used together to configure a Cisco IPS signature set into detection mode when tuning the Cisco IPS appliance to reduce false positives? (Choose two.)

- A. Subtract all aggressive actions using event action filters.
- B. Enable anomaly detection learning mode.
- C. Enable verbose alerts using event action overrides.
- D. Decrease the number of events required to trigger the signature.
- E. Increase the maximum inter-event interval of the signature.

Answer: A, E

QUESTION: 8

In which CLI configuration mode is the Cisco IPS appliance management IP address configured?

- A. global configuration ips(config)#
- B. service network-access ips(config-net)#
- C. service host network-settings ips(config-hos-net)#
- D. service interface ips(config-int)#

Answer: C

QUESTION: 9

Which four parameters are used to configure how often the Cisco IPS appliance generates alerts when a signature is firing? (Choose four.)

- A. summary mode
- B. summary interval
- C. event count key
- D. global summary threshold
- E. summary key
- F. event count

- G. summary count
- H. event alert mode

Answer: A, B, D, F

QUESTION: 10

Which three Cisco IPS cross-launch capabilities do Cisco Security Manager and Cisco Security MARS support? (Choose three.)

- A. Edit IPS signatures in Cisco Security Manager from a Cisco Security MARS query.
- B. Create custom signatures in Cisco Security Manager from a Cisco Security MARS query.
- C. Create event action filters in Cisco Security Manager from a Cisco Security MARS query.
- D. Create a Cisco Security MARS drop rule from Cisco Security Manager policy.
- E. Create a Cisco Security MARS user inspection rule from Cisco Security Manager policy.
- F. Query Cisco Security MARS from Cisco Security Manager policy.

Answer: C, E, F

QUESTION: 11

Which statement about inline VLAN pair deployment with the Cisco IPS 4200 Series appliance is true?

- A. The sensing interface acts as an 802.1q trunk port, and the Cisco IPS appliance performs VLAN translation between pairs of VLANs.
- B. The Cisco IPS appliance connects to two physically distinct switches using two paired physical interfaces.
- C. Two sensing interfaces connect to the same switch that forwards traffic between two VLANs.
- D. The pair of sensing interfaces can be selectively divided (virtualized) into multiple logical "wires" by VLANs that can be analyzed separately

Answer: A

QUESTION: 12

Which four statements about Cisco IPS appliance anomaly detection histograms are true? (Choose four.)

- A. Histograms are learned or configured manually.



Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;
<http://www.ipass4sure.com/all exams.asp>

View list of All Study Guides (SG);
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;
<http://www.ipass4sure.com/all exams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

