

Examcollection

<http://www.ipass4sure.com/examcollection.htm>

642-747

Cisco

*Implementing Cisco Unified Wireless Mobility Services
(IUWMS)*

<http://www.ipass4sure.com/exams.asp?examcode=642-747>

The 642-747 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 642-747 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 642-747 exam is very challenging, but with our 642-747 questions and answers practice exam, you can feel confident in obtaining your success on the 642-747 exam on your FIRST TRY!

Cisco 642-747 Exam Features

- Detailed questions and answers for 642-747 exam
- Try a demo before buying any Cisco exam
- 642-747 questions and answers, updated regularly
- Verified 642-747 answers by Experts and bear almost 100% accuracy
- 642-747 tested and verified before publishing
- 642-747 examcollection vce questions with exhibits
- 642-747 same questions as real exam with multiple choice options

Acquiring Cisco certifications are becoming a huge task in the field of I.T. More over these exams like 642-747 exam are now continuously updating and accepting this challenge is itself a task. This 642-747 test is an important part of Cisco certifications. We have the resources to prepare you for this. The 642-747 exam is essential and core part of Cisco certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 642-747 Test and save time and money while developing your skills to pass your Cisco 642-747 Exam? Let us help you climb that ladder of success and pass your 642-747 now!

DEMO EXAM

For Full Version visit

<http://www.ipass4sure.com/allexams.asp>

QUESTION: 1

Which two issues may need to be considered when using DAS to support location-tracking services? (Choose two.)

- A. Third-party antennas may reduce RF cell size but provide location accuracy.
- B. Additional monitor-mode APs may be necessary to obtain desired location accuracy.
- C. Wi-Fi RF channel selection is critical when using DAS if multiple wireless services are supported in the same antenna group.
- D. Multiple connections are required into a common DAS for 802.11n support.
- E. Linear DAS deployment can reduce your location accuracy.

Answer: B, E

QUESTION: 2

Which issue may lead to inconsistent wireless client locations being reported by Cisco WCS v7.0?

- A. Roaming between APs is controlled by different controllers.
- B. A mix of APs is configured for monitor and local mode.
- C. The wireless client does not transmit a probe request to all channels.
- D. The wireless client is not compliant with Cisco Compatible Extensions.
- E. The wireless client does not associate.

Answer: C

QUESTION: 3

Which three options describe ways in which the Cisco Compatible Extensions S36 message is used in Cisco WLC v7.0? (Choose three.)

- A. for WGB location
- B. by Cisco WCS for calibration
- C. for location tracking of wireless tags
- D. only on 802.11b/g/n
- E. on 802.11a/b/g/n
- F. by Cisco Compatible Extensions v4 and above
- G. by Cisco Compatible Extensions v2 and above

Answer: B, E, G

QUESTION: 4

You have a customer interested in adding RFID tags to track the movement of containers of work in process in their manufacturing facility. Which type of RFID tags and which Wi-Fi

band are most appropriate using their existing Cisco Unified Wireless Network based on v7.0?
(Choose two.)

- A. passive RFID tags
- B. semipassive RFID tags
- C. active RFID tags
- D. 900 MHz
- E. 2.4 GHz
- F. 5 GHz

Answer: C, E

QUESTION: 5

A calibration model has been created for a specific floor in Cisco WCS v7.0. Which two events are more likely to affect location accuracy and compel a new calibration? (Choose two.)

- A. additional local mode APs installed
- B. changes in office interior walls location and type
- C. additional monitor mode APs installed
- D. change in inventory type stocked in warehouse
- E. compass direction change in omnidirectional antenna

Answer: B, D

QUESTION: 6

What are the two message formats that a Cisco WCS v7.0 can use to send a context-aware tracking event notification to an external destination? (Choose two.)

- A. XML
- B. plaintext
- C. XLS
- D. PDF
- E. JPEG
- F. CSV

Answer: B, C

QUESTION: 7

Which two descriptions are examples of how location services can be adjusted at the Cisco WLC v7.0? (Choose two.)

- A. Disable RFID tag tracking if there are no tags in the respective locations of the controller APs.
- B. Disable wireless client tracking if there are no requirements for the respective locations of the controller APs.
- C. Increase RFID timeouts from defaults if tags are beaconing at 30 seconds.
- D. Decrease RFID timeouts from defaults if tags are beaconing at 30 seconds.

Answer: A, D

QUESTION: 8

If the wired infrastructure network latency becomes an issue, which adjustments can be made for collection of location information using Cisco WCS v7.0?

- A. Adjust SNMP timers on Cisco WCS.
- B. Adjust SNMP timers on the Cisco 3300 Series MSE.
- C. Adjust SNMP timers on Cisco WLC.
- D. Adjust LOCP timers on Cisco WLC.
- E. Adjust LOCP timers on Cisco MSE.
- F. Adjust NMSP timers on Cisco WLC.
- G. Adjust NMSP timers on Cisco MSE.

Answer: F

QUESTION: 9

Refer to the exhibit. To provide the best coverage for location-tracking services, where should the APs be located? ****Exhibit Missing****

- A. Deploy the APs down the center of the corridor with omnidirectional antennas to maximize location-tracking coverage.
- B. Stagger the APs in the offices using directional antennas so that each AP has a view of the sector of the floor that it is responsible to cover.
- C. Deploy the APs along the edge of the building with directional antennas pointing into the building to cover sectors of the floor.
- D. Deploy the APs in a staggered formation with omnidirectional antennas so that they have a surrounding view with minimal obstruction.
- E. Deploy the APs on the sides of steel or concrete interior columns with directional antennas to eliminate the columns from the coverage area.

Answer: D

QUESTION: 10



Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;
<http://www.ipass4sure.com/all exams.asp>

View list of All Study Guides (SG);
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;
<http://www.ipass4sure.com/all exams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

