

Examcollection

<http://www.ipass4sure.com/examcollection.htm>

644-906

Cisco

Implementing and Maintaining Cisco Technologies using IOS XR

<http://www.ipass4sure.com/exams.asp?examcode=644-906>

The 644-906 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 644-906 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 644-906 exam is very challenging, but with our 644-906 questions and answers practice exam, you can feel confident in obtaining your success on the 644-906 exam on your FIRST TRY!

Cisco 644-906 Exam Features

- Detailed questions and answers for 644-906 exam
- Try a demo before buying any Cisco exam
- 644-906 questions and answers, updated regularly
- Verified 644-906 answers by Experts and bear almost 100% accuracy
- 644-906 tested and verified before publishing
- 644-906 examcollection vce questions with exhibits
- 644-906 same questions as real exam with multiple choice options

Acquiring Cisco certifications are becoming a huge task in the field of I.T. More over these exams like 644-906 exam are now continuously updating and accepting this challenge is itself a task. This 644-906 test is an important part of Cisco certifications. We have the resources to prepare you for this. The 644-906 exam is essential and core part of Cisco certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 644-906 Test and save time and money while developing your skills to pass your Cisco 644-906 Exam? Let us help you climb that ladder of success and pass your 644-906 now!

DEMO EXAM

For Full Version visit

<http://www.ipass4sure.com/allexams.asp>

QUESTION: 1

Refer to the show environmental power-supply command output exhibit.

Exhibit

R/S/I	Modules	Capacity (W)	Status
0/PM0/*	host PM	3000	Ok
0/PM1/*	host PM	3000	Ok
0/PM2/*	host PM	0	Unpowered

R/S/I	Power Draw (W)	Voltage (V)	Current (A)
0/PM0/*	270.5	54.1	5.0
0/PM1/*	392.5	54.5	7.2
0/PM2/*	0.0	0.0	0.0

Total: 663.0

Power Budget Summary for Rack 0

Power Shelves Type: AC

Total Power Capacity:	6000W
Usable Power Capacity:	6000W
Supply Failure Protected Capacity:	3000W
Worst Case Power Used:	1850W

Slot	Max Watts
-----	-----
0/RSP0/CPU0	235
0/RSP1/CPU0	235(default)
0/2/CPU0	630
0/FT0/SP	375
0/FT1/SP	375

Worst Case Power Available:	4150W
Supply Protected Capacity Available:	1150W

How much power is the system currently using?

- A. 663 W
- B. 1150 W
- C. 1850 W

D. 6000 W

Answer: A**QUESTION:** 2

Refer to the show environmental power-supply command output exhibit.

Exhibit

R/S/I	Modules	Capacity (W)	Status
0/PM0/*	host PM	3000	Ok
0/PM1/*	host PM	3000	Ok
0/PM2/*	host PM	0	Unpowered

R/S/I	Power Draw (W)	Voltage (V)	Current (A)
0/PM0/*	270.5	54.1	5.0
0/PM1/*	392.5	54.5	7.2
0/PM2/*	0.0	0.0	0.0

Total: 663.0

Power Budget Summary for Rack 0

Power Shelves Type: AC

Total Power Capacity:	6000W
Usable Power Capacity:	6000W
Supply Failure Protected Capacity:	3000W
Worst Case Power Used:	1850W

Slot	Max Watts
-----	-----
0/RSP0/CPU0	235
0/RSP1/CPU0	235(default)
0/2/CPU0	630
0/FT0/SP	375
0/FT1/SP	375

Worst Case Power Available: 4150W
Supply Protected Capacity Available: 1150W

How many additional line cards of the same type that are currently in the system can you safely install and remain redundant in the worse power usage if there is a power supply failure?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

Answer: A

QUESTION: 3

What is the maximum long-term normal operating temperature of the Cisco CRS-1, ASR 9000 Series Routers, and XR 12000 Series Routers?

- A. 40C (104F)
- B. 50C (122F)
- C. 55C (131F)
- D. 65C (149F)

Answer: A

QUESTION: 4

The Cisco CRS 16-Slot Line Card Chassis Site Planning Guide suggests having 48 inches of clearance behind the chassis. What would definitely happen to the system if there were only 28 inches of clearance behind the Cisco CRS 16-Slot Line Card Chassis?

- A. The system would overheat due to inadequate airflow.
- B. The fabric card could not be exchanged if one failed.
- C. The modular services card (MSC) could not be exchanged if one failed.
- D. The fan tray could not be exchanged if one failed.

Answer: D

QUESTION: 5

How many planes are there in the Cisco CRS-3 switch fabric?

- A. 1
- B. 3
- C. 7
- D. 8

Answer: D

QUESTION: 6

What is the cell size of the cells that traverse the switch fabric on the Cisco CRS-3?

- A. 128 bytes
- B. 136 bytes
- C. 144 bytes
- D. 200 bytes
- E. 288 bytes

Answer: B

QUESTION: 7

Where are client interfaces terminated on the Cisco CRS-3?

- A. the modular services card
- B. the physical layer interface module(s)
- C. the switch fabric interface terminator
- D. the Service Processor 40
- E. the Service Processor 140

Answer: B

QUESTION: 8

In order to determine the hardware and firmware revision of a linecard, what is the correct command that should be invoked?

- A. RP/0/RP0/CPU0:CRS-MC#show version
- B. RP/0/RP0/CPU0:CRS-MC#show platform
- C. RP/0/RP0/CPU0:CRS-MC(admin)#show platform

- D. RP/0/RP0/CPU0:CRS-MC#show diagnostic summary
- E. RP/0/RP0/CPU0:CRS-MC(admin)#show diag details

Answer: E

QUESTION: 9

In which mode can you check the power usage of a chassis?

- A. in EXEC mode
- B. in admin mode
- C. in both EXEC and admin mode
- D. in ROMMON mode
- E. in environmental mode

Answer: B

QUESTION: 10

Refer to the

Exhibit

		HW			Current SW	Upg/	
Location	Card Type	Version	Type	Subtype	Inst	Version	Dng?
0/RP0/CPU0	Route Processor	0.4	1c	rommonA	0	2.01*	No
			1c	rommon	0	2.01	Yes
0/SM0/SP	140G-S1S2S3-2	0.1	1c	rommonA	0	2.01	Yes
			1c	rommon	0	2.03	Yes
			1c	fpga1	0	3.05	Yes
			1c	fpga2	0	4.01	No

If you have ROMMONs and FPDs with the Upg/Dng field marked "Yes" and you ran the upgrade hw-module fpd all location all command, what did you upgrade?

- A. upgraded only the FPD for the cards that the Upg/Dng field marked "Yes"
- B. upgraded all of the FPDs on all cards with an FPD regardless of the Upg/Dng field markings
- C. upgraded only the FPD and ROMMON for the cards that the Upg/Dng field marked "Yes"
- D. upgraded all of the FPDs and ROMMONs on all cards with an FPD or ROMMON regardless of the Upg/Dng field markings



Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;
<http://www.ipass4sure.com/all exams.asp>

View list of All Study Guides (SG);
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;
<http://www.ipass4sure.com/all exams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

