

Examcollection

<http://www.ipass4sure.com/examcollection.htm>



<http://www.ipass4sure.com>

70-513

Microsoft

*Windows Communication Foundation Development with
Microsoft .NET Framework 4*

<http://www.ipass4sure.com/exams.asp?examcode=70-513>

The 70-513 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 70-513 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 70-513 exam is very challenging, but with our 70-513 questions and answers practice exam, you can feel confident in obtaining your success on the 70-513 exam on your FIRST TRY!

Microsoft 70-513 Exam Features

- Detailed questions and answers for 70-513 exam
- Try a demo before buying any Microsoft exam
- 70-513 questions and answers, updated regularly
- Verified 70-513 answers by Experts and bear almost 100% accuracy
- 70-513 tested and verified before publishing
- 70-513 examcollection vce questions with exhibits
- 70-513 same questions as real exam with multiple choice options

Acquiring Microsoft certifications are becoming a huge task in the field of I.T. More over these exams like 70-513 exam are now continuously updating and accepting this challenge is itself a task. This 70-513 test is an important part of Microsoft certifications. We have the resources to prepare you for this. The 70-513 exam is essential and core part of Microsoft certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 70-513 Test and save time and money while developing your skills to pass your Microsoft 70-513 Exam? Let us help you climb that ladder of success and pass your 70-513 now!

DEMO EXAM

For Full Version visit

<http://www.ipass4sure.com/allexams.asp>

Exam Name:	Windows Communication Foundation Development with Microsoft .NET Framework 4		
Exam Type:	Microsoft		
Exam Code:	70-513	Total Question	121

Question: 1

You are creating a Windows Communication Foundation (WCF) service that is implemented as follows. (Line numbers are included for reference only.)

```

01|ServiceContract]
02[Service Behavior(includeExceptionDetailsInFaults = true)1 03public class Order Service
04{
05[OperationContract]
06public void Submit Order(Order an Order)
07{
08try
09{
10...
11)
12catch(DivideByZeroException ex)
13{
14
15)
16)
17)

```

You need to ensure that the stack trace details of the exception are not included in the error information sent to the client. What should you do?

- A. Replace line 14 with the following line. throw;
- B. Replace line 14 with the following line throw new FaultException<Order>(anOrder, ex.ToString());
- C. After line 05, add the following line. [FaultContract(typeof(FaultException<Order>))] Replace line 14 with the following line throw ex;
- D. After line 05, add the following line [FaultContract(typeof(FaultException<Order>))] Replace line 14 with the following line. throw new FaultException<Order>(anOrder, "Divide by zero exception");

Answer: D

Question: 2

You are creating a Windows Communication Foundation (WCF) service that is implemented as follows. (Line numbers are included for reference only.)

```

01 <ServiceContract>?
02<ServiceBehavior(IncludeExceptionDetailsInFaults: True)>
03Public Class OrderService
04
05<OperationContract>d
06Public Sub Submit Order(ByVal anOrder As Order)
07
08Try
09.
10Catch ex As DivideByZeroException
11
12End Try
13End Sub
14
15End Class

```

You need to ensure that the stack trace details of the exception are not included in the error information sent to the client. What should you do?

Exam Name:	Windows Communication Foundation Development with Microsoft .NET Framework 4		
Exam Type:	Microsoft		
Exam Code:	70-513	Total Question	121

- A. Replace line 11 with the following line. Throw
- B. Replace line 11 with the following line. Throw New Fault Exception(C* Order)(anOrder, exToSthng0)d
- C. After line 05, add the following line. 'cFault Contract(Get Type(FautException(Of Order)))> Replace line 11 with the following line. Throw ex
- D. After mne 05, add the following line. <Fault Contract(Get Type(FaultException(CX Order)))> Replace line 11 with the following line. Throw New FaultException(CX Order)(anOrder, "Divide by zero exception")

Answer: D

Question: 3

You are creating a windows Communication Foundation (WCF) service. You do not want to pose the internal implementation at the service layer You need to expose the following class as a service named Arithmetic the an operation named Sum public class Calculator { public int Add(int x, nty) { } } Which code segment should you use?

- A. [ServiceContract(Namespace="Arithmetic")] public class Calculator { [Operation Contract(Action"Sum")]m public int Add(int x, int y) { } }
- B. [ServiceContract(ConfigurationName="Arithmetic")] public class Calculator { IOperai on Contract(Action"Sum")m public nit Add(int x, int y) { } }
- C. [ServiceContract(Namie="Arithmetic")] public class Calculator ([OperationContract(Nameee"Sum")] public int Add(int x, int y) (}
- D. [ServiceContract(Namie="Arithmtic")] public class Calculator { (OperationContract(ReplyAction"Sum")) public int Add(int x, int y) (}

Answer: C

Question: 4

You are creating a Windows Communication Foundation (WCF) service You do not want to expose the internal implementation at the service layer You need to expose the following class as a service named Arithmetic with an operation named Spurn. Public Class Calculator Public Function Add(ByVal x As Integer, ByVal yAs Integer) As Integer End Function End Class Which code segment should you use?

- A. <ServceContract(Namespace: 'Arithmetic')> Public Class Calculator <OperationContract(Action:"Su.rn")>? Public Function Add(ByVal x As integer, ByVal yAs Integer) As Integer End Function End Class
- B. <ServiceContract(ConfigurationName:="Arithmetic")> Public Class Calculator <OperationContract(Action:"Surm")s Public Function Add(ByVal x As integer, ByVal yAs Integer) As Integer End Function End Class
- C. <ServiceContract(Name: "Arithmetic")> Public Class Calculator <OperationContract(Name: "Sum')> Public Function Add(ByVal x As integer, ByVal yAs Integer) As Integer
- D. <ServiceContract(Name: z'Arithmetic")> Public Class Calculator <OperationContract(ReplyAction: "Sum")> Public Function Add(ByVal x As Integer, ByVal y As Integer) As Integer End Function End Class

Answer: C

Question: 5

You are developing a data contract for a Windows Communication Foundation (WCF) service. The data in the data contract must participate in round trips. Strict schema validity is not required. You need to ensure that the contract is forward compatible and allows new data members to be added to it. Which interface should you implement in the data contract class?

- A. ICommunicationObject

Exam Name:	Windows Communication Foundation Development with Microsoft .NET Framework 4		
Exam Type:	Microsoft		
Exam Code:	70-513	Total Question	121

- B. IExtension <T>
- C. IExtensibleObject <Ts
- D. IExtensibleDataObject

Answer: D

Question: 6

You are developing a data contract for a Windows Communication Foundation (WCF) service. The data in the data contract must participate in round trips. Strict schema validity is not required. You need to ensure that the contract is forward-compatible and allows new data members to be added to it. Which interface should you implement in the data contract class?

- A. ICommunicationObject
- B. IExtension(Of T)
- C. IExtensibleObject(Of T)
- D. IExtensibleDataObject

Answer: D

Question: 7

Windows Communication Foundation (WCF) application uses a data contract that has several data members. You need the application to throw a SerializationException if any of the data members are not present when a serialized instance of the data contract is deserialized. What should you do?

- A. Add the KnownType attribute to the data contract. Set a default value in each of the data member declarations.
- B. Add the KnownType attribute to the data contract. Set the Order property of each data member to unique integer value.
- C. Set the EmitDefaultValue property of each data member to false.
- D. Set the Required property of each data member to true.

Answer: D

Question: 8

A Windows Communication Foundation (WCF) application uses the following data contract [DataContract] public class Person { [DataMember] public string firstName; [DataMember] public string lastName; [DataMember] public int age; [DataMember] public int ID; } You need to ensure that the following XML segment is generated when the data contract is serialized. <Person> <firstName xsi:nil="true" /> <lastName xsi:nil="true" /> <ID>999999999 </ID> </Person> Which code segment should you use?

- A. [DataMember] public string firstName; [DataMember] public string lastName; [DataMember(EmitDefaultValue = true)] public int age = 0; [DataMember(EmitDefaultValue = true)] public int ID = 999999999;
- B. [DataMember(EmitDefaultValue = false)] public string firstName = null; [DataMember(EmitDefaultValue = false)] public string lastName = null; [DataMember(EmitDefaultValue = true)] public int age = -1; [DataMember(EmitDefaultValue = false)] public int ID = 999999999;
- C. [DataMember(EmitDefaultValue = true)] public string firstName; [DataMember(EmitDefaultValue = true)] public string lastName; [DataMember(EmitDefaultValue = false)] public int age = -1; [DataMember(EmitDefaultValue = false)] public int ID = 999999999;
- D. [DataMember] public string firstName = null; [DataMember(EmitDefaultValue = false)] public int age = 0;

Exam Name:	Windows Communication Foundation Development with Microsoft .NET Framework 4		
Exam Type:	Microsoft		
Exam Code:	70-513	Total Question	121

[DataMember(EmitDefaultValue false)] public int ID = 999999999;

Answer: D

Question: 9

A Windows Communication Foundation (WC9) application uses the following data contract. <DataContractO> Public Class Person <DataMemberOs Public first Name As String <DataMemberO> Public last Name As String <DataMemberO> Public age As Integer <DataMemberO> Public ID As Integer End Class You need to ensure that the following XML segment is generated when the data contract is serialized. <Person> <first Name xsi:nil='true' /> <last Name xsi:nil='true' /> <ID>999999999 </ID> </Person> Which code segment should you use?

- A. <DataMember> Public first Name As String <DataMember> Public last Name As String <DataMember(EmitDefaultValue:=True)> Public age As Integer 0 <DataMember(EmitDefaultValue:=True)s Public ID As Integer = 999999999
- B. <DataMember(EmitDefaultValue:sFalse)?> Public first Name As String = Nothing <DataMember(EmitDefaultValue:zFalse)> Public last Name As String = Nothing <DataMember(EmitDefaultValue:=True)> Public age As Integer = -1 <DataMember(EmitDefaultValue:sFalse)s> Public ID As Integer = 999999999
- C. <DataMember(EmitDefaultValue =True)> Public first Name As String <DataMember(EmitDefaultValue:True)s> Public last Name As String <DataMember(EmitDefaultValue:zFalse)> Public age As Integer = -1 <DataMember(EmitDefaultValue:=False)> Public ID As Integer = 999999999
- D. <DataMemberO> Public first Name As String = Nothing <DataMemberO> Public last Name As String = Nothing <DataMember(EmitDefaultValue:zFalse)> Public age As Integer =0 <DataMember (EmitDefaultValueaFalse)> Public ID As Integer = 999999999

Answer: D

Question: 10

The following is an example of a SOAP envelope. <s:Envelope xmlns:s='http://schemas.xmlsoap.org/soap/envelope'> <Header> <h:StoreId xmlns:h='http://www.contoso.com' s='6495' /> </Header> <s:Body> <CheckStockRequest xmlns='http://www.contoso.com'> <ItemId>2469 <ItemId>4 </CheckStockRequest> </s:Body> </s:Envelope> You need to create a message contract that generates the SOAP envelope. 1 which code segment should you use?

- A. [MessageContract(WrapperName="http://www.contoso.com")] public class CheckStockRequest { [MessageHeader(Name="http://www.contoso.com")] public int StoreId { get; set; } [MessageBodyMember(Name="http://www.contoso.com")] public int ItemId { get; set; } }
- B. [MessageContract(WrapperNamespace="http://www.contoso.com")] public class CheckStockRequest { [MessageHeader(Namespace="http://www.contoso.com")] public int StoreId { get; set; } [MessageBodyMember(Namespace="http://www.contoso.com")] public int ItemId { get; set; } }
- C. [MessageContract(WrapperNamespace="http://www.contoso.com")] public class CheckStockRequest { [MessageHeader(Namespace="http://www.contoso.com")] public int StoreId { get; set; } public int ItemId { get; set; } }
- D. [MessageContract(WrapperNamespace="http://www.contoso.com")] public class CheckStockRequest { [MessageHeader(Namespace="http://www.contoso.com")] public int StoreId { get; set; } [MessageBodyMember] public int ItemId { get; set; } }

Answer: B



Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;
<http://www.ipass4sure.com/all exams.asp>

View list of All Study Guides (SG);
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;
<http://www.ipass4sure.com/all exams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

