

Examcollection

<http://www.ipass4sure.com/examcollection.htm>

70-523-CSharp

Microsoft

UPG-Transition MCPD.NET Frmwrk 3.5 Web Dev to 4 Web Dev

The 70-523-CSharp practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 70-523-CSharp Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 70-523-CSharp exam is very challenging, but with our 70-523-CSharp questions and answers practice exam you can feel confident in obtaining your success on the 70-523-CSharp exam on your FIRST TRY!

Microsoft 70-523-CSharp Exam Features

- Detailed questions and answers for 70-523-CSharp exam
- Try a demo before buying any Microsoft exam
- 70-523-CSharp questions and answers, updated regularly
- Verified 70-523-CSharp answers by Experts and bear almost 100% accuracy
- 70-523-CSharp tested and verified before publishing
- 70-523-CSharp examcollection vce questions with exhibits
- 70-523-CSharp same questions as real exam with multiple choice options

Acquiring Microsoft certifications are becoming a huge task in the field of I.T. More over these exams like 70-523-CSharp exam are now continuously updating and accepting this challenge is itself a task. This 70-523-CSharp test is an important part of Microsoft certifications. We have the resources to prepare you for this. The 70-523-CSharp exam is essential and core part of Microsoft certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 70-523-CSharp Test and save time and money while developing your skills to pass your Microsoft 70-523-CSharp Exam? Let us help you climb that ladder of success and pass your 70-523-CSharp

DEMO EXAM

For Full Version visit

<http://www.ipass4sure.com/allexams.asp>

QUESTION: 1


You use Microsoft Visual Studio 2010 and Microsoft .NET Framework 4 to create an application. The application connects to a Microsoft SQL Server 2008 database. The database includes a database table named ProductCatalog as shown in the exhibit. (Click the Exhibit button.)

You add the following code segment to query the first row of the ProductCatalog table. (Line numbers are included for reference only.)

```
01 using (var cnx = new SqlConnection(connString))
02 {
03     var command = cnx.CreateCommand();
04     command.CommandType = CommandType.Text;
05     command.CommandText = "SELECT TOP 1 * FROM dbo.ProductCatalog";
06     cnx.Open();
07     var reader = command.ExecuteReader();
08     if (reader.Read()) {
09         var id = reader.GetInt32(0);
10
11         reader.Close();
12     }
13 }
```

You need to read the values for the Weight, Price, and Status columns. Which code segment should you insert at line 10?

Exhibit:



Column Name	Data Type	Nullable
Id	int	No
Weight	float	No
Price	money	No
Status	bit	No

- A. var weight = reader.GetDouble(1);
var price = reader.GetDecimal(2);
var status = reader.GetBoolean(3);
- B. var weight = reader.GetDecimal(1);
var price = reader.GetFloat(2);
var status = reader.GetByte(3);
- C. var weight = reader.GetDouble(1);
var price = reader.GetFloat(2);
var status = reader.GetBoolean(3);
- D. var weight = reader.GetFloat(1);

```
var price = reader.GetDouble(2);  
var status = reader.GetByte(3);
```

Answer: A

QUESTION: 2

You use Microsoft Visual Studio 2010 and Microsoft .NET Framework 4 to create an application. The application connects to a Microsoft SQL Server 2008 database. The database includes a table named dbo.Documents that contains a column with large binary data. You are creating the Data Access Layer (DAL). You add the following code segment to query the dbo.Documents table. (Line numbers are included for reference only.)

```
01public void LoadDocuments(DbConnection cnx)  
02{  
03var cmd = cnx.CreateCommand();  
04cmd.CommandText = "SELECT * FROM dbo.Documents";  
05...  
06cnx.Open();  
07  
08ReadDocument(reader); }
```

You need to ensure that data can be read as a stream. Which code segment should you insert at line 07?

- A. var reader = cmd.ExecuteReader(CommandBehavior.Default);
- B. var reader = cmd.ExecuteReader(CommandBehavior.SchemaOnly);
- C. var reader = cmd.ExecuteReader(CommandBehavior.KeyInfo);
- D. var reader = cmd.ExecuteReader(CommandBehavior.SequentialAccess);

Answer: D

QUESTION: 3

You use Microsoft Visual Studio 2010 and Microsoft .NET Framework 4 to create a Windows Communication Foundation (WCF) Data Services service. You discover that when an application submits a PUT or DELETE request to the Data Services service, it receives an error. You need to ensure that the application can access the service. Which header and request type should you use in the application?

- A. an X-HTTP-Method header as part of a POST request

- B. an X-HTTP-Method header as part of a GET request
- C. an HTTP ContentType header as part of a POST request
- D. an HTTP ContentType header as part of a GET request

Answer: A

QUESTION: 4

You use Microsoft Visual Studio 2010 and Microsoft .NET Framework 4 to create an application. The application connects to a Microsoft SQL Server 2008 database. The database includes a table that contains information about all the employees. The database table has a field named EmployeeType that identifies whether an employee is a Contractor or a Permanent employee. You declare the Employee entity base type. You create a new Association entity named Contractor that inherits the Employee base type. You need to ensure that all Contractors are bound to the Contractor class. What should you do?

- A. Modify the .edmx file to include the following line of code. `<NavigationProperty Name="Type" FromRole="EmployeeType" ToRole="Contractor" />`
- B. Modify the .edmx file to include the following line of code. `<Condition ColumnName="EmployeeType" Value="Contractor" />`
- C. Use the Entity Data Model Designer to set up an association between the Contractor class and EmployeeType.
- D. Use the Entity Data Model Designer to set up a referential constraint between the primary key of the Contractor class and EmployeeType.

Answer: B

QUESTION: 5

You use Microsoft Visual Studio 2010 and Microsoft .NET Framework 4 to create an application. The application uses the ADO.NET Entity Framework to model entities. The application allows users to make changes to entities while disconnected from the central data store. You need to ensure that when the user connects to the central data store and retrieves new data, the application meets the following requirements:

Changes made to the local data store in disconnected mode are preserved.

Entities that have already been loaded into the local data store, but have not been modified by the user, are updated with the latest data.

What should you do?

- A. Call the query's Execute method by using the MergeOptions.AppendOnly option.
- B. Call the query's Execute method by using the MergeOptions.OverwriteChanges option.
- C. Call the Refresh method ofObjectContext by using the RefreshMode.StoreWins option.
- D. Call the Refresh method ofObjectContext by using the RefreshMode.ClientWins method.

Answer: D

QUESTION: 6

You use Microsoft Visual Studio 2010 and Microsoft .NET Framework 4 to create an application. You are creating the data layer of the application. You write the following code segment. (Line numbers are included for reference only.)

```
01 public static SqlDataReader GetDataReader(string sql){
02     SqlDataReader dr;
03
04     return dr;
05 }
```

You need to ensure that the following requirements are met:

- The SqlDataReader returned by the GetDataReader method can be used to retrieve rows from the database.
- SQL connections opened within the GetDataReader method will close when the SqlDataReader is closed. Which code segment should you insert at line 03?

- A.

```
using (SqlConnection cnn=new SqlConnection(strCnn)){
    try {
        SqlCommand cmd =new SqlCommand(sql, cnn);
        cnn.Open();
        dr = cmd.ExecuteReader();
    }
    catch {
        throw;
    }
}
```
- B.

```
SqlConnection cnn=new SqlConnection(strCnn); SqlCommand cmd =new
SqlCommand(sql, cnn); cnn.Open();
try {
    dr = cmd.ExecuteReader();
```

```


}
finally {
    cnn.Close();
}
C. SqlConnection cnn=new SqlConnection(strCnn); SqlCommand cmd =new
SqlCommand(sql, cnn); cnn.Open();
try {
    dr = cmd.ExecuteReader();
    cnn.Close();
}
catch {
    throw;
}
D. SqlConnection cnn=new SqlConnection(strCnn); SqlCommand cmd =new
SqlCommand(sql, cnn); cnn.Open();
try {
    dr = cmd.ExecuteReader(CommandBehavior.CloseConnection);
}
catch {
    cnn.Close();
    throw;
}

```

Answer: D

QUESTION: 7

You use Microsoft Visual Studio 2010 and Microsoft .NET Framework 4 to create an application. The application connects to a Microsoft SQL Server 2008 database. You create classes by using LINQ to SQL based on the records shown in the exhibit. (Click the Exhibit button.) You need to create a LINQ query to retrieve a list of objects that contains the OrderID and CustomerID properties. You need to retrieve the total price amount of each Order record. What are two possible ways to achieve this goal (Each correct answer presents a complete solution. Choose two.)



- A. from details in dataContext.Order_Details
group details by details.OrderID into g join order in dataContext.Orders on g.Key equals order.OrderID select new { OrderID = order.OrderID, CustomerID = order.CustomerID, TotalAmount = g.Sum(od => od. UnitPrice * od.Quantity) }
- B. dataContext.Order_Details.GroupJoin(dataContext.Orders, d => d.OrderID, o => o.OrderID, (dts, ord) => new { OrderID = dts.OrderID, CustomerID = dts.Order.CustomerID, TotalAmount = dts.UnitPrice * dts. Quantity })
- C. from order in dataContext.Orders
group order by order.OrderID into g join details in dataContext.Order_Details on g.Key equals details. OrderID
select new { OrderID = details.OrderID, CustomerID = details.Order.CustomerID, TotalAmount = details. UnitPrice * details.Quantity }
- D. dataContext.Orders.GroupJoin(dataContext.Order_Details, o => o.OrderID, d => d.OrderID, (ord, dts) => new { OrderID = ord.OrderID, CustomerID = ord.CustomerID, TotalAmount = dts.Sum(od => od.UnitPrice * od.Quantity) })

Answer: A. D

QUESTION: 8

You use Microsoft Visual Studio 2010 and Microsoft .NET Framework 4 to create an application. The application connects to a Microsoft SQL Server database. The application has two DataTable objects that reference the Customers and Orders tables in the database. The application contains the following code segment. (Line numbers are included for reference only.

```
01DataSet customerOrders = new DataSet();
02customerOrders.EnforceConstraints = true;
03ForeignKeyConstraint ordersFK = new ForeignKeyConstraint("ordersFK",
04customerOrders.Tables["Customers"].Columns["CustomerID"],
05customerOrders.Tables["Orders"].Columns["CustomerID"]);
```

06

```
07customerOrders.Tables["Orders"].Constraints.Add(ordersFK);
```

You need to ensure that an exception is thrown when you attempt to delete Customer records that have related Order records. Which code segment should you insert at line 06?

- A. ordersFK.DeleteRule = Rule.SetDefault;
- B. ordersFK.DeleteRule = Rule.None;
- C. ordersFK.DeleteRule = Rule.SetNull;
- D. ordersFK.DeleteRule = Rule.Cascade;

Answer: B

QUESTION: 9

You use Microsoft Visual Studio 2010 and Microsoft .NET Framework 4 to create an application. The application connects to a Microsoft SQL Server database. You write the following code segment that executes two commands against the database within a transaction. (Line numbers are included for reference only.)

```
01using (SqlConnection connection = new SqlConnection(cnnStr)) {
02connection.Open();
03SqlTransaction sqlTran = connection.BeginTransaction();
04SqlCommand command = connection.CreateCommand();
05command.Transaction = sqlTran;
06try {
07command.CommandText = "INSERT INTO Production.ScrapReason(Name)
VALUES('Wrong size)";
08command.ExecuteNonQuery();
09command.CommandText = "INSERT INTO Production.ScrapReason(Name)
VALUES('Wrong color)";
10command.ExecuteNonQuery();
11
12}
```

You need to log error information if the transaction fails to commit or roll back. Which code segment should you insert at line 11?

- A. sqlTran.Commit();
}
- B. sqlTran.Commit();
catch (Exception ex) { sqlTran.Rollback(); Trace.WriteLine(ex.Message); }

```

}
catch (Exception ex) { Trace.WriteLine(ex.Message); try {
sqlTran.Rollback();
}
catch (Exception exRollback) { Trace.WriteLine(exRollback.Message);
} } }
C. catch (Exception ex){ Trace.WriteLine(ex.Message); try{
sqlTran.Rollback();
} catch (Exception exRollback){ Trace.WriteLine(exRollback.Message);
}}
finally { sqltran.commit( );}}
D. catch (Exception ex) { sqlTran.Rollback(); Trace.WriteLine(ex.Message);
}
finally {
try {
sqltran.commit( );
} catch (Exception exRollback) { Trace.WriteLine(excommit.Message); }}

```

Answer: B

QUESTION: 10

You use Microsoft Visual Studio 2010 and Microsoft .NET Framework 4 to create an application. The application contains the following code segment. (Line numbers are included for reference only.)

```

01 class DataAccessLayer
02 {
03     private static string connString;
04
05     ...
06     public static DataTable GetDataTable(string command){
07
08     ...
09     }
10 }

```

You need to define the connection life cycle of the DataAccessLayer class. You also need to ensure that the application uses the minimum number of connections to the database. What should you do?

A. Insert the following code segment at line 04.
private static SqlConnection conn = new SqlConnection(connString);



Pass4sure Certification Exam Features;

- Pass4sure offers over **4500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **150** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;
<http://www.ipass4sure.com/allexams.asp>

View list of All Study Guides (SG);
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;
<http://www.ipass4sure.com/allexams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

