

# **Examcollection**

<http://www.ipass4sure.com/examcollection.htm>

# 70-552-VB

## Microsoft

*UPGRADE- MCAD Skills to MCPD Windows Developer by  
Using MS.NET Framework(VB Version)*

<http://www.ipass4sure.com/exams.asp?examcode=70-552-VB>

The 70-552-VB practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 70-552-VB Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 70-552-VB exam is very challenging, but with our 70-552-VB questions and answers practice exam, you can feel confident in obtaining your success on the 70-552-VB exam on your FIRST TRY!

### Microsoft 70-552-VB Exam Features

- Detailed questions and answers for 70-552-VB exam
- Try a demo before buying any Microsoft exam
- 70-552-VB questions and answers, updated regularly
- Verified 70-552-VB answers by Experts and bear almost 100% accuracy
- 70-552-VB tested and verified before publishing
- 70-552-VB examcollection vce questions with exhibits
- 70-552-VB same questions as real exam with multiple choice options

Acquiring Microsoft certifications are becoming a huge task in the field of I.T. More over these exams like 70-552-VB exam are now continuously updating and accepting this challenge is itself a task. This 70-552-VB test is an important part of Microsoft certifications. We have the resources to prepare you for this. The 70-552-VB exam is essential and core part of Microsoft certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 70-552-VB Test and save time and money while developing your skills to pass your Microsoft 70-552-VB Exam? Let us help you climb that ladder of success and pass your 70-552-VB now

# **DEMO EXAM**

For Full Version visit

<http://www.ipass4sure.com/allexams.asp>

**QUESTION: 1**

You are creating a Windows Form that includes a TextBox control named txtDate. When a user right-clicks within the text box, you want the application to display a MonthCalendar control. You need to implement a context menu that provides this functionality. What should you do?

- A. Add the following code to the form initialization.  

```
Dim cal As New MonthCalendar()
Dim mnuContext As New ContextMenuStrip()
Dim host As New ToolStripControlHost(mnuContext)
txtDate.ContextMenuStrip = mnuContext
```
- B. Add the following code to the form initialization.  

```
Dim mnuContext As New ContextMenuStrip()
Dim cal As New MonthCalendar()
Dim host As New ToolStripControlHost(cal)
mnuContext.Items.Add(host)
txtDate.ContextMenuStrip = mnuContext
```
- C. Add the following code to the form initialization.  

```
Dim ctr As New ToolStripContainer()
Dim cal As New MonthCalendar()
ctr.ContentPanel.Controls.Add(cal)
txtDate.Controls.Add(ctr)
Add a MouseClick event handler for the TextBox control that contains the following code.  

If e.Button = MouseButtons.Right Then txtDate.Controls(0).Show()
End If
```
- D. Add a MouseClick event handler for the TextBox control that contains the following code.  

```
If e.Button = MouseButtons.Right Then
Dim mnuContext As New ContextMenuStrip()
Dim cal As New MonthCalendar()
Dim host As New ToolStripControlHost(cal)
mnuContext.Items.Add(host)
txtDate.ContextMenuStrip = mnuContext
End If
```

**Answer: B**

**QUESTION: 2**

You are creating a Windows Forms application. You set the FlatAppearance.MouseOverBackColor property of a button to Blue. When testing the application, you notice that the background color does not change when you move the pointer over the button. You need to set the properties of the button so that the background color for the button changes to blue when the pointer moves over the button. What should you do?

- A. Set the FlatStyle property to FlatStyle.Flat.
- B. Set the FlatStyle property to FlatStyle.System.
- C. Move the set statement for the FlatAppearance.MouseOverBackColor property to the Paint event.
- D. Set the UseVisualStyleBackColor property to False.

**Answer: A**

**QUESTION: 3**

You are customizing a Windows Form. You need to add an input control that provides AutoComplete suggestions to the user as the user types. Which two controls can you use to achieve this goal? (Each correct answer presents a complete solution. Choose two.)

- A. TextBox control set to SingleLine mode
- B. TextBox control set to MultiLine mode
- C. ComboBox control
- D. RichTextBox control
- E. MaskedTextBox control

**Answer:** A, C

**QUESTION:** 4

You are creating a Windows Form. You add a TableLayoutPanel control named pnlLayout to the form. You set the properties of pnlLayout so that it will resize with the form. You need to create a three-column layout that has fixed left and right columns. The fixed columns must each remain 50 pixels wide when the form is resized. The middle column must fill the remainder of the form width when the form is resized. You add the three columns in the designer. Which code segment should you use to format the columns at run time?

- A. `pnlLayout.ColumnStyles.Clear()`  
`pnlLayout.ColumnStyles.Add(New ColumnStyle(SizeType.Absolute, 50.0F))`  
`pnlLayout.ColumnStyles.Add(New ColumnStyle(SizeType.AutoSize, 100.0F))`  
`pnlLayout.ColumnStyles.Add(New ColumnStyle(SizeType.Absolute, 50.0F))`
- B. `pnlLayout.ColumnStyles(0).Width = 50.0F`  
`pnlLayout.ColumnStyles(0).SizeType = SizeType.Absolute`  
`pnlLayout.ColumnStyles(2).Width = 50.0F`  
`pnlLayout.ColumnStyles(2).SizeType = SizeType.Absolute`
- C. `pnlLayout.ColumnStyles(0).Width = 50.0F`  
`pnlLayout.ColumnStyles(0).SizeType = SizeType.Absolute`  
`pnlLayout.ColumnStyles(1).Width = 100.0F`  
`pnlLayout.ColumnStyles(1).SizeType = SizeType.AutoSize`  
`pnlLayout.ColumnStyles(2).Width = 50.0F`  
`pnlLayout.ColumnStyles(2).SizeType = SizeType.Absolute`
- D. `pnlLayout.ColumnStyles.Clear()`  
`pnlLayout.ColumnStyles.Add(New ColumnStyle(SizeType.Absolute, 50.0F))`  
`pnlLayout.ColumnStyles.Add(New ColumnStyle(SizeType.Percent, 100.0F))`  
`pnlLayout.ColumnStyles.Add(New ColumnStyle(SizeType.Absolute, 50.0F))`

**Answer:** D

**QUESTION:** 5

You are creating a Windows Form that contains several ToolStrip controls. You need to add functionality that allows a user to drag any ToolStrip control from one edge of the form to another. What should you do?

- A. Configure a ToolStripContainer control to fill the form. Add the ToolStrip controls to the ToolStripContainer control.
- B. Configure a Panel control to fill the form. Set the Anchor properties of the ToolStrip controls to Top, Bottom, Left, Right.
- C. Add the ToolStrip controls to another ToolStrip control that is hosted by a ToolStripControlHost control.
- D. Add the ToolStrip controls to the form. Set the Anchor properties of the ToolStrip controls to Top, Bottom, Left, Right. Set the FormBorderStyle property of the form to SizableToolWindow.

**Answer:** A

**QUESTION: 6**

You are creating a Windows Forms application. You add an ErrorProvider component named `erpErrors` and a DateTimePicker control named `dateTimePicker1` to the application. The application also contains other controls. You need to configure the application to display an error notification icon next to `dateTimePicker1` when the user enters a date that is greater than today's date. Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.)

- A. For the Validating event of `dateTimePicker1`, create an event handler named `VerifyStartDate`.
- B. For the Validated event of `dateTimePicker1`, create an event handler named `VerifyStartDate`.
- C. In the Properties Window for `dateTimePicker1`, set the value of Error on `erpErrors` to Date out of range.
- D. In `VerifyStartDate`, call `erpErrors.SetError(dateTimePicker1, "Date out of range")` if the value of `dateTimePicker1.Value` is greater than today's date.
- E. In `VerifyStartDate`, call `erpErrors.SetError(dateTimePicker1, null)` if the `dateTimePicker1.Value` is greater than today's date.

**Answer:** A, E

**QUESTION: 7**

You are modifying a Windows Forms application. The application consists of a main window with many different controls. All of the controls provide tool tips that use the default ToolTip control settings. One group of controls provides tool tips that show regulatory guidance for the user. Users want the wait time when reading the tool tips and navigating among them to be minimal. You need to ensure that this group of controls provides short delays before the tool tips appear. What should you do?

- A. Set the AutoPopDelay property of the ToolTip control to 0 and the InitialDelay property to 100.
- B. Set the AutomaticDelay property of the ToolTip control to 0.
- C. Set the InitialDelay and ReshowDelay properties of the ToolTip control to 100.
- D. Set the AutoPopDelay property of the ToolTip control to 100.

**Answer:** C

**QUESTION:** 8

You want to execute an event handler asynchronously from a Windows Form. You need to execute a method named WorkHandler by using an instance of the BackgroundWorker component named bgwExecute. Which two code segments should you use? (Each correct answer presents part of the solution. Choose two.)

- A. Dim work As New EventHandler(AddressOf WorkHandler)
- B. Dim work As New ThreadStart(AddressOf WorkHandler)
- C. AddHandler bgwExecute.DoWork, AddressOf WorkHandler
- D. bgwExecute.RunWorkerAsync()
- E. bgwExecute.RunWorkerAsync(work)

**Answer:** C, D

**QUESTION:** 9

You are customizing a Windows Form to use a BackgroundWorker component named bgwExecute. bgwExecute performs a database operation in an event handler named WorkHandler. progress of the database operation by viewing a progress bar named pbProgress. You want the progress bar to appear when the database operation is 50 percent complete. Which code segment should you use?

- A. Public Sub StartBackground() bgwExecute.WorkerReportsProgress = True AddHandler bgwExecute.ProgressChanged, AddressOf ProgressHandler  
bgwExecute.RunWorkerAsync()End Sub Sub WorkHandler(ByVal sender As Object, ByVal e As DoWorkEventArgs) bgwExecute.ReportProgress(50)End Sub Sub ProgressHandler(ByVal sender As Object, ByVal e As \_ ProgressChangedEventArgs) pbProgress.Value = e.ProgressPercentageEnd Sub
- B. Public Sub StartBackground() bgwExecute.WorkerReportsProgress = True AddHandler gwExecute.ProgressChanged, AddressOf ProgressHandler Dim t As New ThreadStart(AddressOf WorkHandler) bgwExecute.RunWorkerAsync(t)End Sub Sub WorkHandler() bgwExecute.ReportProgress(50)End Sub Sub ProgressHandler(ByVal sender As Object, ByVal e As \_ ProgressChangedEventArgs) pbProgress.Value = e.ProgressPercentageEnd Sub

```
C. Public Sub StartBackground() bgwExecute.WorkerReportsProgress = True AddHandler
  gwExecute.ProgressChanged, AddressOf ProgressHandler Dim t As New Thread(New
  hreadStart(AddressOf WorkHandler)) bgwExecute.RunWorkerAsync(t)End Sub Sub
  WorkHandler() bgwExecute.ReportProgress(50)End Sub Sub ProgressHandler(ByVal
  sender As Object, ByVal e As _ ProgressChangedEventArgs) pbProgress.Value =
  e.ProgressPercentageEnd Sub
```

```
D. Public Sub StartBackground() bgwExecute.WorkerReportsProgress = True AddHandler
  gwExecute.DoWork, AddressOf WorkHandler AddHandler bgwExecute.ProgressChanged,
  AddressOf ProgressHandler bgwExecute.RunWorkerAsync()End Sub Sub
  WorkHandler(ByVal sender As Object, ByVal e As DoWorkEventArgs)
  bgwExecute.ReportProgress(50)End Sub Sub ProgressHandler(ByVal sender As Object,
  ByVal e As _ ProgressChangedEventArgs) pbProgress.Value = e.ProgressPercentageEnd
  Sub
```

**Answer:** D

**QUESTION:** 10

You are customizing a Windows Form to update a database asynchronously in a method named WorkHandler. You need to ensure that the form displays a message box to the user that indicates the success or failure of the update. Which code segment should you use?

```
A. Private Sub StartBackgroundProcess() AddHandler bgwExecute.DoWork, AddressOf
  WorkHandler AddHandler bgwExecute.RunWorkerCompleted, AddressOf
  CompletedHandler bgwExecute.RunWorkerAsync()End Sub Private Sub
  CompletedHandler(ByVal sender As Object, ByVal e As
  RunWorkerCompletedEventArgs) Dim result As Boolean = CType(e.Result, Boolean) If
  result = True Then MessageBox.Show("Update was successful") Else
  MessageBox.Show("Update failed") End IfEnd Sub Private Sub WorkHandler(ByVal
  sender As Object, ByVal e As DoWorkEventArgs) '... e.Result = TrueEnd Sub
```

```
B. Private Sub StartBackgroundProcess() AddHandler bgwExecute.ProgressChanged,
  AddressOf CompletedHandler Dim tsBackground As New ThreadStart(AddressOf
  WorkHandler) bgwExecute.RunWorkerAsync(tsBackground)End Sub Private Sub
  ProgressHandler(ByVal sender As Object, ByVal e As ProgressChangedEventArgs) Dim
  result As Boolean = CType(e.UserState, Boolean) If result = True Then
  MessageBox.Show("Update was successful") Else MessageBox.Show("Update failed")
  End IfEnd Sub Private Sub WorkHandler() '... bgwExecute.ReportProgress(100, True)End
  Sub
```

```
C. Private Sub StartBackgroundProcess() AddHandler bgwExecute.RunWorkerCompleted,
  AddressOf CompletedHandler Dim tsBackground As New ThreadStart(AddressOf
  WorkHandler) bgwExecute.RunWorkerAsync(tsBackground)End Sub Private Sub
  CompletedHandler(ByVal sender As Object, ByVal e As
  RunWorkerCompletedEventArgs) Dim result As Boolean = CType(e.Result, Boolean) If
  result = True Then MessageBox.Show("Update was successful") Else
```



```

MessageBox.Show("Update failed") End IfEnd SubPrivate Sub WorkHandler() '...
bgwExecute.ReportProgress(100, True)End Sub
D. Private Sub StartBackgroundProcess() AddHandler bgwExecute.DoWork, AddressOf
WorkHandler AddHandler bgwExecute.RunWorkerCompleted, AddressOf
CompletedHandler bgwExecute.RunWorkerAsync()End SubPrivate Sub
CompletedHandler(ByVal sender As Object, ByVal e As
RunWorkerCompletedEventArgs) Dim result As Boolean = CType(e.Result, Boolean) If
result = True Then MessageBox.Show("Update was successful") Else
MessageBox.Show("Update failed") End IfEnd SubPrivate Sub WorkHandler(ByVal
sender As Object, ByVal e As DoWorkEventArgs) '... bgwExecute.ReportProgress(100,
True)End Sub

```

**Answer:** A

**QUESTION:** 11

You want to execute an event handler asynchronously from a Windows Form. You need to write code that uses the BackgroundWorker component named bgwExecute to execute the WorkHandler method. Which code segment should you use?

- A. Dim work As New EventHandler(AddressOf WorkHandler)bgwExecute.RunWorkerAsync(work)
- B. Dim tsBackground As New ThreadStart(AddressOf WorkHandler)bgwExecute.ReportProgress(0, tsBackground)
- C. Dim tsBackground As New ThreadStart(AddressOf WorkHandler)bgwExecute.RunWorkerAsync(tsBackground)
- D. AddHandler bgwExecute.DoWork, AddressOf WorkHandlerbgwExecute.RunWorkerAsync()

**Answer:** D

**QUESTION:** 12

You are customizing a Windows Form to update a database asynchronously by using an instance of a BackgroundWorker component named bgwExecute. You start the component by using the following code.

```

Private Sub StartBackgroundProcess() AddHandler bgwExecute.DoWork, _New
DoWorkEventHandler(AddressOf WorkHandler) AddHandler
bgwExecute.RunWorkerCompleted, _ New
RunWorkerCompletedEventHandler(AddressOf _ CompletedHandler)
AddHandler bgwExecute.ProgressChanged, _
New ProgressChangedEventArgs(AddressOf ProgressChanged)
bgwExecute.RunWorkerAsync() End Sub

```



## Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;  
<http://www.ipass4sure.com/all exams.asp>

View list of All Study Guides (SG);  
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);  
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.  
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;  
<http://www.ipass4sure.com/all exams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

