

Examcollection

<http://www.ipass4sure.com/examcollection.htm>

70-569-VB

Microsoft

Transition your MCPD Enterprise Application Developer Skills to MCPD Enterprise Application Developer 3.5 Part 2

<http://www.ipass4sure.com/exams.asp?examcode=70-569-VB>

The 70-569-VB practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 70-569-VB Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 70-569-VB exam is very challenging, but with our 70-569-VB questions and answers practice exam, you can feel confident in obtaining your success on the 70-569-VB exam on your FIRST TRY!

Microsoft 70-569-VB Exam Features

- Detailed questions and answers for 70-569-VB exam
- Try a demo before buying any Microsoft exam
- 70-569-VB questions and answers, updated regularly
- Verified 70-569-VB answers by Experts and bear almost 100% accuracy
- 70-569-VB tested and verified before publishing
- 70-569-VB examcollection vce questions with exhibits
- 70-569-VB same questions as real exam with multiple choice options

Acquiring Microsoft certifications are becoming a huge task in the field of I.T. More over these exams like 70-569-VB exam are now continuously updating and accepting this challenge is itself a task. This 70-569-VB test is an important part of Microsoft certifications. We have the resources to prepare you for this. The 70-569-VB exam is essential and core part of Microsoft certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 70-569-VB Test and save time and money while developing your skills to pass your Microsoft 70-569-VB Exam? Let us help you climb that ladder of success and pass your 70-569-VB now

DEMO EXAM

For Full Version visit

<http://www.ipass4sure.com/allexams.asp>

QUESTION: 1

You are creating a Windows Communication Foundation service by using Microsoft .NET Framework 3.5. You write the following code segment.

```
Namespace MyServices
<ServiceContract(>)Interface IManageOrders
...
End Interface
End Namespace
```

The service metadata must be exposed at the relative address named meta. You need to add an endpoint element to the app.config file of the service host. Which code fragment should you add

- A. <endpoint address="meta" binding="wsHttpBinding" _ contract="IManageOrders" />
- B. <endpoint address="meta" binding="wsHttpBinding" _ contract="MyServices.IMetadataExchange" />
- C. <endpoint address="meta" binding="mexHttpBinding" _ contract="IMetadataExchange" />
- D. <endpoint address="meta" binding="mexHttpBinding" _ contract="MyServices.IManageOrders" />

Answer: C

QUESTION: 2

You are creating a Windows Communication Foundation service by using Microsoft .NET Framework 3.5. You have successfully defined a service contract named IManageOrders. You write the following code segment.

```
Public Class OrderImpl
Implements IManageOrders
Public Sub MarkOrderClosed(ByVal orderId As Integer) _ Implements
IManageOrders.MarkOrderClosed
Try
...
Catch ex As SqlException
Throw New FaultException(Of DataFault)(_ New DataFault())
End Try End Sub End Class
<DataContract(>) _ Public Class DataFault End Class
```

You need to create a fault contract for the MarkOrderClosed method on the IManageOrders service contract. Which code segment should you add

- A. <FaultContract(GetType(DataFault))>
- B. <FaultContract(GetType(Exception))>
- C. <FaultContract(GetType(SqlException))>
- D. <FaultContract(GetType(FaultException))>

Answer: A

QUESTION: 3

You have created a Windows Communication Foundation service by using Microsoft .NET Framework 3.5. The existing service interface is named `IMyService`, and contains the following code segment.

```
<ServiceContract(Name:="SvcOrder", _ Namespace:="http://contoso.com/services")>
_ Public Interface IMyService
<OperationContract()> _ Sub DoSomething()
End Interface
```

You create a new service named `IMyServiceV1` that contains an operation named `DoSomethingElse`. You need to ensure that existing client applications are still able to access the `IMyService.DoSomething` method without modifying client code. Which code segment should you use?

- A. `<ServiceContract(Namespace:="http://contoso.com/services/V1")> _ Public Interface IMyServiceV1 Inherits IMyService<OperationContract()> _ Sub DoSomethingElse() End Interface`
- B. `<ServiceContract(Name:="SvcOrder")> _ Public Interface IMyServiceV1 Inherits IMyService<OperationContract()> _ Sub DoSomethingElse() End Interface`
- C. `<ServiceContract(Name:="SvcOrderV1", _ Namespace:="http://contoso.com/services")> _ Public Interface IMyServiceV1 Inherits IMyService<OperationContract()> _ Sub DoSomethingElse() End Interface`
- D. `<ServiceContract(Name:="SvcOrder", _ Namespace:="http://contoso.com/services")> _ Public Interface IMyServiceV1 Inherits IMyService<OperationContract()> _ Sub DoSomethingElse() End Interface`

Answer: D

QUESTION: 4

You create a Windows Communication Foundation service by using Microsoft .NET Framework 3.5. The service contains the following code segment.

```
<DataContract()> _ Public Class Person
...
End Class
<DataContract()> _ Public Class Customer Inherits Person
...
End Class
```

You need to create a service contract that meets the following requirements:
 The service contract must have an operation contract named `GetPerson` that returns an object of type `Person`.
 The `GetPerson` operation must be able to return an object of type `Customer`.

Which code segment should you use?

- A. `<ServiceContract()> _<ServiceKnownType("GetPerson")> _ Public Interface IMyService<OperationContract()> _ Function GetPerson() As Person End Interface`
- B. `<ServiceContract()> _ Public Interface IMyService <OperationContract()> _ <ServiceKnownType("Customer")> _ Function GetPerson() As Person End Interface`
- C. `<ServiceContract()> _ <ServiceKnownType(GetType(Customer))> _ Public Interface IMyService <OperationContract()> _ Function GetPerson() As Person End Interface`
- D. `<ServiceContract()> _ <ServiceKnownType("GetPerson", GetType(Customer))> _ Public Interface IMyService<OperationContract()> _ Function GetPerson() As Person End Interface`

Answer: C

QUESTION: 5

You are creating a Windows Communication Foundation service by using Microsoft .NET Framework 3.5. The service will contain an enumeration named OrderState. The OrderState enumeration will contain the following four values:

Processing
Cancelled
Confirmed
Closed

The client application must be able to set the state of an Order entity to only the following two values:

Cancelled
Closed

You need to create the data contract for OrderState. Which code segment should you use?

- A. `<DataContract()> _ Public Enum OrderState Processing = 1
<DataMember()> _ Cancelled = 2
<DataMember()> _ Confirmed = 3
Closed = 4
End Enum`
- B. `<DataContract()> _ Public Enum OrderState Processing = 1
<EnumMember()> _ Cancelled = 2
Confirmed = 3
<EnumMember()> _ Closed = 4
End Enum`
- C. `<DataContract()> _ Public Enum OrderState
<EnumMember(Value:="False")> _ Processing = 1
<EnumMember(Value:="True")> _ Cancelled = 2
<EnumMember(Value:="True")> _ Confirmed = 3
<EnumMember(Value:="False")> _ Closed = 4
End Enum`

```
D. <DataContract(> _ Public Enum OrderState
<DataMember(> _ Processing = 1
<DataMember(IsRequired:=True)> _ Cancelled = 2
<DataMember(> _ Confirmed = 3
<DataMember(IsRequired:=True)> _ Closed = 4
End Enum
```

Answer: B

QUESTION: 6

You are creating a Windows Communication Foundation service by using Microsoft .NET Framework 3.5. You need to ensure that the service can send data in the following format to the client applications.

```
<Account Id="">
<Name> </Name>
<Balance Currency=""> </Balance>
</Account>
```

Which code segment should you use?

- A. <Serializable(> _ Public Class Account
 <XmlAttribute(> _ Public Id As String
 <XmlElement(> _ Public Name As String
 <XmlAttribute(> _
 Public Currency As String
 <XmlElement(> _
 Public Balance As Double
 End Class
- B. <DataContract(> _ Public Class Account
 <DataMember(Order:=0)> _ Public Id As String
 <DataMember(Order:=1)> _ Public Name As String
 <DataMember(Order:=0)> _ Public Balance As Double
 <DataMember(Order:=1)> _ Public Currency As String End Class
- C. <Serializable(> _ Public Class Account
 <XmlAttribute(> _ Public Id As String Public Name As String
 <XmlElement("Balance")> _ Public Balance As BalanceVal End Class
 <Serializable(> _
 Public Class BalanceVal
 <XmlText(> _
 Public Amount As Double
 <XmlAttribute(> _
 Public Currency As String
 End Class
- D. <DataContract(> _ Public Class Account
 <DataMember(Order:=0)> _ Public Id As String
 <DataMember(Order:=1)> _ Public Name As String
 <DataMember(Name:="Balance", Order:=2)> _ Public Balance As BalanceVal

```

End Class
<DataContract()> _
Public Structure BalanceVal
<DataMember(Order:=0)> _ Public Amount As Double
<DataMember(Order:=1)> _ Public Currency As String End Structure

```

Answer: C

QUESTION: 7

You create a Windows Communication Foundation (WCF) service by using Microsoft .NET Framework 3.5. You write the following code segment. (Line numbers are included for reference only.)

```

01 Public Interface IMyService
02
03 Function ProcessString(ByVal name As String) As String
04 End Interface

```

You create a host for the WCF service. You also create a service endpoint at `http://localhost:8080/service`. You add an instance of the `HttpTransferEndPointBehavior` class to the host. You need to ensure that the `ProcessString` method can be invoked from a Web browser by using the URL `http://localhost:8080/service/processname=value`. Which code segment should you insert at line 02

- A. `<OperationContract(Name:="process", Action:="Get")> _`
- B. `<OperationContract(Name:="process", Action:="Post")> _`
- C. `<OperationContract()> _`
`<HttpTransferContract(Path:="process", Method:="Get")> _`
- D. `<OperationContract()> _`
`<HttpTransferContract(Path:="process", Method:="Post")> _`

Answer: C

QUESTION: 8

You are creating a Windows Communication Foundation service by using Microsoft .NET Framework 3.5. You write the following code segment. (Line numbers are included for reference only.)

```

01 <ServiceContract(Namespace:="http://uri.contoso.com")> _
02 Public Interface IMyService
03 <OperationContract()> _
04 Function ProcessDetails(ByVal s As String) As String
05 <OperationContract(Action:="UpdateStatus")> _
06 Sub UpdateStatus()
07
08 End Interface

```


If the existing operation contract is unable to process a request made to the service, a generic operation contract must attempt to process the request. You need to create the generic operation contract. Which code segment should you insert at line 07

- A. `<OperationContract(Action:="*")> _
Sub ProcessOthers(ByVal msg As Message)`
- B. `<OperationContract(Action:="*")> _Sub ProcessOthers()`
- C. `<OperationContract(Action:="Default")> _ Sub ProcessOthers(ByVal msg As Message)`
- D. `<OperationContract(Action:="Default")> _ Sub ProcessOthers()`

Answer: A

QUESTION: 9

You are creating a Windows Communication Foundation (WCF) service by using Microsoft .NET Framework 3.5. You configure a binding to enable streaming. You need to ensure that the client application is able to stream large XML files to the WCF service. Which operation contract should you create

- A. `<OperationContract()> _
Sub UploadFile(ByVal xmlData As Stream)`
- B. `<OperationContract()> _
Sub UploadFile(ByVal xmlData As XmlWriter)`
- C. `<OperationContract()> _
Sub UploadFile(ByVal xmlData As StreamWriter)`
- D. `<OperationContract()> _
Sub UploadFile(ByVal xmlData As Byte())`

Answer: A

QUESTION: 10

You create a Windows Communication Foundation service by using Microsoft .NET Framework 3.5. You write the following code segment. (Line numbers are included for reference only.)

```
01 <ServiceContract(SessionMode:=SessionMode.Required)> _
02 Public Interface IOrderManager
03
04 Sub CloseOrder()
05 End Interface
```

You need to decorate the operation as the method that closes the current session. Which code segment should you insert at line 03

- A. `<OperationContract(IsInitiating:=False)> _`
- B. `<OperationContract(IsTerminating:=True)> _`

- C. <OperationContract(> _
 <OperationBehavior(_ ReleaseInstanceMode:=ReleaseInstanceMode.AfterCall)> _
 D. <OperationContract(IsTerminating:=False)> _
 <OperationBehavior(_ ReleaseInstanceMode:=ReleaseInstanceMode.AfterCall)> _

Answer: B

QUESTION: 11

You are creating a Windows Communication Foundation service by using Microsoft .NET Framework 3.5. You create the following service contract. (Line numbers are included for reference only.)

```
01 <ServiceContract(> _
02 Public Interface IMyService
03 <OperationContract(> _
04
05 Function GetData(ByVal index As Integer) As List(Of String)
06 End Interface
```

You need to ensure that the GetData operation can be accessed by using the URI in the following manner:

GetData/1 for the index value 1
 GetData/2 for the index value 2

.

GetData/n for the index value n

Which code segment should you insert at line 04

- A. <WebGet(UriTemplate:="GetData/{index}", _
 BodyStyle:=WebMessageBodyStyle.Bare)> _
 B. <WebGet(UriTemplate:="GetData index={index}", _
 BodyStyle:=WebMessageBodyStyle.Bare)> _
 C. <WebGet(UriTemplate:="GetData/[index]", _
 BodyStyle:=WebMessageBodyStyle.Bare)> _
 D. <WebGet(UriTemplate:="GetData index=[index]", _
 BodyStyle:=WebMessageBodyStyle.Bare)> _

Answer: A

QUESTION: 12

You create a Windows Communication Foundation service by using Microsoft .NET Framework 3.5. You create the following service contract.

```
<ServiceContract(> _ Public Interface IMath
<OperationContract(> _
Function Add(ByVal num1 As Integer, ByVal num2 As Integer) _ As Integer
End Interface
```



Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;
<http://www.ipass4sure.com/allexams.asp>

View list of All Study Guides (SG);
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;
<http://www.ipass4sure.com/allexams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

