

Examcollection

<http://www.ipass4sure.com/examcollection.htm>



<http://www.ipass4sure.com>

920-123

Nortel

NNCSS-BayStack/BPS Switching Exam

<http://www.ipass4sure.com/exams.asp?examcode=920-123>

The 920-123 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 920-123 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 920-123 exam is very challenging, but with our 920-123 questions and answers practice exam, you can feel confident in obtaining your success on the 920-123 exam on your FIRST TRY!

Nortel 920-123 Exam Features

- Detailed questions and answers for 920-123 exam
- Try a demo before buying any Nortel exam
- 920-123 questions and answers, updated regularly
- Verified 920-123 answers by Experts and bear almost 100% accuracy
- 920-123 tested and verified before publishing
- 920-123 examcollection vce questions with exhibits
- 920-123 same questions as real exam with multiple choice options

Acquiring Nortel certifications are becoming a huge task in the field of I.T. More over these exams like 920-123 exam are now continuously updating and accepting this challenge is itself a task. This 920-123 test is an important part of Nortel certifications. We have the resources to prepare you for this. The 920-123 exam is essential and core part of Nortel certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 920-123 Test and save time and money while developing your skills to pass your Nortel 920-123 Exam? Let us help you climb that ladder of success and pass your 920-123 now!

DEMO EXAM

For Full Version visit

<http://www.ipass4sure.com/allexams.asp>

Question: 1

Given the following information:

A new BayStack 470-48T switch is being initially configured
The definitions of the ports and VLANs have been completed.

Which tool should you use to implement the initial Quality of Service (QoS) configuration?

- A - QoS Wizard
- B - QoS Advanced
- C - QoS Quick Config
- D - QoS Startup

Answer: A

Question: 2

The connection to a file server from a BayStack 470-48T stack is via two 100Mbps connections arranged in a MultiLink Trunk (MLT). You wish to increase both the throughput and redundancy provided in this connection. How do you connect the server to the BayStack 470-48T stack?

- A - With four 100Mbps connections defined in an MLT.
- B - With four 100Mbps connections defined in a Distributed MLT (DMLT).
- C - With six 100Mbps connections defined in a Split MLT (SMLT).
- D - With six 100Mbps connections defined in a DMLT.
- E - With four 100Mbps connections defined in an SMLT.

Answer: B

Question: 3

A BayStack 470-48T is initially being configured:

It is necessary to send the Simple Network Management Protocol (SNMP) traps to an Optivity Network Management System (NMS) so that the switch can be monitored.

Using the Console Interface menus, the SNMP Configuration screen has been entered.

To specify a trap receiver, both an IP address and a Community String must be specified.

What is the requirement for the community string when defining a trap receiver?

- A - It must be the read community string for the BayStack 470-48T
- B - It must be the read-write community string for the BayStack 470-48T
- C - It must be a community string that has been defined on the Optivity NMS for the BayStack 470-48T
- D - It must be the read-write community string that has been defined on the Optivity NMS for the BayStack 470-48T

Answer: C

Question: 4

Port-based VLAN 10 has been configured on a standalone BayStack 470-24T switch. Port 5 must now be added to VLAN 10.

What are the steps necessary to add Port 5 to VLAN 10 in Java Device Manager (JDM)?

- A - From the main menu choose Application-> LAN-> VLAN Configuration. In the VLAN Table section, click the Modify icon for VLAN 10. Now add Port 5 to the list of members.
- B - Highlight Port 5 on the device, and from the main menu choose Edit-> Port. Now click on the VLAN tab and in the DefaultVlanId field, enter 10 and click Apply.
- C - From the main menu choose Edit-> VLANs. Double click on Port Members for VLAN 10 and



Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;
<http://www.ipass4sure.com/all exams.asp>

View list of All Study Guides (SG);
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;
<http://www.ipass4sure.com/all exams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

