

# **Examcollection**

<http://www.ipass4sure.com/examcollection.htm>

# 9A0-127

## ADOBE

*Adobe? ColdFusion 9 ACE Exam*

The 9A0-127 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 9A0-127 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 9A0-127 exam is very challenging, but with our 9A0-127 questions and answers practice exam, you can feel confident in obtaining your success on the 9A0-127 exam on your FIRST TRY!

### ADOBE 9A0-127 Exam Features

- Detailed questions and answers for 9A0-127 exam
- Try a demo before buying any ADOBE exam
- 9A0-127 questions and answers, updated regularly
- Verified 9A0-127 answers by Experts and bear almost 100% accuracy
- 9A0-127 tested and verified before publishing
- 9A0-127 examcollection vce questions with exhibits
- 9A0-127 same questions as real exam with multiple choice options

Acquiring ADOBE certifications are becoming a huge task in the field of I.T. More over these exams like 9A0-127 exam are now continuously updating and accepting this challenge is itself a task. This 9A0-127 test is an important part of ADOBE certifications. We have the resources to prepare you for this. The 9A0-127 exam is essential and core part of ADOBE certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 9A0-127 Test and save time and money while developing your skills to pass your ADOBE 9A0-127 Exam? Let us help you climb that ladder of success and pass your 9A0-127 now!

# **DEMO EXAM**

For Full Version visit

<http://www.ipass4sure.com/allexams.asp>

**QUESTION: 1**

Given the following code stub:

```
<cfset obj = {key='Apple',basic=['one','two']} />
```

Which returns the string "two"?

- A. obj.key.basic
- B. obj.basic[2]
- C. obj.basic[1]
- D. obj.basic.2

**Answer: B**

**QUESTION: 2**

Given the following snippet:

```
<cfset x=2>
```

```
<cfoutput>
```

```
  #--x# - #x++#
```

```
</cfoutput>
```

What is the output?

- A. 1 - 1
- B. 1 - 3
- C. 1 - 2
- D. -1

**Answer: A**

**QUESTION: 3**

What is the value of the variable b when the following code block executes?

```
<cfscript>
```

```
a = 0;
```

```
b = 1;
```

```
a = (a)?b:a;
```

```
if (a) {
```

```
  b = "apple";
```

```
  }{
```

```
  b = "pear";
```

```
  }
```

```
</cfscript>
```

- A. 1

- B. 0
- C. apple
- D. pear

**Answer:** D

**QUESTION: 4**

What is the value of the variable output when the following code executes?

```
<cfset output = "There is no answer" />
<cfif 1 eq true>
<cfset output = "The answer is one" />
<cfelseif 0 eq true>
<cfset output = "The answer is two" />
<cfelse>
<cfset output = "The answer is three" />
</cfif>
```

- A. "The answer is one"
- B. "The answer is two"
- C. "The answer is three"
- D. "There is no answer"

**Answer:** A

**QUESTION: 5**

Given the follow code snippet:

```
<cfset startTime = CreateDateTime(2009,1,1,0,0,0)>
<cfset endTime = CreateDateTime(2009,1,3,12,0,0)>
<cfset i = 2>
<cfloop from="#startTime#" to="#endTime#" index="i"
step="#CreateTimeSpan(1,0,0,0)#">
Hello World! <br />
</cfloop>
```

How many times does the loop iterate?

- A. 2
- B. 3
- C. 4
- D. 12

**Answer:** B

**QUESTION: 6**

You want to convert a query column containing numeric data into a comma-delimited list. Which function should you use?

- A. ValueList()
- B. ArrayToList()
- C. ColumnList()
- D. ListAppend()

**Answer:** A

**QUESTION: 7**

You want to load a single entity of type ART from your ORM, using the primary key value 5 as a filter. Which two function signatures can you use to accomplish this task? (Choose two.)

- A. EntityLoadByPK("ART", 5)
- B. EntityLoadSingleValue("ART", 5)
- C. EntityLoad("ART", 5)
- D. EntityLoadByExample("ART", 5)
- E. EntityLoad("ART", 5, true)

**Answer:** A, E

**QUESTION: 8**

A page in your application is accessed at <http://localhost/scope.cfm?init=false>. In which variable scope is the init variable available?

- A. Attributes
- B. Application
- C. URL
- D. Form

**Answer:** C

**QUESTION: 9**

Which code segment can be used to store an array of structures as a client variable?



## Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;  
<http://www.ipass4sure.com/allexams.asp>

View list of All Study Guides (SG);  
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);  
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.  
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;  
<http://www.ipass4sure.com/allexams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

