Examcollection

http://www.ipass4sure.com/examcollection.htm

E20-326

EMC
Symmetrix Solutions Design Exam

The E20-326 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The E20-326 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The E20-326 exam is very challenging, but with our E20-326 questions and answers practice exam, you can feel confident in obtaining your success on the E20-326 exam on your FIRST TRY!

EMC E20-326 Exam Features

  - Detailed questions and answers for E20-326 exam
  - Try a demo before buying any EMC exam
  - E20-326 questions and answers, updated regularly
  - Verified E20-326 answers by Experts and bear almost 100% accuracy
  - E20-326 tested and verified before publishing
  - E20-326 examcollection vce questions with exhibits
  - E20-326 same questions as real exam with multiple choice options

Acquiring EMC certifications are becoming a huge task in the field of I.T. More over these exams like E20-326 exam are now continuously updating and accepting this challenge is itself a task. This E20-326 test is an important part of EMC certifications. We have the resources to prepare you for this. The E20-326 exam is essential and core part of EMC certifications and once you clear the exam you will be able to solve the real life problems yourself.Want to take advantage of the Real E20-326 Test and save time and money while developing your skills to pass your EMC E20-326 Exam? Let us help you climb that ladder of success and pass your E20-326 now!

DEMO EXAM

For Full Version visit

QUESTION: 1

You are designing a new disaster recovery solution with VMAX arrays. During the initial project kick-off meeting, the customer reports their environment can tolerate five minutes or less of data recovery following a disaster but have not yet determined the maximum allowable downtime for their applications. The customer asks which remote replication methods you recommend for their environment. What do you recommend?

A. Defer making a recommendation until the application RTO is known.
B. Recommend the disaster recovery solution as described in the Sales Order.
C. Defer making a recommendation until the application RPO in known.
D. Recommend the disaster recovery solution described in the Statement of Work.

Answer: A

QUESTION: 2

You are designing a new disaster recovery solution with VMAX arrays. During the initial project kick-off meeting, the customer reports the maximum allowable downtime for their applications is ninety minutes, but they have not yet determined how much data recovery following a disaster their environment can tolerate. The customer asks which remote replication method you recommend for their environment. What do you recommend?

A. Defer making a recommendation until the application RPO in known.
B. Recommend the disaster recovery solution as described in the Sales Order.
C. Defer making a recommendation until the application RTO is known.
D. Recommend the disaster recovery solution described in the Statement of Work.

Answer: A

QUESTION: 3

Prior to starting an implementation, which tool should be used to automate the data collection on a Windows host?

A. EMCGrab
B. EMCReports
C. E-Lab Advisor
D. Change Tracker

Answer: B

QUESTION: 4
Prior to starting an implementation, which tool should be used to automate the data collection on a UNIX host?

A. EMCGrab
B. EMCReports
C. E-Lab Advisor
D. Change Tracker

Answer: A

QUESTION: 5
A customer plans to migrate existing AIX and Windows hosts as well as Mainframe z/OS LPARs to a new VMAX array. Performance data is needed to design the VMAX volumes configuration layout. Which host performance data do you request from the customer?

A. STP, SAR, WRKDSKSTS
B. SAR, Perfmon, WRKDSKSTS
C. IOSTAT, Perfmon, SMF/CMF
D. IOSTAT, SAR, SMF/CMF

Answer: C

QUESTION: 6
A customer will migrate existing AIX, HP-UX and Windows hosts from a DMX-3 to a new VMAX array. You need performance data from the existing array to design to the new VMAX volumes configuration layout. Which tools can be used to collect Symmetrix array performance data?

A. ControlCenter Performance Manager and STP Collector
B. EMC Workload Generator and STP Navigator
C. Storage Configuration Advisor and STP Collector
D. ControlCenter Performance Manager and SymmMerge

Answer: A

QUESTION: 7

A customer plans to migrate existing AIX, HP-UX and IBM iSeries hosts to a new VMAX array. Performance data is needed to design the VMAX volumes configuration layout. What host performance data do you request from the customer?

A. IOSTAT, SAR, WRKDSKSTS
B. STP, Perfmon, SMF/CMF
C. IOSTAT, STP, WRKDSKSTS
D. Perfmon, SAR, SMF/CMF

Answer: A

QUESTION: 8
A major telecommunications operator is planning to consolidate multiple mid-tier storage arrays to a single Symmetrix VMAX solution. Their existing environment includes IBM AIX servers, HP-UX Servers and Windows 2003 Servers. When documenting the existing Server environment, which command can be used on the AIX Servers, to list the software modules installed?

A. pkginfo
B. lslpp
C. swlist
D. cfgmgr

Answer: B

QUESTION: 9
A major telecommunications operator is planning to consolidate multiple mid-tier storage arrays to a single Symmetrix VMAX solution. Their existing environment includes IBM AIX servers, HP-UX Servers and Windows 2003 Servers. When documenting the existing Server environment, which command can be used on the HP-UX Servers, to list the software modules installed?

A. swlist
B. lslpp
C. pkginfo
D. pkgchk

Answer: A

QUESTION: 10

A customer is interested in utilizing TimeFinder/Snap to generate a backup copy of an application every six hours. In order for you to calculate the SAVE Pool requirements you will need to run Change Tracker. To which value should you set the reset interval length for DeltaMark?

A. 21600
B. 10800
C. 86400
D. 32400

Answer: A

QUESTION: 11

A customer is interested in utilizing SRDF/AR to generate a remote copy of an application with an RPO of six hours. In order for you to calculate the bandwidth requirements you will need to run Change Tracker. To which should you set the reset interval length for DeltaMark?

A. 21600
B. 86400
C. 32400
D. 10800

Answer: D

QUESTION: 12

A TimeFinder/Snap of production data must be recreated in a four hour cycle throughout the day. Which change tracker report will provide the best data for modeling a solution for the twenty-four hour period?

A. Delta report reset every four hours
B. SUM report over four hours
C. Delta report reset every twenty four hours
D. SUM report over twenty four hours

Answer: A

QUESTION: 13

Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of Professional & Certified Experts available via support.
- Free 90 days updates to match real exam scenarios.
- Instant Download Access! No Setup required.
- Price as low as $19, which is 80% more cost effective than others.
- Verified answers researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (Android, iPhone, iPod, iPad)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- *Guaranteed Success*.
- **Fast**, helpful support 24x7.

View list of All certification exams offered;
 http://www.ipass4sure.com/allexams.asp

View list of All Study Guides (SG);
http://www.ipass4sure.com/study-guides.asp

View list of All Audio Exams (AE);
http://www.ipass4sure.com/audio-exams.asp

Download Any Certication Exam DEMO.
http://www.ipass4sure.com/samples.asp

To purchase Full version of exam click below;
http://www.ipass4sure.com/allexams.asp

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list Here