

Examcollection

<http://www.ipass4sure.com/examcollection.htm>

E20-360

EMC

Network Storage - NAS Implementation

<http://www.ipass4sure.com/exams.asp?examcode=E20-360>

The E20-360 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The E20-360 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The E20-360 exam is very challenging, but with our E20-360 questions and answers practice exam, you can feel confident in obtaining your success on the E20-360 exam on your FIRST TRY!

EMC E20-360 Exam Features

- Detailed questions and answers for E20-360 exam
- Try a demo before buying any EMC exam
- E20-360 questions and answers, updated regularly
- Verified E20-360 answers by Experts and bear almost 100% accuracy
- E20-360 tested and verified before publishing
- E20-360 examcollection vce questions with exhibits
- E20-360 same questions as real exam with multiple choice options

Acquiring EMC certifications are becoming a huge task in the field of I.T. More over these exams like E20-360 exam are now continuously updating and accepting this challenge is itself a task. This E20-360 test is an important part of EMC certifications. We have the resources to prepare you for this. The E20-360 exam is essential and core part of EMC certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real E20-360 Test and save time and money while developing your skills to pass your EMC E20-360 Exam? Let us help you climb that ladder of success and pass your E20-360 now!

DEMO EXAM

For Full Version visit

<http://www.ipass4sure.com/allexams.asp>

Question: 1

Which layer in the OSI model does a router operate in?

- A. Data link
- B. Network
- C. Transport
- D. Application

Answer: B

Question: 2

Given this scenario, which statement is correct?

```
Server_mount server_2 -0 ro celdata /seldata
Server_export server_2 -p cifs -n celdatashare /seldata
\celdatashare (Everyone-Full Control)
\Engineering (Eng Group-R/W, Joe-Read)
\Sales (Sales Group-Read, Tim-R/W)
CELERRA.DOC (time-Read)
Sales Group - Time, Joe, Lisa
```

- A. Joe is granted R/W to the \Sales directory
- B. Ever one is granted Full Control to \Celdatashare
- C. Tim is granted R/W permission to the \Sales directory
- D. Everyone is granted Read only permission to \Celdatashare

Answer: D

Question: 3

You used Celerra's etherchannel trunking option to combine two 100 mb/sec. Ethernet ports into a single IP address and Mac address. What is the aggregate bandwidth that you can expect on the trunk?

- A. 100 mb/sec
- B. 125 mb/sec
- C. 150 mb/sec
- D. 200 mb/sec

Answer: A

Question: 4

Which NS600G/GS component is used to attach to an existing CX600?

- A. Internal Ethernet switch
- B. Serial Connection Assembly
- C. Direct attach to SPS-A and SPS-B
- D. Direct or SAN attached to SP-A and SP-B

Answer: D

Question: 5

Why does the Standby Power Supply (SPS) maintain power to the Storage Processors (SP) and the first [ist] Disk Enclosure (DAE2) during a power failure?

- A. To supply power to the Standby Data Mover

- B. To flush the write cache to disks 0-4 which houses the "Vault Area"
- C. To keep the first DAE2 and SPS running until power is restored
- D. To read the cache "Vault Area" regarding how to power down the NS600

Answer: B

Question: 6

The Celerra NS600 has a Disk Array Enclosures (DAE2) with fifteen disk devices. Which configuration is correct for DAE0, Bus 0, Enclosure 0?

- A. 4+1 RAID 5/Hot Spare/8+1 RAID 5.
- B. 4+1 RAID 5/RAID 1/Hot Spare/RAID 1/Hot Spare/RAID1
- C. 4+1 RAID 5/Hot Spare/4+1 RAID 5/4+1 RAID5/4+1 RAID 5/4+1 RAID 5
- D. 4+1 RAID 5/4+1 RAID 5/4+1 RAID 5/Hot Spare/RAID 0/Hot Spare/Hot Spare

Answer: A

Question: 7

On an NS600G/GS, the Celerra Control LUNs must be configured from a RAID 5 Group. Which RAID 5 group type and Disk drive type must they be?

- A. Any RAI Group on any DAE2, disks 0-4 ATA Disk
- B. A dedicated 4+1 RAID Group, on any DAE2, Fiber Disk
- C. Any RAID Group, on the 1st DAE2, and can be any drives in the enclosure Fiber disk
- D. Dedicated 4+1 RAID Group not necessary to be disks 0-4 on the first DAE2, ATA Disk

Answer: B

Question: 8

Each Disk Array Enclosure has a Loop ID and an Enclosure ID which are both set by the Enclosure Address Switch. WHAT IS THE enclosure ID an the Loop ID for the third Disk Array Enclosure?

- A. Loop ID = 0, Enclosure ID = 0
- B. Loop ID = 1, Enclosure ID = 0
- C. Loop ID = 0, Enclosure ID = 1
- D. Loop ID = 1, Enclosure ID = 1

Answer: C

Question: 9

To set up a Hyper Terminal connection to the Control Station, which settings are needed to configure Com 1 properties?

- A. 19200 bits per second, 7 data bits, parity, 1 stop bit, Hardware Flow
- B. 19600 bites per second, 8 data bits, no parity, 1 stop bit, Hardware Flow
- C. 19200 bits per second, no data bits, no parity, 1 stop bit, Hardware Flow
- D. 19200 bits per second, 8 data bits, no parity, 1 stop bit, Hardware Flow control

Answer: D

Question: 10

What does the Init Wizard configure on the Control Station?

- A. IP Address, Subnet Mask, Default Gateway

- B. IP Address, Subnet Mask, Broadcast Address
- C. IP Address, Subnet Mask, Default Gateway, Primary DNS server
- D. Domain Name, IP Address, Subnet Mask, Broadcast Address, Primary and Secondary DNS servers

Answer: A

Question: 11

What is required for an NS600G/GS to be connected to an existing CX600 via a Fiber Switch?

- A. One [1] or two [2] free ports per SP, five [5] unbound disk drives, Access Logix
- B. One [1] or two [2] free ports, 7+1 RAID five [5] Group with 6 LUNs, Access Logix
- C. One [1] or two [2] free ports per Fiber, five [5] unbound disk drives, PowerPath 3.01
- D. One [1] or two [2] free ports per Fiber Switch, five [5] unbound disk drives Access Logix

Answer: D

Question: 12

For Call Home to work at Company.com site, you must dial eight [8] to access an outside line. After changing to the /nas/sbin directory as root, which command should be issued to edit the dialing prefix number?

- A. ./ch_dd
- B. ./ch_cfg
- C. ./ch_stop
- D. ./ch_dialin_disable

Answer: A

Question: 13

Which additional hardware is required when converting an NS600G direct connect to Fabric connect?

- A. DAE2
- B. Switch
- C. Extra Data Mover
- D. Copper fiber cable

Answer: B

Question: 14

What is the environment of an NS600/NS600G with dual Data Movers configured as primary and standby?

- A. Low availability
- B. High Availability
- C. None critical data
- D. Mode two Operation

Answer: B

Question: 15

What are three components of an NS600 control station?

- A. Dual [2] GigE ports



Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;
<http://www.ipass4sure.com/all exams.asp>

View list of All Study Guides (SG);
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;
<http://www.ipass4sure.com/all exams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

