Examcollection

http://www.ipass4sure.com/examcollection.htm

HT0-101

CompTIA
HTI+ Residential Systems

http://www.ipass4sure.com/exams.asp?examcode=HT0-101

The HT0-101 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The HT0-101 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The HT0-101 exam is very challenging, but with our HT0-101 questions and answers practice exam, you can feel confident in obtaining your success on the HT0-101 exam on your FIRST TRY!

CompTIA HT0-101 Exam Features

- Detailed questions and answers for HT0-101 exam
- Try a demo before buying any CompTIA exam
- HT0-101 questions and answers, updated regularly
- Verified HT0-101 answers by Experts and bear almost 100% accuracy
- HT0-101 tested and verified before publishing
- HT0-101 examcollection vce questions with exhibits
- HT0-101 same questions as real exam with multiple choice options

Acquiring CompTIA certifications are becoming a huge task in the field of I.T. More over these exams like HT0-101 exam are now continuously updating and accepting this challenge is itself a task. This HT0-101 test is an important part of CompTIA certifications. We have the resources to prepare you for this. The HT0-101 exam is essential and core part of CompTIA certifications and once you clear the exam you will be able to solve the real life problems yourself.Want to take advantage of the Real HT0-101 Test and save time and money while developing your skills to pass your CompTIA HT0-101 Exam? Let us help you climb that ladder of success and pass your HT0-101 now!

DEMO EXAM

For Full Version visit

Question: 1.
Three communicating thermostats installed in one residence is referred to as a:

A. 3-Damper system
B. 3-Room system
C. 3-Zone system
D. 3-Process system

Answer: C

Question: 2.
Covert video cameras can be legally installed:

A. Anywhere the client decides.
B. Anywhere there is a potential for high-crime volume.
C. In places where there is no expectation of privacy.
D. In places where permissions has been given by the owner.

Answer: C

Explanation:
Surveillance cameras can be used in most exterior resiential locations; however, you should remember that a surveillance camera cannot be located where there is a reasonable expectation of privacy.

Question: 3.
When troubleshooting a lighting problem in an existing home, the home technology integrator differentiates between low-voltage and high-voltage lighting control by examining the:

A. Incandescent bulbs
B. Fluorescent bulbs
C. Differences in the wall and ceiling mounts
D. Cable supplying power to the lighting fixture

Answer: D

Question: 4.
A Examsheets technician is on-site to configure a home security alarm system. The technician needs to create a configuration that alerts the off-site customer monitoring center whenever the front and side doors are armed and opened.

Which of the following devices does the technician need to install on the doors to have them trip the alarm?

A. Rug sensors
B. Motion sensor
C. Magnetic contacts
D. Closed circuit TV

Answer: C

Question: 5.
Which of the following ports must be open to allow HTTP traffic through a firewall?

A. 23

B. 25
C. 80
D. 110

Answer: C

Question: 6.
The maximum recommended cable distance between stations for 10Base-T Ethernet on
Category 3 cabling is:

A. 50 meters
B. 100 meters
C. 200 meters
D. 500 meters

Answer: B

Question: 7.
Which of the following wires of a cable are used for transmitting or receiving data on a
10/100Base-T network?

A. 1, 2, 3, and 4
B. 1,2, 3, and 6
C. 1, 2, 8, and 8
D. 5, 6, 7, and 8

Answer: B

Question: 8.
A client has a 100 watt stereo receiver. The client has purchased speakers rate at 200 watts. The
receiver keeps shutting off, and the distortion is high.

Which of the following is the best explanation?

A. The speakers need more power than 100 watts.
B. The strands of wire are touching.
C. The speaker cable is the wrong gauge.
D. The protective fuses in the receiver are too weak.

Answer: B

Question: 9.
Which of the following use high-frequency sound?

A. Occupancy sensors
B. Ultrasonic sensors
C. Photosensors
D. Passive Infrared (PIR) sensors

Answer: B

Question: 10.
Which of the following is a type of coaxial cable used in television and satellite installations?

A. RG-6

B. RG-58
C. RJ-11
D. RJ-45

Answer: A

Question: 11.
Which of the following TCP/IP protocols is used to manage the assignment of IP addresses?

A. Domain name service (DNS)
B. Network address translation (NAT)
C. Dynamic host configuration protocol (DHCP)
D. Simple network management protocol (SNMP)

Answer: C

Question: 12.
A client requests to have two sub-woofers installed to create stereo effect.Which of the following statements is the best response a technician can make?

A. Two sub-woofers would produce too much bass.
B. Another amp is required to power the second sub-woofer.
C. Two sub-woofers are unnecessary and would cost too much.
D. The sub-woofer's sound is too low to have an effect on stereo imaging.

Answer: C

Question: 13.
How many B channels are included in an integrated services digital network (ISDN) BRI?

A. 1
B. 2
C. 4
D. 23

Answer: B

Explanation:
The ISDN Basic Rate Interface (BRI) service offers two B channels and one D channel (2B+D). BRI B-channel service operates at 64 kbps and is meant to carry user data; BRI D-channel service operates at 16 kbps and is meant to carry control and signaling information, although it can support user data transmission under certain circumstances. The D channel signaling protocol comprises Layers 1 through 3 of the OSI reference model. BRI also provides for framing control and other overhead, bringing its total bit rate to 192 kbps.

Incorrect Answers:
D. SDN Primary Rate Interface (PRI) service offers 23 B channels and 1 D channel in North America and Japan, yielding a total bit rate of 1.544 Mbps (the PRI D channel runs at 64 kbps). ISDN PRI in Europe, Australia, and other parts of the world provides 30 B channels plus one 64-kbps D channel and a total interface rate of 2.048 Mbps.

Question: 14.
An individual has connected a turntable to a stereo receiver. When a record is played, the system emits a load hum.

Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of Professional & Certified Experts available via support.
- Free 90 days updates to match real exam scenarios.
- Instant Download Access! No Setup required.
- Price as low as $19, which is 80% more cost effective than others.
- Verified answers researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (Android, iPhone, iPod, iPad)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- *Guaranteed Success*.
- **Fast**, helpful support 24x7.

View list of All certification exams offered;
http://www.ipass4sure.com/allexams.asp

View list of All Study Guides (SG);
http://www.ipass4sure.com/study-guides.asp

View list of All Audio Exams (AE);
http://www.ipass4sure.com/audio-exams.asp

Download Any Certication Exam DEMO.
http://www.ipass4sure.com/samples.asp

To purchase Full version of exam click below;
http://www.ipass4sure.com/allexams.asp

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list Here