Examcollection

http://www.ipass4sure.com/examcollection.htm



http://www.ipass4sure.com

JN0-331

Juniper JNCIS-SEC

http://www.ipass4sure.com/exams.asp?examcode=JN0-331

The JN0-331 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The JN0-331 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The JN0-331 exam is very challenging, but with our JN0-331 questions and answers practice exam, you can feel confident in obtaining your success on the JN0-331 exam on your FIRST TRY!

Juniper JN0-331 Exam Features

- Detailed guestions and answers for JN0-331 exam
- Try a demo before buying any Juniper exam
- JN0-331 questions and answers, updated regularly
- Verified JN0-331 answers by Experts and bear almost 100% accuracy
- JN0-331 tested and verified before publishing
- JN0-331 examcollection vce questions with exhibits
- JN0-331 same questions as real exam with multiple choice options

Acquiring Juniper certifications are becoming a huge task in the field of I.T. More over these exams like JN0-331 exam are now continuously updating and accepting this challenge is itself a task. This JN0-331 test is an important part of Juniper certifications. We have the resources to prepare you for this. The JN0-331 exam is essential and core part of Juniper certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real JN0-331 Test and save time and money while developing your skills to pass your Juniper JN0-331 Exam? Let us help you climb that ladder of success and pass your JN0-331 now!

DEMO EXAM

For Full Version visit

http://www.ipass4sure.com/allexams.asp

Question: 1

Regarding zone types, which statement is true?

- A. You cannot assign an interface to a functional zone.
- B. You can specify a functional zone in a security policy.
- C. Security zones must have a scheduler applied.
- D. You can use a security zone for traffic destined for the device itself.

Answer: D

Question: 2

Which three functions are provided by JUNOS Software for security platforms? (Choose three.)

- A. VPN establishment
- B. stateful ARP lookups
- C. Dynamic ARP inspection
- D. Network Address Translation
- E. inspection of packets at higher levels (Layer 4 and above)

Answer: A, D, E

Question: 3

Regarding secure tunnel (st) interfaces, which statement is true?

- A. You cannot assign st interfaces to a security zone.
- B. You cannot apply static NAT on an st interface logical unit.
- C. st interfaces are optional when configuring a route-based VPN.
- D. A static route can reference the st interface logical unit as the next-hop.

Answer: D

Question: 4

What are three benefits of using chassis clustering? (Choose three.)

- A. Provides stateful session failover for sessions.
- B. Increases security capabilities for IPsec sessions.
- C. Provides active-passive control and data plane redundancy.
- D. Enables automated fast-reroute capabilities.
- E. Synchronizes configuration files and session state.

Answer: A, C, E

Question: 5

Which two statements are true regarding high-availability chassis clustering? (Choose two.)

- A. A chassis cluster consists of two devices.
- B. A chassis cluster consists of two or more devices.
- C. Devices participating in a chassis cluster can be different models.
- D. Devices participating in a chassis cluster must be the same models.

Answer: A. D

Question: 6

You have been tasked with installing two SRX 5600 platforms in a high-availability cluster. Which requirement must be met for a successful installation?

1 of 41	

- A. You must enable SPC detect within the configuration.
- B. You must enable active-active failover for redundancy.
- C. You must ensure all SPCs use the same slot placement.
- D. You must configure auto-negotiation on the control ports of both devices.

Answer: C

Question: 7

Which three statements are true when working with high-availability clusters? (Choose three.)

- A. The valid cluster-id range is between 0 and 255.
- B. JUNOS security devices can belong to more than one cluster if cluster virtualization is enabled.
- C. If the cluster-id value is set to 0 on a JUNOS security device, the device will not participate in the cluster.
- D. A reboot is required if the cluster-id or node value is changed.
- E. JUNOS security devices can belong to one cluster only.

Answer: C, D, E

Question: 8

Click the Exhibit button.

MISSING

[edit chassis]

user@host# show

cluster {

reth-count 3;

redundancy-group 1 {

node 0 priority 1;

node 1 priority 100;

}}

When applying the configuration in the exhibit and initializing a chassis cluster, which statement is correct?

- A. Three physical interfaces are redundant.
- B. You must define an additional redundancy group.
- C. node 0 will immediately become primary for redundancy group 1.
- D. You must issue an operational command and reboot the system for the above configuration to take effect.

Answer: D

Question: 9

What is a redundancy group in JUNOS Software?

- A. a set of chassis clusters that fail over as a group
- B. a set of devices that participate in a chassis cluster
- C. a set of VRRP neighbors that fail over as a group
- D. a set of chassis cluster objects that fail over as a group

Answer: D

Question: 10

What is the functionality of redundant interfaces (reth) in a chassis cluster?

Page 2 of 41	

- A. reth interfaces are used only for VRRP.
- B. reth interfaces are the same as physical interfaces.
- C. reth interfaces are pseudo-interfaces that are considered the parent interface for two physical interfaces.
- D. Each cluster member has a reth interface that can be used to share session state information with the other cluster members.

Answer: C

Question: 11

When devices are in cluster mode, which new interfaces are created?

- A. No new interface is created.
- B. Only the st interface is created.
- C. fxp1, fab0, and fab1 are created.
- D. st, fxp1, reth, fab0, and fab1 are created.

Answer: C

Question: 12

In a chassis cluster with two SRX 5800 devices, the interface ge-13/0/0 belongs to which device?

- A. This interface is a system-created interface.
- B. This interface belongs to node 0 of the cluster.
- C. This interface belongs to node 1 of the cluster.
- D. This interface will not exist because SRX 5800 devices have only 12 slots.

Answer: C

Question: 13

What are two components of the JUNOS Software architecture? (Choose two.)

- A. Linux kernel
- B. routing protocol daemon
- C. session-based forwarding module
- D. separate routing and security planes

Answer: B, C

Question: 14

What are two interfaces created when enabling a chassis cluster? (Choose two.)

- A. st0
- B. fxp1
- C. fab0
- D. reth0

Answer: B, C

Question: 15

Which statement is true regarding redundancy groups?

A. The preempt option determines the primary and secondary roles for redundancy group 0 during a failure and recovery scenario.

Page 3 of 41	



Editor's Pick



- Pass4sure offers over 2500 Certification exams for professionals.
- More than 98,800 Satisfied Customers Worldwide.
- Average 99.8% Success Rate.
- Over 120 Global Certification Vendors Covered.
- Services of Professional & Certified Experts available via support.
- Free 90 days updates to match real exam scenarios.
- Instant Download Access! No Setup required.
- Price as low as \$19, which is 80% more cost effective than others.
- Verified answers researched by industry experts.
- Study Material updated on regular basis.
- Questions / Answers are downloadable in PDF format.
- Mobile Device Supported (Android, iPhone, iPod, iPad)
- No authorization code required to open exam.
- **Portable** anywhere.
- Guaranteed Success.
- Fast, helpful support 24x7.

View list of All certification exams offered;

http://www.ipass4sure.com/allexams.asp

View list of All Study Guides (SG);

http://www.ipass4sure.com/study-guides.asp

View list of All Audio Exams (AE);

http://www.ipass4sure.com/audio-exams.asp

Download Any Certication Exam DEMO.

http://www.ipass4sure.com/samples.asp

To purchase Full version of exam click below;

http://www.ipass4sure.com/allexams.asp

2	SAR
CC	OFOTEY
	OFOTEA
	11011













3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	
and many others. See complete list Here						









