Examcollection

http://www.ipass4sure.com/examcollection.htm

JN0-520

Juniper
Juniper Networks Certified Internet Associate, FWV

The JN0-520 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The JN0-520 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The JN0-520 exam is very challenging, but with our JN0-520 questions and answers practice exam, you can feel confident in obtaining your success on the JN0-520 exam on your FIRST TRY!

Juniper JN0-520 Exam Features

  - Detailed questions and answers for JN0-520 exam
  - Try a demo before buying any Juniper exam
  - JN0-520 questions and answers, updated regularly
  - Verified JN0-520 answers by Experts and bear almost 100% accuracy
  - JN0-520 tested and verified before publishing
  - JN0-520 examcollection vce questions with exhibits
  - JN0-520 same questions as real exam with multiple choice options

Acquiring Juniper certifications are becoming a huge task in the field of I.T. More over these exams like JN0-520 exam are now continuously updating and accepting this challenge is itself a task. This JN0-520 test is an important part of Juniper certifications. We have the resources to prepare you for this. The JN0-520 exam is essential and core part of Juniper certifications and once you clear the exam you will be able to solve the real life problems yourself.Want to take advantage of the Real JN0-520 Test and save time and money while developing your skills to pass your Juniper JN0-520 Exam? Let us help you climb that ladder of success and pass your JN0-520 now!

DEMO EXAM

For Full Version visit

QUESTION 1:

Exhibit

What does this icon indicate?
A.Logging is enabled on a policy
B.Counting is enabled on a policy
C.Scheduling is enabled on a policy
D.Authentication is enabled on policy
E.Address translation is enabled on a policy

Answer: A

Explanation:

Icon	Function	Description
	Permit	The NetScreen device passes all traffic to which the policy applies.
	Deny	The NetScreen device blocks all traffic to which the policy applies.
	Reject	The NetScreen device blocks all traffic to which the policy applies. It drops the packet and sends a TCP reset (RST) segment to the source host for TCP traffic and an ICMP "destination unreachable, port unreachable" message (type 3, code 3) for UDP traffic. For types of traffic other than TCP and UDP, the NetScreen device drops the packet without notifying the source host, which is also what occurs when the action is "deny".
	Policy-level NAT	The NetScreen device performs policy-based source or destination network address translation (NAT-src or NAT-dst) on all traffic to which the policy applies.
	Encapsulation and Decapsulation	The NetScreen device encapsulates all outbound VPN traffic and decapsulates all inbound VPN traffic to which the policy applies.
	Bidirectional VPN policies	A matching VPN policy exists for the opposite direction.
	Authentication	The user must authenticate himself/herself when initiating a connection.
	Antivirus	The NetScreen device sends all traffic to which the policy applies to its internal antivirus (AV) scanner.
	Deep Inspection	The NetScreen device performs Deep Inspection (DI) on all traffic to which the policy applies.
	Deep Inspection and Antivirus	The NetScreen device performs Deep Inspection and antivirus protection on all traffic to which the policy applies.
	URL Filtering	The NetScreen device sends all traffic to which the policy applies to an external URL filtering server.
	L2TP	The NetScreen device encapsulates all outbound L2TP traffic and decapsulates all inbound L2TP traffic to which the policy applies.
	Logging	All traffic is logged and made available for syslog and e-mail, if enabled.
	Counting	The NetScreen device counts (in bytes) the amount of traffic to which the policy applies.
	Alarm	When the amount of traffic surpasses a threshold that you have set, the NetScreen device makes an entry in the traffic log for this policy. Clicking the icon takes you to the traffic log located in the Reports section.

QUESTION 2:

What CLI command puts you into the policy configuration sub-mode, allowing you to add additional entries to the source, destination and/or service fields?
A.set policy id x
B.set multiple id x

C.set policy id x multiple
D.set policy from trust tountrust 10.10.10.0; 10.10.11.0 anyanypermit

Answer: A

Explanation:
Every policy has an ID number, whether you define one or theNetScreendevice automatically assigns it. You can only define an ID number for a policy through the set policy command in the CLI:set policy idnumber... After you know the ID number, you can enter the policy context to issue further commands to modify the policy. Forexample :
Netscreen-> set policy id 1
Netscreen(policy:1)-> setsrc-address host2

QUESTION 3:

Exhibit
```
Total regular policies 6, Default deny.
  ID From      To        Src-address     Dst-address      Service Action State
   1 Private   Public    Any             1.1.70.200/32    ANY     Permit enabled
   2 Private   Public    10.1.10.6/8     1.1.70.200/32    FTP     Permit enabled
   3 Private   Public    10.1.10.18/32   1.1.70.200/32    ANY     Permit enabled
   4 Private   Public    Any             1.1.70.200/32    HTTP    Deny   enabled
   5 Private   Public    10.1.10.0/24    1.1.70.0/24      FTP     Deny   enabled
```
In order for this policy to be effective, what order should the policy statementsbein? The number refers to the Policy ID shown in the diagram.
A.12345
B.34251
C.45321
D.52134
E.53124

Answer: B

Explanation:
TheNetScreendevice checks all attempts to traverse the firewall against policies, beginning with the first one listed in the policy set for the appropriate list and moving through the list. Because theNetScreendevice applies the action specified in the policy to the first matching policy in the list, you must arrange them from the most specific to the most general. Policy ID 3 is the most specific policy because theSrc-address andDst-address have asubnetmaskof 32.So only 1 ip address for the source and 1 ip address for the destination.

QUESTION 4:

Which policy option allows you to view session addresses that have been translated?
A.Logging
B.Counters
C.Schedule
D.Authentication
E.Address translation

Answer: A
Explanations:
When you enable logging in a policy, theNetScreendevice logs all connections to which that particular policy
applies. You can view the logs through either theWebUIor CLI. Logging is a great feature for troubleshooting policies on yournetscreendevice.
IncorrectAnswers:
BWhen you enable counting in a policy, theNetScreendevice counts the total number of bytes of traffic to which this policy applies and records the information in historical graphs.
CBy associating a schedule to a policy, you can determine when the policy is in effect. You can configure schedules on a recurring basis and as a one-time event. Schedules provide a powerful tool in controlling the flow of network traffic and in enforcing network security.
DSelecting this option requires the auth user at the source address to authenticate his/her identity by supplying a user name and password before traffic is allowed to traverse the firewall or enter the VPN tunnel. TheNetScreendevice can use the local database or an external RADIUS,SecurID , or LDAP auth server to perform the authentication check.
ENetScreenprovides several mechanisms for applying network address translation (NAT). The concept of NAT comprises the translation of the IP address in an IP packet header and, optionally, the translation of the port number in the TCP segment or UDP datagram header. The translation can involve the source address (and optionally the source port number), the destination address (and optionally the destination port number), or a combination of translated elements. However you are not able to view translated addresses with this option.

QUESTION 5:

Ac Access Policy must contain which three (3) items?
A.Service
B.Authentication
C.Source address
D.Firewall settings
E.Action (permit, deny, tunnel)

Answer: A, C, E

Explanation:
A policy permits, denies, or tunnels specified types of trafficunidirectionallybetween two points. The type of traffic (or "service"), the location of the two endpoints, and the invoked action compose the basic elements of a policy. Although there can be other components, the required elements, which together constitute the core section of a policy, are as follows:
Direction - The direction of traffic between two security zones (from a source zone to a destination zone)
Source address - The address from which traffic initiates
Destination address - The address to which traffic is sent
Service - The type of traffic transmitted
Action - The action that theNetScreendevice performs when it receives traffic meeting the first

four criteria: deny, permit, reject, or tunnel
For example, the policy stated in the following CLI command permits FTP traffic from any
address in the Trust zone to an FTP server named "server1" in the DMZ zone:
setpolicy from trust tountrustany server1 ftp permit
Direction:from trust tountrust(that is, from the Trust zone to theUntrustzone)
Source Address:any(that is, any address in the Trust zone. The term "any" stands for a
predefined
addressthat applies to any address in a zone)
Destination Address:server1(a user-defined address in theUntrustzone address book)
Service:ftp(File Transfer Protocol)
Action:permit(thatNetScreendevice permits this traffic to traverse its firewall)

QUESTION 6:

You are trying to remove an address book entry by going to the Address Book -> List
display of the Web UI, but you cannot find the remove option. What would cause this
problem?
A.An address book entry can only be deleted from the command line interface. You will need to
use the CLI to delete it.
B.The address book entry ismisconfigured. You need to correct the address book entry before it
will allow you to delete
C.You cannot remove an address book entry from this screen. You need to use the delete option
found under the management options screen.
D.The address book entry is being used by a policy. You must delete the policy or remove the
address book entry from the policy before it ban be deleted.

Answer: D
Explanation :
Before you can set up many of theNetScreenfirewall, VPN, and traffic shaping features, you
need to define
addressesin one or more address lists. The address list for a security zone contains the IP
addresses or domain
namesof hosts or subnets whose traffic is either allowed, blocked, encrypted, or
user-authenticated.
After you define anaddress.oran address group and associate it with a policy, you cannot change
the address location to another zone (such as from Trust toUntrust). To change its location, you
must first disassociate it from the underlying policy. Also keep the following in mind regarding
to addresslists :
1.When using the CLI, you must create all of your address book entries before you make your
policies.
2.You can modify everything about an address book entry except its zone.
3.You can not modify an address object from the CLI, you must first delete it and the recreate it.

QUESTION 7:

Addresses Book entries identify devices such as hosts and networks by their location in

Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of Professional & Certified Experts available via support.
- Free 90 days updates to match real exam scenarios.
- Instant Download Access! No Setup required.
- Price as low as $19, which is 80% more cost effective than others.
- Verified answers researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (Android, iPhone, iPod, iPad)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- *Guaranteed Success*.
- **Fast**, helpful support 24x7.

View list of All certification exams offered;
 http://www.ipass4sure.com/allexams.asp

View list of All Study Guides (SG);
http://www.ipass4sure.com/study-guides.asp

View list of All Audio Exams (AE);
http://www.ipass4sure.com/audio-exams.asp

Download Any Certication Exam DEMO.
http://www.ipass4sure.com/samples.asp

To purchase Full version of exam click below;
http://www.ipass4sure.com/allexams.asp

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list Here