

Examcollection

<http://www.ipass4sure.com/examcollection.htm>

LE0-406

Legato

Certified Availability Administrator

<http://www.ipass4sure.com/exams.asp?examcode=LE0-406>

The LE0-406 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The LE0-406 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The LE0-406 exam is very challenging, but with our LE0-406 questions and answers practice exam, you can feel confident in obtaining your success on the LE0-406 exam on your FIRST TRY!

Legato LE0-406 Exam Features

- Detailed questions and answers for LE0-406 exam
- Try a demo before buying any Legato exam
- LE0-406 questions and answers, updated regularly
- Verified LE0-406 answers by Experts and bear almost 100% accuracy
- LE0-406 tested and verified before publishing
- LE0-406 examcollection vce questions with exhibits
- LE0-406 same questions as real exam with multiple choice options

Acquiring Legato certifications are becoming a huge task in the field of I.T. More over these exams like LE0-406 exam are now continuously updating and accepting this challenge is itself a task. This LE0-406 test is an important part of Legato certifications. We have the resources to prepare you for this. The LE0-406 exam is essential and core part of Legato certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real LE0-406 Test and save time and money while developing your skills to pass your Legato LE0-406 Exam? Let us help you climb that ladder of success and pass your LE0-406 now!

DEMO EXAM

For Full Version visit

<http://www.ipass4sure.com/allexams.asp>

QUESTION 1:

Which statement about AAM's Network Interface Card (NIC)-to-NIC feature is true?

- A. If one NIC fails, another will be configured to take its place.
- B. Communications can be routed from one NIC to another NIC.
- C. If one NIC is overloaded, another NIC will be configured to assist with traffic.
- D. Two NIC's are paired together as a single logical NIC twice the capacity and function.

Answer:

QUESTION 2:

Which two conditions must be validated before installing the AAM 5.x agent on the Solaris operating system? (choose two)

- A. Motif 1.2 installed
- B. Any user with a UID = 0
- C. Minimum of two networks
- D. Spare system running Solaris 2.6 or later.

Answer:

QUESTION 3:

Which statement describes an AAM Utility Process?

- A. A Utility Process runs using the account of the user that started it.
- B. A Utility Process can transition to the failed state if its existence monitor is incorrectly written.
- C. A Utility Process is an unmanaged process that can be started from the Management Console, from a Resource Group, or from a rule.
- D. When contained within a Resource Group, a Utility Process will typically run while the group is brought online, and be stopped when the resource group is taken offline.

Answer:

QUESTION 4:

You want to modify your configuration to ensure that a data source can be detached if a disk cable becomes disconnected. In the Resource Group console, you should _____

- A. enable Availability Tracking
- B. change the ft_Disk_Failure setting

- C. configure the system to halt or reboot
- D. adjust the startups/shutdown sequence

Answer:

QUESTION 5:

Which statement is always true?

- A. You can stop monitoring an offline or online Resource Group.
- B. You cannot stop monitoring a Resource Group, unless it is offline.
- C. If you stop monitoring a Resource Group, it will transition to offline.
- D. If you enable monitoring a Resource Group, all Resource Group elements will transition to online.

Answer:

QUESTION 6:

Which three are reasons for testing file system data source attachment and detachment on all applicable nodes prior to implementing AAM?
(Choose three)

- A. to ensure that filesystem mount points exist on all applicable nodes
- B. to ensure that shared storage devices are properly shared to all applicable nodes.
- C. to ensure that data sources can be mounted and accessed without error on all applicable nodes.
- D. To ensure that filesystem owner usernames or accounts and groups exist on all applicable nodes.
- E. To ensure that AAM is capable of setting filesystem permissions correctly on all applicable nodes.

Answer:

QUESTION 7:

An AAM node has detected that it has become isolated, initiated its default isolation script, and rebooted.

Which procedure describes AAM behavior on reboot?

- A. AAM initiates the evaluated isolation network algorithm to determine the appropriate action.
- B. AAM starts, periodically pinging the verification addresses until it receives a response, and comes online.
- C. AAM reads the value of the NODE_HALT_ON_REBOOT flag from the configuration database. If the flag is set to zero (false), it starts as normal.
- D. The AAM default startup includes an isolation check before full initialization. If the node is isolated, it waits periodically pinging the isolation addresses until it receives a response, and

comes online.

Answer:

QUESTION 8:

What is the purpose of isolation detection?

- A. to prevent a split-brain scenario from occurring.
- B. to determine if a remote node is isolated from the domain
- C. to determine if the Resource Group is isolated from the preferred node.
- D. to determine if the Network Interface Card (NIC) is isolated when using NIC-NIC failover.

Answer:

QUESTION 9:

Which statement is true about node aliases?

- A. The node alias must be defined as an alias in DNS.
- B. For a node alias to be activated, `iplimit` must be set to at least two.
- C. The node alias will register the server service on a Windows node.
- D. The node alias IP address must be in the `local/etc/host` file when activated on a UNIX node.

Answer:

QUESTION 10:

Which two statements are true about the AAM isolation detection feature? (choose two)

- A. All agents are responsible for isolation detection.
- B. Only primary agents are responsible for isolation detection.
- C. If, within half of the minimum detection time, no heartbeats are received, a ping is sent to each isolation address.
- D. If, within half of the minimum detection time, no heartbeats are received, a ping is sent across the verification line.

Answer:

QUESTION 11:

For which three tasks is the `ft` agent process responsible? (choose three)

- A. monitoring heartbeating
- B. performing name resolution
- C. handling management requests



Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;
<http://www.ipass4sure.com/allexams.asp>

View list of All Study Guides (SG);
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;
<http://www.ipass4sure.com/allexams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

