

Examcollection

<http://www.ipass4sure.com/examcollection.htm>



<http://www.ipass4sure.com>

LOT-804

IBM

Using JavaScript in IBM Lotus Domino 8 Applications

<http://www.ipass4sure.com/exams.asp?examcode=LOT-804>

The LOT-804 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The LOT-804 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The LOT-804 exam is very challenging, but with our LOT-804 questions and answers practice exam, you can feel confident in obtaining your success on the LOT-804 exam on your FIRST TRY!

IBM LOT-804 Exam Features

- Detailed questions and answers for LOT-804 exam
- Try a demo before buying any IBM exam
- LOT-804 questions and answers, updated regularly
- Verified LOT-804 answers by Experts and bear almost 100% accuracy
- LOT-804 tested and verified before publishing
- LOT-804 examcollection vce questions with exhibits
- LOT-804 same questions as real exam with multiple choice options

Acquiring IBM certifications are becoming a huge task in the field of I.T. More over these exams like LOT-804 exam are now continuously updating and accepting this challenge is itself a task. This LOT-804 test is an important part of IBM certifications. We have the resources to prepare you for this. The LOT-804 exam is essential and core part of IBM certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real LOT-804 Test and save time and money while developing your skills to pass your IBM LOT-804 Exam? Let us help you climb that ladder of success and pass your LOT-804 now!

DEMO EXAM

For Full Version visit

<http://www.ipass4sure.com/allexams.asp>

QUESTION: 1

Which one of the following designated lines has incorrect code?

```
// initialize the variables secsPerMin = 60;
// <LINE A> var minsPerHour = 60;
var hoursPerDay = 24;
var daysPerYear = 365;
// perform calculations
var secsPerDay = secsPerMin * minsPerHour * hoursPerDay;
//<LINE B> var secsPerYear =
secsPerDay * daysPerYear; document.writeln("<b>There are ");
document.writeln(secsperYear);
//<LINE C>
document.writeln(" seconds per year.</b><p>");
//<LINE D>
```

- A. <LINE A>
- B. <LINE B>
- C. <LINE C>
- D. <LINE D>

Answer: C

QUESTION: 2

Look at the following code for the onClick event of a button:

```
function printvar()
{
var1 = 20;
alert( 'the value of var1 is ' + var1 );
}
var var1 = 10;
printvar();
```

Which one of the following will be the value of var1 in the alert message?

- A. 10
- B. 20
- C. "10"
- D. undefined

Answer: B

QUESTION: 3

Marie is getting an error in the following line of JavaScript code that is attached to a button on a Notes Form:

```
totalAttempts[0] = 1;
```

How can she add error checking to this code to handle the error?

- A.

```
if (isNaN(totalAttempts[0])) {
  alert ("totalAttempts not defined");
}
```
- B.

```
try {
  totalAttempts[0] = 1;
} catch (e) {
  alert ("totalAttempts not defined");
}
```
- C.

```
errorHandle messageAlert;
totalAttempts[0] = 1;
messageAlert: alert ("totalAttempts not defined");
```
- D.

```
onError GoTo messageAlert;
totalAttempts[0] = 1;
messageAlert: alert ("totalAttempts not defined");
```

Answer: B

QUESTION: 4

Uma has written the following code to compare two values in the form onSubmit event:

```
resp=document.forms[0].city.value;
if (resp = 'Boston')
{
  alert ("You are from Boston.");
} else {
  alert ("You are not from Boston.");
};
```

Uma tests her form. However, every time she saves it, the alert says "You are from Boston.", even when she enters "New York". Which one of the following causes this to happen?

- A. The form name should be used to reference the form.
- B. The city field on the form is named "City", not "city".
- C. The comparison operator to test equality should be "==".
- D. There is no "End If" at the end of the If statement block.

Answer: C

QUESTION: 5

The following code will produce a run-time error:

```
{
// Line 1
path=location.pathname.toLowerCase( );
// Line 2 nsfPos=path.indexOf(".nsf");
// Line 3 path=path.substring(0, nsfpos+5);
// Line 4
}
```

Which one of the lines is incorrect?

- A. Line 1
- B. Line 2
- C. Line 3
- D. Line 4

Answer: D

QUESTION: 6

Rashida needs to display the current date, in dd-mmm-yyyy format, in an alert message. For example, the first day of the 2007 should be displayed as 01-Jan-2007. So far, she has written these lines in a new function that she will use to create the date string:

```
function getDateDMY() {
var months = new Array("Jan", "Feb", "Mar", "Apr", "May", "Jun", "Jul", "Aug",
"Sep", "Oct", "Nov", "Dec");
var dt = new Date();
<MISSING CODE>
}
```

What should Rashida add in place of the <MISSING CODE>?

- A. var dd = dt.getDay();
var mmm = dt.getMonth();
var yyyy = dt.getFullYear();
return dd + "-" + months[mmm] + "-" + yyyy;
- B. var dd = dt.getDay();
var mmm = dt.getMonth();
var yyyy = dt.getFullYear();
return dd + "-" + months.options[mmm] + "-" + yyyy;
- C. var dd = dt.getDate();

```

if (dd < 10) { dd = "0" + dd }
var mmm = dt.getMonth();
var yyyy = dt.getFullYear();
return dd + "-" + months[mmm] + "-" + yyyy;
D. var dd = dt.getDate();
if (dd < 10) { dd = "0" + parseInt(dd) }
var mmm = dt.getMonth();
var yyyy = dt.getFullYear();
return = dd + "-" + months[mmm] + "-" + parseInt(yyyy);

```

Answer: C

QUESTION: 7

Jerry wants to write an if-then statement in JavaScript that evaluates to "true" if the values of the variables string1 and string2 are NOT equal. How should he code the first line of the if-then statement?

- A. if (string1 <> string2)
- B. if (string1 != string2)
- C. if (!(string1 = string2))
- D. if (equals(string1, string2))

Answer: B

QUESTION: 8

Look at the following JavaScript code segment:

```

var fullStr = new String( "Hello World!");
var subS = "World";
var subStart = <MISSING CODE>

```

Which one of the following should be placed in the <MISSING CODE> to find the position of a substring within a string object?

- A. fullStr.indexOf(subS);
- B. subStr.indexOf(fullS);
- C. substring(fullStr, subS);
- D. fullStr.substring(0, subS);

Answer: A

QUESTION: 9

Given the following:



Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;
<http://www.ipass4sure.com/all exams.asp>

View list of All Study Guides (SG);
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;
<http://www.ipass4sure.com/all exams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

