

Examcollection

<http://www.ipass4sure.com/examcollection.htm>



<http://www.ipass4sure.com>

SU0-211

Huawei

Huawei Cert Datacom Associate-Network Technology and Device

<http://www.ipass4sure.com/exams.asp?examcode=SU0-211>

The SU0-211 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The SU0-211 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The SU0-211 exam is very challenging, but with our SU0-211 questions and answers practice exam, you can feel confident in obtaining your success on the SU0-211 exam on your FIRST TRY!

Huawei SU0-211 Exam Features

- Detailed questions and answers for SU0-211 exam
- Try a demo before buying any Huawei exam
- SU0-211 questions and answers, updated regularly
- Verified SU0-211 answers by Experts and bear almost 100% accuracy
- SU0-211 tested and verified before publishing
- SU0-211 examcollection vce questions with exhibits
- SU0-211 same questions as real exam with multiple choice options

Acquiring Huawei certifications are becoming a huge task in the field of I.T. More over these exams like SU0-211 exam are now continuously updating and accepting this challenge is itself a task. This SU0-211 test is an important part of Huawei certifications. We have the resources to prepare you for this. The SU0-211 exam is essential and core part of Huawei certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real SU0-211 Test and save time and money while developing your skills to pass your Huawei SU0-211 Exam? Let us help you climb that ladder of success and pass your SU0-211 now!

DEMO EXAM

For Full Version visit

<http://www.ipass4sure.com/allexams.asp>

QUESTION: 1

Access type of port to send packets ().

- A. Send the message with tag
- B. stripping the VLAN information packet, send out direct
- C. VLAN switching packets of information, then send out
- D. marked the PVID of the port information

Answer: B

QUESTION: 2

Trunk types of ports in the packet received untag time ().

- A. Direct discarded
- B. with the port trunk VLAN ID information, and then sent
- C. Do not add tag information sent directly
- D. marked the PVID of the port information, then send out

Answer: D

QUESTION: 3

Trunk type of port receives a packet with a tag, the following statements is correct ().

- A. determine whether the port is allowed by the VLAN tag, the data
- B. direct pass through without any processing
- C. If the port is not allowed by the VLAN tag, data, and discarded
- D. marked the PVID of the port information, then send out

Answer: A, C

QUESTION: 4

Trunk type of port to send packets, the following statements is correct ().

- A. To send a message to the VLAN ID and port PVID different, then sent directly
- B. To send a message to the VLAN ID and port the same as the PVID, the VLAN information is stripped, and then send
- C. will send packets to the VLAN ID and port the same as the PVID is sent directly
- D. packets to be sent and the port's PVID VLAN ID is different from the VLAN information is stripped, and then send

Answer: A, B

QUESTION: 5

The type of port on the Hybrid, the following statements is correct ().

- A. Hybrid port can be used to switch the connection between the switch and the user can also be used for the connection between the PC
- B. Hybrid Trunk port in the port and receive data, the processing method is the same
- C. Hybrid Trunk port port and main differences are, Hybrid port can allow multiple VLAN packets without tags, but a trunk port only allows the default VLAN packets without tags
- D. Hybrid port untag configured to send messages only when the work, no need to consider when receiving messages

Answer: A, B, C, D

QUESTION: 6

To achieve inter-VLAN communication, the following statements is correct ().

- A. In the L3 switch, can only be achieved through the router configuration arm inter-VLAN traffic routing
- B. the L2 switch, router configuration arm only through the inter-VLAN routing the communication toachieve
- C. In the L3 switch, VLAN interfaces can be configured to achieve three inter-VLAN communication
- D. In the L2 switch, VLAN interfaces can be configured to achieve three inter-VLANcommunication

Answer: B, C

QUESTION: 7

About the advantages of the following statements is correct VLAN is ().

- A. VLAN on the switch by reducing the required number of physical ports to reduce network overhead
- B. VLAN by identifying the right to access to sensitive user data and applications to enhance network security
- C. VLAN and flow control by adjusting the window size to improve network performance
- D. VLAN network into smaller logical networks, which reduces the sensitivity of the network for broadcast storm

Answer: B, D

QUESTION: 8

VLAN tag contains () data bits used to identify the VLAN a frame belongs

- A. 4
- B. 32
- C. 12
- D. 8

Answer: C

QUESTION: 9

Frame marker will add to each frame (), so the frame can switch between the trunk port transmission.

- A. Destination MAC address
- B. source MAC address switch
- C. VLAN ID
- D. switch bridge ID

Answer: C

QUESTION: 10

Switch the default configuration in VLAN configuration has the following characteristics ().

- A. The default VLAN cannot be manually deleted
- B. By default, all switch ports are members of the default VLAN port
- C. You must create the default VLAN, the port can be assigned to it
- D. The IP address configured on the switch will only be applied to a member of the default VLAN port

Answer: A, B

QUESTION: 11

In the VRP, VLAN tag field in the fixed value of TPID

- A. 0x8100
- B. 0x0800
- C. 0x0806
- D. 0x9100

Answer: A

QUESTION: 12

As opposed to traditional LAN technology, VLAN has the following advantages:

- A. Reducing the cost of moving and changing
- B. separate broadcast domains, inhibit the broadcast message
- C. Strengthening the security of communications
- D. enhancing network robustness

Answer: A, B, C, D

QUESTION: 13

Originally part of a switch port VLAN 5, now with the undo vlan 5 command to delete VLAN 5, after which the port belongs to VLAN



Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;
<http://www.ipass4sure.com/allexams.asp>

View list of All Study Guides (SG);
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;
<http://www.ipass4sure.com/allexams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

