

# 000-154

**IBM**

*Web Developer*

<http://www.ipass4sure.com/exams.asp?examcode=000-154>

The 000-154 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 000-154 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 000-154 exam is very challenging, but with our 000-154 questions and answers practice exam, you can feel confident in obtaining your success on the 000-154 exam on your FIRST TRY!

## IBM 000-154 Exam Features

- Detailed questions and answers for 000-154 exam
- Try a demo before buying any IBM exam
- 000-154 questions and answers, updated regularly
- Verified 000-154 answers by Experts and bear almost 100% accuracy
- 000-154 tested and verified before publishing
- 000-154 exam questions with exhibits
- 000-154 same questions as real exam with multiple choice options

Acquiring IBM certifications are becoming a huge task in the field of I.T. More over these exams like 000-154 exam are now continuously updating and accepting this challenge is itself a task. This 000-154 test is an important part of IBM certifications. We have the resources to prepare you for this. The 000-154 exam is essential and core part of IBM certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 000-154 Test and save time and money while developing your skills to pass your IBM 000-154 Exam? Let us help you climb that ladder of success and pass your 000-154 now!

**Question: 1**

An application developer has written the following code on an HTML page supporting JavaScript to open a new window. Which of the following buttons provides the best way to close the new window?

- A. `<INPUT TYPE="button" VALUE="Open Message Window" on Click="newwINDOW=WINDOW OPEN(" tmpWindow; resizable=no, width=200,hiegt-200)">`
- B. `<INPUTTYPE="button"VALUE="Close Message Window" onClick=tmpWindow.close0">`
- C. `<INPUTTYPE="button"VALUE="Close Message Window" onClick=newWindow.close0">`
- D. `<INPUTTYPE="button"VALUE="Close Message Window" onClick=Child.close0">`
- E. `<INPUTTYPE="button"VALUE="Close Message Window" onClick=this.close0">`

**Answer: B**

**Question: 2**

What value should be assigned to the dir parameter if a block of text within an HTML document is to be displayed from right to left?

- A. RIGHT
- B. RTL
- C. LEFT
- D. RIGHTTOLEFT

**Answer: B**

**Question: 3**

Choose the appropriate XSLT selector that transforms the following element:

```
<book_title>
```

into an HTML <H1> element content:

```
<book_title> Cool Book</book_title>
```

- A. `<H1><xls:value-of select="book-title"></H1>`
- B. `<H1><xls:value-of ="book-title"></H1>`
- C. `<H1><xls:value- select="book-title"></H1>`
- D. `<H1><xls:select="book-title"></H1>`

**Answer: A**

**Question: 4**

A contxtual selector can be used to set hich of the following?

- A. Exceptions to the current style sheet
- B. A JMS message destination
- C. JNDI root context
- D. Servlet context choice

**Answer: A**

**Question: 5**

The following excerpt from a JSP is meant to display the following output:

The price without tax is: 100.0

The tax rate is:0.15

The tax on your purchase is: 15.0

---

The total cost is: 115.0

Using only the line numbers outlined in the JSP excerpt, identify the three lines that need to be changed to allow for proper translation\compilation\display of the JSP. (Select three answers)

The JSP excerpt with the errors is:

```
<html>
<body>
1 <%! public double calculateTax(double price)
  {return price * taxRate;}%>
2 <% double taxRate = 0.15;%>
3 <% public double calculateTotal(double price, double tax)
  {return price + tax;}%>
4 <% double price = 100.00; %>
5 The price without tax is: <%= price %> <br>
6 The tax rate is: <%= taxRate %> <br>
7 The tax on your purchase is: <% calculateTax(price), %> <br>
  The total cost is: <%= calculateTotal(price, calculateTax(price))%> <br>
</body>
</html>
```

- A. Line 1
- B. Line 2
- C. Line 3
- D. Line 4
- E. Line 5
- F. Line 6
- G. Line 7

**Answer: A, B, C**

**Question: 6**

Consider the following traditional JSP tag:

```
<%! Int I =0;%>
```

Which of the following represent the complete and correct XML-based JSP tags to accomplish the same task as the traditional JSP tag above?

- A. <jsp:declaration int i =0; />
- B. <jsp:declaration> int i =0;<jsp:declaration>
- C. <declaration int i =0; >/declaration>
- D. <declaration int i =0; />

**Answer: B**

**Question: 7**

A developer wants to make use of a pre-existing tag library in a JSP. One of the tags in the library takes in two numbers, adds them together and outputs the result. The following directive appears at the top of the JSP that will use the tag:

```
<%@ taglib uri=_ HYPERLINK "http://www.Real-exams/addition"
  _http://www.Real-exams/addition_ prefix="calculate"/>
```

Given the following excerpt from the tag library descriptor, what syntax would the developer use in order to use the tag called add that adds the two numbers together?

```
<tag>
<name>add</name>
```

```
<tagclass>com.examples.Calculator</tagclass>
<attribute>
<name>first</name>
<required>true</required>
<rtexprid>true</rtexprvalue>
</attribute>
<attribute>
<name>second</name>
<required>true</required>
<rtexprvalue>true</rtexprvalue>
</attribute>
</tag>
```

- A. <calculate:add>first="5",second="10"</calculate:add>
- B. <addition:add>first="5",second="10"/>
- C. <calculate:add>first="5",second="10"/>
- D. <calculate:add>first="5",second="10"/>

**Answer: C**

**Question: 8**

A servlet instantiates a JavaBean and stores it in the ServletContext object using the following code:

```
Com.mybean.Employee worker = new com.mybean.Employee0();
servletContext.setAttribute("employee" worker);
```

The servlet then returns a response to the client, which subsequently makes another request to a JSP IN THE SAME Web application as the original servlet. Which of the following allows the JSP to retrieve the JavaBean that the servlet stored in the ServletContext?

- A. <jsp:useBean id="employee" class="com.mybean.Employee"scope="servletcontext"/>
- B. <jsp:useBean id="worker" class="com.mybean.Employee"scope="session"/>
- C. <jsp:useBean id="employee" class="com.mybean.Employee"scope="request"/>
- D. <jsp:useBean id="worker" class="com.mybean.Employee"scope="application"/>
- E. <jsp:useBean id="worker" class="com.mybean.Employee"/>
- F. The original JavaBean cannot be retrieved.

**Answer: D**

**Question: 9**

Which HTTP header type contain the Cache-Control field?

- A. general-header
- B. request-header
- C. response-header
- D. entity-header

**Answer: A**

**Question: 10**

Which is the default control types for an HTML input element?

- A. text
  - B. button
  - C. checkbox
  - D. radio
-



## Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;  
<http://www.ipass4sure.com/all exams.asp>

View list of All Study Guides (SG);  
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);  
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.  
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;  
<http://www.ipass4sure.com/all exams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

