



<http://www.ipass4sure.com>

# 000-257

## IBM

*Application Development with IBM Rational Application Developer for Web Sphere*

<http://www.ipass4sure.com/exams.asp?examcode=000-257>

The 000-257 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 000-257 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 000-257 exam is very challenging, but with our 000-257 questions and answers practice exam, you can feel confident in obtaining your success on the 000-257 exam on your FIRST TRY!

### IBM 000-257 Exam Features

- Detailed questions and answers for 000-257 exam
- Try a demo before buying any IBM exam
- 000-257 questions and answers, updated regularly
- Verified 000-257 answers by Experts and bear almost 100% accuracy
- 000-257 tested and verified before publishing
- 000-257 exam questions with exhibits
- 000-257 same questions as real exam with multiple choice options

Acquiring IBM certifications are becoming a huge task in the field of I.T. More over these exams like 000-257 exam are now continuously updating and accepting this challenge is itself a task. This 000-257 test is an important part of IBM certifications. We have the resources to prepare you for this. The 000-257 exam is essential and core part of IBM certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 000-257 Test and save time and money while developing your skills to pass your IBM 000-257 Exam? Let us help you climb that ladder of success and pass your 000-257 now!

**QUESTION 1:**

Which of the following presents the order in which the scopes would be searched for a data source JNDI name reference in a WebSphere Application Server V6 application?

- A. Cell, Node, Server
- B. Server, Node Cluster, Cell
- C. Application, Server Cluster, Node, Cell
- D. Server, Application, Node, Cluster, Cell

Answer: C

---

**QUESTION 2:**

A developer wants to test a J2EE V1.4 application with multiple message driven beans. Multiple JMS procedure applications will be deployed to the same WebSphere Application Server test server. Which of the following tasks must the developer complete on the test server to support testing this J2EE application?

- A. Create a single service integration bus and add the test server as a single bus member.
- B. Create a single service integration bus and add the test server as a multiple bus member.
- C. Create multiple service integration buses and add the test server as a single bus member to each bus.
- D. Create multiple service integration buses and add the test server as a multiple bus member to each bus.

Answer: A

---

**QUESTION 3:**

Which of the following data source settings is REQUIRED when a new DB2 data source for a WebSphere Application SERVER v6 APPLICATION IS CREATED?

- A. A name
- B. A category
- C. A description
- D. An authentication alias

Answer: A

---

**QUESTION 4:**

A WebSphere Test Environment V6 Server has been created in order to test a

Servlet. The Servlet uses the default messaging system to send messages to a JMS queue destination. At a minimum, what resources need to be configured on the server in order for the Servlet to be able to send messages to the destination?

- A. A service integration bus (with the server as a member) with an associated queue.
- B. A JMS connection factory and JMS queue destination
- C. A JMS connection factory and service integration bus (with the server as a member) with an associated queue.
- D. A JMS connection factor, JMS queue destination and service integration bus (with the server as a member) with an associated queue

Answer: D

---

### **QUESTION 5:**

To promote an ejbCreate method to the local home interface, the developer can right click the method in the:

- A. Deployment descriptor and select Enterprise Bean -> Promote to Local Home Interface.
- B. Deployment view and select Enterprise Bean -> Promote to Local Home Interface
- C. Source view and select Enterprise Bean -> Promote to Local Home Interface.
- D. Outline view and select Enterprise Bean -> Promote to Local Home Interface

Answer: D

---

### **QUESTION 6:**

An EJB client begins a new transaction and makes calls to a number of entity beans. The client detects an error condition and rolls back the transaction. If database updates made by one of the entity beans are not rolled back, what is the likely cause?

- A. The entity bean's transaction attribute is set to Requires New.
- B. Another user concurrently accessed the same entity bean and committed the transaction.
- C. The container failed to propagate the client's transactional context to the entity bean.
- D. The entity bean is running in a non-transactional EJB container

Answer: A

---

### **QUESTION 7:**

A developer has written session bean A that invokes session bean B and session bean C. Session bean B logs events to an audit table. If session bean C causes the transaction to roll back, the session bean B should still write to the table. What

should be the transaction attribute for the session bean B?

- A. Mandatory
- B. Required
- C. RequiresNew
- D. Supports

Answer: C

---

**QUESTION 8:**

When mapping a container-managed relationship field to a foreign key using Rational Application Developer, the developer can:

- A. Create the backend folder
- B. Specify the navigability
- C. Specify the converter.
- D. Specify the multiplicity

Answer: C

---

**QUESTION 9:**

A developer has made changes to EJBs that were previously deployed. Errors now appear in the Problems view. Using the EJB project's context menu, which is the BEST way to resolve the error?

- A. Select Deploy
- B. Select Quick-Fix, and click OK.
- C. Select Redeploy Deployed Code, and click OK.
- D. Select Delete. In the subsequent dialog, select only Redeploy Deployed Code, and click OK.

Answer: A

---

**QUESTION 10:**

What is the BEST way to use EJB QL to find the number of unique customer names, where customerName is a container-managed persistence field in an EJB?

- A. Use EJB aggregate functions.
- B. Use customer finder methods
- C. Use private helper methods
- D. Use ejbSelect methods.

Answer: D



## Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;  
<http://www.ipass4sure.com/all exams.asp>

View list of All Study Guides (SG);  
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);  
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.  
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;  
<http://www.ipass4sure.com/all exams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

