



<http://www.ipass4sure.com>

# 000-268

## IBM

*i5 iSeries RPG ILE Programmer*

<http://www.ipass4sure.com/exams.asp?examcode=000-268>

The 000-268 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 000-268 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 000-268 exam is very challenging, but with our 000-268 questions and answers practice exam, you can feel confident in obtaining your success on the 000-268 exam on your FIRST TRY!

### IBM 000-268 Exam Features

- Detailed questions and answers for 000-268 exam
- Try a demo before buying any IBM exam
- 000-268 questions and answers, updated regularly
- Verified 000-268 answers by Experts and bear almost 100% accuracy
- 000-268 tested and verified before publishing
- 000-268 exam questions with exhibits
- 000-268 same questions as real exam with multiple choice options

Acquiring IBM certifications are becoming a huge task in the field of I.T. More over these exams like 000-268 exam are now continuously updating and accepting this challenge is itself a task. This 000-268 test is an important part of IBM certifications. We have the resources to prepare you for this. The 000-268 exam is essential and core part of IBM certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 000-268 Test and save time and money while developing your skills to pass your IBM 000-268 Exam? Let us help you climb that ladder of success and pass your 000-268 now!

Exam Name:	i5 iSeries RPG ILE Programmer		
Exam Type:	IBM	Exam Code:	000-268
Doc Type:	Q & A with Explanations	Total Questions:	95

**Question: 1**

Review the following sample subfile:

```

+-----+
| Option  Data |
|-----|
|  || Record 1 |
|  || Record 2 |
| |X| Record 3 |
|  || Record 4 |
+-----+

```

The SFLNXTCHG keyword was inactive when Record 1 was written and active when each subsequent subfile record was written. The operator has entered the "X" in the option field for Record 3. Which subfile record will be read when the next READC operation is performed on the subfile?

- A. 1
- B. 2
- C. 3
- D. 4

**Answer: B**

**Question: 2**

Given the following code segment

```

AAN01N02 N03T.Name+++++RLen++TDpBLinPosFunctions+++++
A   R D1SF          SFL
A   OPTNBR         1A B 10 3
A   SCNDDTA        50A O 10 7
A   R D1SC          SFLCTL(D1SF)
A 79                SFLDSP
A 81                SFLDSPCTL
A                   SFLSIZ(1000)
A                   SFLPAG(0011)
A                   9 2'Opt Data

```

What DDS keyword needs to be added to this code segment to remove all of the records from the subfile?

- A. SFLCLR
- B. SFLDLT
- C. SFLRMV
- D. SFLINZ

**Answer: A**

**Question: 3**

Given the following code segment

<b>Exam Name:</b>	<b>i5 iSeries RPG ILE Programmer</b>		
<b>Exam Type:</b>	<b>IBM</b>	<b>Exam Code:</b>	<b>000-268</b>
<b>Doc Type:</b>	<b>Q &amp; A with Explanations</b>	<b>Total Questions:</b>	<b>95</b>

```

0001.00  D DateField      S          D  DATFMT(*ISO)
0002.00  D CharField     S          6A  INZ('040696')

0003.00  C  *MDY        MOVE  CharField  DateField

```

This code will not compile. Which of the following changes will allow a successful compile?

- A. Change line 0001.00 to: D DateField S D DATFMT(\*MDY)
- B. Change line 0003.00 to: C \*MDY0 MOVE CharField DateField
- C. Change line 0003.00 to: C \*MDY MOVE(D) CharField DateField
- D. Change line 0003.00 to: C \*130 MOVE CharField DateField

**Answer: B**

**Question: 4**

Given the following code segment

```

CLON01Factor1+++++++Opcode(E)+Factor2+++++++Result+++++++Len++D+HiLoEq
C  CODE      CASEQ  1      SRONE
C  CODE      CASEQ  2      SRTWO
C          CAS          SRTHREE
C          END

```

W

Which of the following code segments will perform the equivalent function?

- A. /FREE Select CODE; WHEN = 1; ExSr SRONE; WHEN = 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSI; /END-FREE
- B. /FREE Select; WHEN CODE = 1; ExSr SRONE; WHEN CODE = 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSI; /END-FREE
- C. /FREE Select CODE; 1; ExSr SRONE; 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSI; /END-FREE
- D. /FREE Select WHEN CODE; Other; ExSr SRTHREE; EndSI; /END-FREE
- E. /FREE Select WHEN CODE; 1; EndSI; /END-FREE
- F. /FREE Select WHEN CODE; 1; ExSr SRONE; /END-FREE
- G. /FREE Select WHEN CODE; 1; ExSr SRONE; 2;
- H. /FREE Select WHEN CODE; 1; ExSr SRONE; 2; ExSr SRTWO;
- I. /FREE Select WHEN CODE; 1; ExSr SRONE; 2; ExSr SRTWO; Other; Select WHEN CODE; 1; ExSr SRONE; 2; ExSrSRTWO; Other; ExSrSRTHREE; EndSI; 1; ExSrSRONE; 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSI; /END-FREE ExSr SRONE; 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSI; /END-FREE 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSI; /END-FREE

**Answer: B**

**Question: 5**

In the following code sample, file CUSSALES contains a record format CUSSALESR, with unique key fields CSCONO, CSCSNO and CSYEAP.

<b>Exam Name:</b>	<b>i5 iSeries RPG ILE Programmer</b>		
<b>Exam Type:</b>	<b>IBM</b>	<b>Exam Code:</b>	<b>000-268</b>
<b>Doc Type:</b>	<b>Q &amp; A with Explanations</b>	<b>Total Questions:</b>	<b>95</b>

```

fcussales  if  e          k disk

d keycus          e ds          extname(cussales:*key)

/free

      cscsno = 3;          // company
      cscsno = 100;       // customer
      csyear = 2003;     // year

      setgt %kds(keycus)  cussalesr;
      reade %kds(keycus: 2) cussalesr;

/end-free

```

Assuming the READE operation is successful, which record is retrieved?

- A. The first record with a company greater than 3
- B. The first record for company 3, with a customer greater than 100
- C. The first record for company 3, customer 100
- D. The first record for company 3, customer 100 with a year greater than 2003

**Answer: D**

**Question: 6**

Given the following expression:

$$\text{TotalReturnPct} = \left( \frac{\text{SoldAmt} + \text{Dividends}}{\text{PaidAmt} + \text{Commissions}} - 1 \right) * 100$$

Which /free form expression below is correct?

- A. /free TotalReturnPct = ((SoldAmt + Dividends) / (PaidAmt + Commissions) - 1) \* 100; /end-free
- B. /free TotalReturnPct = (SoldAmt + Dividends) / (PaidAmt + Commissions) - 1 \* 100; /end-free
- C. /free TotalReturnPct = (SoldAmt + Dividends / PaidAmt + Commissions - 1) \* 100; /end-free
- D. /free TotalReturnPct = ((SoldAmt + Dividends) / PaidAmt + Commissions - 1) \* 100; /end-free

**Answer: A**

**Question: 7**

Given the following code segment

```

d CusInfo      ds          dim(10) qualified
d  CusNum      5 0
d  AmtDue      7 2
d  OrdYTD      7 2
d  OrdPrv      7 2

```

How would the AmtDue subfield for the 5th element of the CusInfo array be referenced?

- A. AmtDue(5)

<b>Exam Name:</b>	<b>i5 iSeries RPG ILE Programmer</b>		
<b>Exam Type:</b>	<b>IBM</b>	<b>Exam Code:</b>	<b>000-268</b>
<b>Doc Type:</b>	<b>Q &amp; A with Explanations</b>	<b>Total Questions:</b>	<b>95</b>

- B. CusInfo(5).AmtDue
- C. CusInfo.AmtDue(5)
- D. CusInfo(5).AmtDue(5)

**Answer: B**

**Question: 8**

Given the following code segment:

```

DName+++++ETDsFrom+++To/L+++IDc.Keywords+++++
D ObjNameDS      DS      qualified
D  Lib           10      Inz('*libl')
D  Name          10      Inz('OBJA')

D PgmNameDS      DS      LikeDS(ObjNameDS) Inz(*LIKEDS)
D Result         S      20

/Free
  ObjNameDS.Lib = 'QGPL';
  PgmNameDS.Name = 'PGMA';
  Result = PgmNameDS;
/End-Free

```

After this code runs, what is the value of Result?

- A. OBJA
- B. 'libl PGMA
- C. QGPL OBJA
- D. QGPL PGMA

**Answer: B**

**Question: 9**

Procedure PROC 1 in a Service Program must be called passing to it a 5 position field. Which of the following code segments will accomplish this task?

- A. D AField S 5A C CallPrc PROC1' C ParmAField
- B. D AField S 5A C Call 'PROC1' C Parm AField
- C. D Prodl PR D MyField 5A D AField S 5A C CallP Proc1(AField)
- D. D Proc 1 PR ExtPgm('PROC1') D MyField 5A D AField S 5A C CallP Proc1(AField)

**Answer: C**

**Question: 10**

Given the following field definitions, if field mmddy contains a date in MDY format, what is the correct syntax to populate DateFld with the content of mmddy?

```

D mmddy S 6A
D DateFld S D Inz(D'2003-06-27') DatFmt(*ISO)

```

- A. DateFld = %Date(mmddy: \*MDY);
- B. DateFld = %Date(mmddy: \*MDY0);
- C. DateFld = %Date(mmddy: \*ISO);
- D. DateFld = %Date(mmddy: \*ISO0);

**Answer: B**



## Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;  
<http://www.ipass4sure.com/all exams.asp>

View list of All Study Guides (SG);  
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);  
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.  
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;  
<http://www.ipass4sure.com/all exams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

