



<http://www.ipass4sure.com>

000-274

IBM

IBM TotalStorage Networking Solutions

The 000-274 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 000-274 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 000-274 exam is very challenging, but with our 000-274 questions and answers practice exam, you can feel confident in obtaining your success on the 000-274 exam on your FIRST TRY!

IBM 000-274 Exam Features

- Detailed questions and answers for 000-274 exam
- Try a demo before buying any IBM exam
- 000-274 questions and answers, updated regularly
- Verified 000-274 answers by Experts and bear almost 100% accuracy
- 000-274 tested and verified before publishing
- 000-274 exam questions with exhibits
- 000-274 same questions as real exam with multiple choice options

Acquiring IBM certifications are becoming a huge task in the field of I.T. More over these exams like 000-274 exam are now continuously updating and accepting this challenge is itself a task. This 000-274 test is an important part of IBM certifications. We have the resources to prepare you for this. The 000-274 exam is essential and core part of IBM certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 000-274 Test and save time and money while developing your skills to pass your IBM 000-274 Exam? Let us help you climb that ladder of success and pass your 000-274 now!

QUESTION: 1

A solution implementer needs to set the Log Priority of log messages within a WS-MediationPolicy policy attachment. How can the solution implementer configure the value of Log Priority?

- A. Conformance object
- B. Policy Parameters object
- C. Policy Attachments object
- D. Log Priority of the SLM action object

Answer: B

QUESTION: 2

An SLM Policy has been associated with a web service proxy to restrict access to a backend web service if one of a number of conditions has been met. The list of conditions are described in a series of SLM statements. What Evaluation Method must the solution implementer select in the SLM Policy to ensure that every SLM statement is checked until a throttle condition is executed?

- A. terminate-at-first-filter
- B. terminate-at-first-reject
- C. terminate-at-first-action
- D. terminate-at-first-refuse

Answer: B

QUESTION: 3

A customer needs message privacy and message integrity on a given transaction, and prefers the use of WS-Policy. WebSphere DataPower must receive a username from each user, but no authentication is required. In order to implement this without additional custom work, the solution implementer can:

- A. use WS-Policy with UsernameToken, Encryption and Signature enforced.
- B. use WS-Policy with Encryption, Signature and pass the username in the message body.
- C. use an Encrypt and Sign Action in the request, followed by a Decrypt and Verify Action in the response.

D. use a basic authentication header, then use the default encryption and signature inherent in the WS-Proxy.

Answer: A

QUESTION: 4

A solution implementer has been tasked with monitoring a service and filtering requests based on how long an external backend service takes to respond. The solution implementer has chosen to use the message duration monitor in the DataPower service. Which "measure" value must the solution implementer configure to satisfy this requirement?

- A. Server
- B. Requests
- C. Messages
- D. Responses

Answer: A

QUESTION: 5

Message traffic from a customer purchasing system is passing SOAP messages through a DataPower XI52 appliance. A solution implementer uses a multi-protocol gateway to implement WS-Security to encrypt the complete message. Which of the following parameters should the solution implementer select to correctly configure the Encrypt action?

- A. Envelop Method: WSSec encryption Message Type : SOAP Message Document Crypto Map : None
- B. Envelop Method: WS-Security Message Type : SOAP Message Document Crypto Map : store:///encrypt_message.xml
- C. Envelop Method: Standard XML encryption Message Type : SOAP Message Document Crypto Map : store:///encrypt_message.xml
- D. Envelop Method: Advanced Message Type : Raw XML document Document Crypto Map : store:///ws_security_encrypt.xml

Answer: A

QUESTION: 6

A solution implementer is writing a stylesheet that accepts input as shown in the following exhibit:

```
<?xml version="1.0" encoding="UTF-8" ?>
<msg:message xmlns:hdr="http://schemas.ibm.com/header" xmlns:msg="http://schemas.ibm.com/message" xmlns:pay="http://schemas.ibm.com/payload">
  <hdr:header>
    <sequencenum>http://esb.ibm.com/source-system:0123-4567-8901-2345</sequencenum>
    <destination>http://esb.ibm.com/dest-system</destination>
    <source>http://esb.ibm.com/source-system</source>
    <action>http://esb.ibm.com/dest-system#CustomerInfoRequest</action>
    <timestamp>2013-04-18T19:30:47.0Z</timestamp>
  </hdr:header>
  <pay:payload>
    <Customer>
      <Company>Some Company</Company>
      <Name>Some Person</Name>
      <ContactInfo>
        <Address AddressType="Business">
          <Street>123 Some Street</Street>
          <City>Some City</City>
          <State>XX</State>
          <Country>USA</Country>
          <ZipCode>12345</ZipCode>
        </Address>
        <Address AddressType="POBox">
          <Street>PO Box 123</Street>
          <City>Some City</City>
          <State>XX</State>
          <Country>USA</Country>
          <ZipCode>54321</ZipCode>
        </Address>
        <Phone PhoneType="Business">
          <PhoneNumber>123-456-7890</PhoneNumber>
        </Phone>
        <Email EmailType="Business">
          <EmailAddress>workaddr@somecompany.com</EmailAddress>
        </Email>
        <Email EmailType="Personal">
          <EmailAddress>homeaddr@someisp.com</EmailAddress>
        </Email>
      </ContactInfo>
    </Customer>
    <Product>
      <ProductType>Widget</ProductType>
      <UnitPrice Currency="USD">123.45</UnitPrice>
      <Quantity>6</Quantity>
    </Product>
    <Product>
      <ProductType>Whatsit</ProductType>
      <UnitPrice Currency="CAD">543.21</UnitPrice>
      <Quantity>7</Quantity>
    </Product>
  </pay:payload>
</msg:message>
```

Given the information in the exhibit, which XPath expression locates the element named Pay:payload?

- A. /pay:payloadA./pay:payload
- B. /**/Customer/..B./**/Customer/..
- C. /msg:message/*C./msg:message/*
- D. /msg:message/../**/payloadD./msg:message/../**/payload

Answer: B

QUESTION: 7

A solution implementer has created a stylesheet as shown in the following exhibit.

XML:

```
<?xml version="1.0" encoding="utf-8"?>
<cert>
  <topic name="Stylesheet Variables">
    Knowledge of Stylesheet Variables
  </topic>
</cert>
```

XSLT:

```
<?xml version="1.0" encoding="utf-8"?>
<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
<xsl:output method="xml"/>

<xsl:template match="/">
  <xsl:variable name="topic"><xsl:value-of select="//topic"/></xsl:variable>
  <html>
    <title>DataPower Certification</title>
    <xsl:element name="p">
      <xsl:choose>
        <xsl:when test="$topic="Security">Topic: Web Services Security</xsl:when>
        <xsl:when test="$topic="Protocols">Topic: Supported Protocols</xsl:when>
        <xsl:otherwise>Topic: <xsl:value-of select="$topic"/></xsl:otherwise>
      </xsl:choose>
    </xsl:element>
  </html>
</xsl:template>

</xsl:stylesheet>
```

Which output would be generated when the above XML is transformed by the given stylesheet?

- A.

```
<?xml version="1.0" encoding="UTF-8"?>
<html>
  <title>DataPower Certification</title>
  <element name="p">
    Topic: Stylesheet Variables
  </element>
</html>
```
- B.

```
<?xml version="1.0" encoding="UTF-8"?>
<html>
  <title>DataPower Certification</title>
  <p>
    <topic>
      Topic: Stylesheet Variables
    </topic>
  </p>
</html>
```
- C.

```
<?xml version="1.0" encoding="UTF-8"?>
<html>
  <title>DataPower Certification</title>
  <p>
    Topic: Knowledge of Stylesheet Variables
  </p>
</html>
```
- D.

```
<?xml version="1.0" encoding="UTF-8"?>
<html>
  <title>DataPower Certification</title>
  <p>
    <topic>
      Topic: Knowledge of Stylesheet Variables
    </topic>
  </p>
</html>
```

- A. Option A
 B. Option B
 C. Option C
 D. Option D

Answer: C

QUESTION: 8

When debugging an SSL handshake using a packet capture, it is observed that there is a Client HELLO message followed by a Server HELLO message. Each of those packets have an associated Session ID that is different from each other. What does this indicate to the solution implementer?

- A. The server is not ready to do session caching.
 B. The SSL handshake is not required because of session caching.
 C. A new SSL session and a full handshake will be performed.



Pass4sure Certification Exam Features;

- Pass4sure offers over **4500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **150** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;
<http://www.ipass4sure.com/allexams.asp>

View list of All Study Guides (SG);
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;
<http://www.ipass4sure.com/allexams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

