000-297

IBM

WebSphere MQ V5.3 Solution Development

http://www.ipass4sure.com/exams.asp?examcode=000-297

The 000-297 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 000-297 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 000-297 exam is very challenging, but with our 000-297 questions and answers practice exam, you can feel confident in obtaining your success on the 000-297 exam on your FIRST TRY!

IBM 000-297 Exam Features

- Detailed questions and answers for 000-297 exam
- Try a demo before buying any IBM exam
- 000-297 questions and answers, updated regularly
- Verified 000-297 answers by Experts and bear almost 100% accuracy
- 000-297 tested and verified before publishing
- 000-297 exam questions with exhibits
- 000-297 same questions as real exam with multiple choice options

Acquiring IBM certifications are becoming a huge task in the field of I.T. More over these exams like 000-297 exam are now continuously updating and accepting this challenge is itself a task. This 000-297 test is an important part of IBM certifications. We have the resources to prepare you for this. The 000-297 exam is essential and core part of IBM certifications and once you clear the exam you will be able to solve the real life problems yourself.Want to take advantage of the Real 000-297 Test and save time and money while developing your skills to pass your IBM 000-297 Exam? Let us help you climb that ladder of success and pass your 000-297 now!

QUESTION 1
A solution design requires that JPEG binary images up to five megabytes in length
be distributed by applications running on several platforms.
Which of the following is in conflict with this design requirement?

A. MQSeries for Compaq NonStop Kernel.
B. MQSeries for OS/2 Warp
C. WebSphere MQ for Linux for Zseries
D. WebSphere MQ Windows

Answer: A

QUESTION 2
In a new application to be created on WebSphere MQ for z/OS V5.3, which of the
following design criteria will be inconsistent with the use of queue-sharing groups?

A. All messages are between 16k and 32k in length.
B. The queues must contain persistent and non-persistent messages.
C. Reply queues must be temporary dynamic queues.
D. Each message depends on the contents of the previous one.
E. The SYSTEM.DEFAULT.LOCAL.QUEUE must be redefined as shared.

Answer: C,D

QUESTION 3
A Websphere MQ Linux for intel application exchanges large XML messages with
a WebSphere MQ for Sun Solaris application. To send these messages using
message segmentation, which of the following MUST the sending application
perform?

A. issue the MQPUT with MQMF_GROUPING_ALLOWED set in the MsgFlags of the
message descriptor.
B. issue the MQPUT with MQMF_SEGMENTATION_ALLOWED set in the MsgFlags
of the message descriptor.
C. issue the MQPUT with MQPMO_NO_SYNCPOINT in the put message options.
D. This cannot be performed by the sending application.

Answer: B

QUESTION 4
A central UNIX application is being developed to provider responses to requests
from users located at branch offices. Each branch office has its own request queue
on the central UNIX server. There are 20 branch offices. The central UNIX
application runs as a single process using a separate thread for each request queue.
Which of the following statements is true about the implementation of each thread?

A. The connection handle can be shared by using MQCONNX to connect to the queue
manager.
B. Threads cannot connect to the queue manager by using MQCONN.
C. The WebSphere MQ implementation is not dependent on the POSIX thread level.
D. MQCMIT calls must be issued by the parent thread.

Answer: A

QUESTION 5
When using WebSphere MQ with Microsoft Transaction Server (MTS), which of
the following is NOT true?

A. WebSphere MQ work in the Microsoft Transaction Server (MTS) environment, and
MQI connection handles can be pooled for efficiency.
B. WebSphere MQ work in the Microsoft Transaction Server (MTS) environment, but
only supports a single phase commit by Microsoft DTC.
C. Handles in the pool will only be re-allocated to a client with the same user id.
D. A Microsoft Transaction Server (MTS) application which calls WebSphere MQ can
also run under Microsoft COM+unchanged.

Answer: B

QUESTION 6
Which of the following statements about programming languages supported by
WebSphere MQ is true?

A. WebSphere MQ applications cannot be written in Visual Basic.
B. On Compaq NSK, WebSphere MQ applications must be written in TAL.
C. On iSeries, RPG programmers cannot use WebSphere MQ facilities.
D. COBOL can be used to program WebSphere MQ applications on Windows 2000.

Answer: D

QUESTION 7
What is the impact of setting MQOO_INPUT_EXCLUSIVE in the options for
MQOPEN?
a. If the queue is already open for putting messages, the MQOPEN fails, Otherwise, the
application can put messages on the queue.
b. If the queue is already open for getting messages, the MQOPEN fails, Otherwise, the
application can get messages from the queue.
c. If the queue is already open for putting messages, the MQOPEN waits until the queue
is available. Otherwise the application can put messages on the queue.
d. If the queue is already open for getting messages, the MQOPEN waits until the queue
is available. Otherwise, the application can get messages from the queue.

Answer: B

QUESTION 8

In which of the following circumstances should an application programmer be concerned with the conversion of WebSphere MQ message headers?

A. When the applications are communicating across a TCP/IP network.
B. When the applications are running on different operating sysytm.
C. When the applications use different CodedCharSetlds or Encoding.
D. It is never necessary to convert WebSphere MQ message headers

Answer: D

QUESTION 9

Which of the following WebSphere MQ manuals describes the WebSphere MQ sample programs?

A. Application Programming Guide
B. Planning Guide
C. Application Programming Reference
D. System Administration Guide

Answer: A

QUESTION 10

Which of the following changes MUST be made to an application queue to enable that queue to be triggered?

A. Set trigger control on.
B. Allow only persistent messages on the queue.
C. Set initiation queue parameter.
D. Fill in the process parameter.
E. Set the message delivery sequence to FIFO.
F. Start the trigger monitor

Answer: A,B,C

QUESTION 11

What is the MOST appropriate method of initializing WebSphere MQ API structures in C language application programs?

A. Set each value for each field individually
B. Use the MQSET verb to assign default values.
C. Set each structure using the supplied default macro definition.
D. Do nothing as the structures are automatically assigned default values.

Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of Professional & Certified Experts available via support.
- Free 90 days updates to match real exam scenarios.
- Instant Download Access! No Setup required.
- Price as low as $19, which is 80% more cost effective than others.
- Verified answers researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (Android, iPhone, iPod, iPad)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- *Guaranteed Success*.
- **Fast**, helpful support 24x7.

View list of All certification exams offered;
 http://www.ipass4sure.com/allexams.asp

View list of All Study Guides (SG);
http://www.ipass4sure.com/study-guides.asp

View list of All Audio Exams (AE);
http://www.ipass4sure.com/audio-exams.asp

Download Any Certication Exam DEMO.
http://www.ipass4sure.com/samples.asp

To purchase Full version of exam click below;
http://www.ipass4sure.com/allexams.asp

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list Here