



<http://www.ipass4sure.com>

000-541

IBM

DB2 9.7 DBA for Linux UNIX and Windows

<http://www.ipass4sure.com/exams.asp?examcode=000-541>

The 000-541 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 000-541 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 000-541 exam is very challenging, but with our 000-541 questions and answers practice exam, you can feel confident in obtaining your success on the 000-541 exam on your FIRST TRY!

IBM 000-541 Exam Features

- Detailed questions and answers for 000-541 exam
- Try a demo before buying any IBM exam
- 000-541 questions and answers, updated regularly
- Verified 000-541 answers by Experts and bear almost 100% accuracy
- 000-541 tested and verified before publishing
- 000-541 exam questions with exhibits
- 000-541 same questions as real exam with multiple choice options

Acquiring IBM certifications are becoming a huge task in the field of I.T. More over these exams like 000-541 exam are now continuously updating and accepting this challenge is itself a task. This 000-541 test is an important part of IBM certifications. We have the resources to prepare you for this. The 000-541 exam is essential and core part of IBM certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 000-541 Test and save time and money while developing your skills to pass your IBM 000-541 Exam? Let us help you climb that ladder of success and pass your 000-541 now!

| | | | |
|-------------------|---|-------------------------|------------|
| Exam Name: | DB2 9.7 DBA for Linux UNIX and Windows | | |
| Exam Type: | IBM | | |
| Exam Code: | 000-541 | Total Questions: | 102 |

Question: 1

Given the DDL shown below:

```
CREATE TABLE tab1 (coll SMALLINT );
CREATE VIEW v1 AS SELECT coll FROM tab1 WHERE coll > 25 ;
CREATE VIEW v2 AS SELECT CO11 FROM v1 WITH CASCADED CHECK
OPTION
CREATE VIEW v3 AS SELECT coll FROM v2 WHERE coll < 100 ;
Which statement will fail?
```

- A. INSERT INTO v2 VALUES (35)
- B. INSERT INTO v1 VALUES (5)
- C. INSERT INTO v3 VALUES (25)
- D. INSERT INTO v3 VALUES (200)

Answer: C

Question: 2

Click the Exhibit button

Given the INSERT statements shown below:

```
INSERT INTO applicant VALUES (1, 'M', 54);
INSERT INTO applicant VALUES (2, 'F', 38);
INSERT INTO applicant VALUES (3, 'M', 21);
INSERT INTO applicant VALUES (4, 'F', 91);
INSERT INTO applicant VALUES (5, 'C', 50);
INSERT INTO applicant VALUES (6, 'C', 70);
INSERT INTO applicant VALUES (7, 'C', 95);
```

How many rows will be successfully inserted?

- A. 1
- B. 3
- C. 5
- D. 7

Answer: C

Question: 3

Which statement is correct about informational constraints?

- A. An informational constraint can be used by the SQL compiler to improve the access to data and query performance.
- B. The database manager uses an informational constraint to enforce the uniqueness of the key during changes to the columns of the unique constraint.
- C. An informational constraint is a column or combination of columns that has the same properties as a unique constraint.
- D. An informational constraint specifies that every row that is inserted or updated in the table must conform to the definition of the table.

Answer: A

Question: 4

Click the Exhibit button.

In the exhibit, where would the authentication of the supplied userid and password from a remote client take place?

| | | | |
|------------|--|------------------|-----|
| Exam Name: | DB2 9.7 DBA for Linux UNIX and Windows | | |
| Exam Type: | IBM | | |
| Exam Code: | 000-541 | Total Questions: | 102 |

Assuming the DB2 server is running on the AIX operating system and the following DB2 registry variables exist:

```

DB2INSTDEF=db2inst1
DB2_ENABLE_LDAP=yes
DB2COMM=tcPIP
DB2AUTH=osauthdb
DB2IOCP=yes

```

Also the following authentication settings exist in the database manager configuration:

| | |
|--------------------------------------|---------------------------|
| Client Userid-Password Plugin | (CLNT_PW_PLUGIN) = |
| Client Kerberos Plugin | (CLNT_KRB_PLUGIN) = |
| Group Plugin | (GROUP_PLUGIN) = |
| GSS Plugin for Local Authorization | (LOCAL_GSSPLUGIN) = |
| IBMLDAPauthclient | |
| Server Plugin Mode | (SRV_PLUGIN_MODE) = |
| UNFENCED | |
| Server List of GSS Plugins | (SRVCON_GSSPLUGIN_LIST) = |
| MyPlugin.so | |
| Server Userid-Password Plugin | (SRVCON_PW_PLUGIN) = |
| MyPlugin.so | |
| Server Connection Authentication | (SRVCON_AUTH) = |
| NOT_SPECIFIED | |
| Cluster manager | (CLUSTER_MGR) = |
| Database manager authentication | (AUTHENTICATION) = |
| SERVER_ENCRYPT | |
| Cataloging allowed without authority | (CATALOG_NOAUTH) = |
| YES | |
| Trust all clients | (TRUST_ALLCLNTS) = |
| YES | |
| Trusted client authentication | (TRUST_CLNTAUTH) = |
| CLIENT | |
| Bypass federated authentication | (FED_NOAUTH) = |
| NO | |

Close
File
Comment
Help

- A. AIX operating system
- B. LDAP Server
- C. Kerberos Server
- D. "MyPlugin.so" GSS-API plug-in

Answer: B

Question: 5

| | | | |
|-------------------|---|-------------------------|------------|
| Exam Name: | DB2 9.7 DBA for Linux UNIX and Windows | | |
| Exam Type: | IBM | | |
| Exam Code: | 000-541 | Total Questions: | 102 |

Which two plug-in types does the DB2 database system provide? (Choose two.)

- A. Group retrieval
- B. Kerberos authentication
- C. Server authentication
- D. Encryption authentication

Answer: A, C

Question: 6

What are three authorization categories in DB2? (Choose three.)

- A. System-level
- B. Database-level
- C. Network-level
- D. Object-level
- E. Instance-level

Answer: A, B, D

Question: 7

What are three system and database level authorizations available with DB2? (Choose three.)

- A. SYSMON
- B. SYSMNT
- C. DBCTRL
- D. SYS ADM
- E. DBADM

Answer: A, D, E

Question: 8

A DBA wants to use Label Based Access Control (LBAC) to protect Individual rows in a table. Which data type must be used to create a column to hold the necessary LBAC security data?

- A. SYSPROC.DB2LBACU\BEL
- B. SYSPROC.DB2SECURITYU\BEL
- C. SYSIBM.DB2LBACLABEL
- D. SYSIBM.DB2SECURITYLABEL

Answer: D

Question: 9

Which administrative authority is needed to run the audit stored procedures and table functions such as the AUDIT_DELIM_EXTRACT stored procedure?

- A. DBADM
- B. SECADM
- C. SQLADM
- D. SYS ADM

Answer: B

Question: 10

| | | | |
|-------------------|---|-------------------------|------------|
| Exam Name: | DB2 9.7 DBA for Linux UNIX and Windows | | |
| Exam Type: | IBM | | |
| Exam Code: | 000-541 | Total Questions: | 102 |

How does the DB2 Server identify the list of GSS-API plug-ins it supports?

- A. by using the SRVCON_GSSPLUGIN_LIST database manager configuration parameter
- B. by using the SRVCON_GSSPLUGIN_LIST registry variable
- C. by using the SRVSUPP_GSSPLUGIN_LIST database manager configuration parameter
- D. by using the SRVSUPP_GSSPLUGIN_LIST registry variable

Answer: A

Question: 11

BOB and ALICE moved from the DEVELOPER group to the ANALYST group. As the security administrator, which two commands would remove Bob and Alice from the DEVELOPER group? (Choose two.)

- A. REVOKE ROLE developer FROM bob, alice
- B. REVOKE GROUP developer FROM bob, alice
- C. REVOKE ROLE developer FROM USER bob, USER alice
- D. REVOKE GROUP developer FROM USER bob, USER alice

Answer: A, C

Question: 12

Because of an application abend, a database named PAYROLL needs to be restored to approximately 9:26 am on June 1, 2009. After the database is restored from a backup image, the command shown below is executed:
ROLLFORWARD DATABASE payroll TO 2009-06-01-09.26.44.609002 USING LOCAL TIME AND STOP

When this command is executed, the error shown below is generated:
SQL4970N Roll-forward recovery on database "PAYROLL" cannot reach the specified stop point (end-of-log or point-in-time) because of missing log file(s) on node(s) "0".

Which two commands could be used to resolve this error? (Choose two.)

- A. ROLLFORWARD DATABASE payroll TO END OF LOGS AND STOP
- B. ROLLFORWARD DATABASE payroll TO 2009-06-01-09.26.44.609002 USING UTC TIME AND STOP
- C. ROLLFORWARD DATABASE payroll TO 2009-06-01-09.26.44.609002 USING LOCAL TIME AND STOP OVERFLOW LOG PATH /mnt/arclog
- D. ROLLFORWARD DATABASE payroll TO 2009-06-01-09.26.44.609002 USING UTC TIME AND STOP NORETRIEVE MISSING RECORDS

Answer: A, C

Question: 13

Which two can be replicated using HADR? (Choose two.)

- A. database configuration changes
- B. CREATE TABLE... NOT LOGGED INITIALLY operations
- C. Data Definition Language (DDL) statements
- D. LOAD operations

Answer: C, D

Question: 14



Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;
<http://www.ipass4sure.com/allexams.asp>

View list of All Study Guides (SG);
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;
<http://www.ipass4sure.com/allexams.asp>

| | | | | | | |
|------------|--------------------|------------------|---------|------------------|--------------|-----------|
| 3COM | CompTIA | Filemaker | IBM | LPI | OMG | Sun |
| ADOBE | ComputerAssociates | Fortinet | IISFA | McAfee | Oracle | Sybase |
| APC | CWNP | Foundry | Intel | McData | PMI | Symantec |
| Apple | DELL | Fujitsu | ISACA | Microsoft | Polycom | TeraData |
| BEA | ECCouncil | GuidanceSoftware | ISC2 | Mile2 | RedHat | TIA |
| BICSI | EMC | HDI | ISEB | NetworkAppliance | Sair | Tibco |
| CheckPoint | Enterasys | Hitachi | ISM | Network-General | SASInstitute | TruSecure |
| Cisco | ExamExpress | HP | Juniper | Nokia | SCP | Veritas |
| Citrix | Exin | Huawei | Legato | Nortel | See-Beyond | Vmware |
| CIW | ExtremeNetworks | Hyperion | Lotus | Novell | Google | |

and many others.. See complete list [Here](#)

