

# 050-v71-CASECURID02

## RSA

*RSA SecurID Certified Administrator 7.1 Exam*

<http://www.ipass4sure.com/exams.asp?examcode=050-v71-CASECURID02>

The 050-v71-CASECURID02 practice exam is written and formatted by Certified Senior IT Professionals working for today's prospering companies and data centers all over the world! The 050-v71-CASECURID02 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 050-v71-CASECURID02 exam is very challenging, but with our 050-v71-CASECURID02 questions and answers you can feel confident in obtaining your success on the 050-v71-CASECURID02 exam on your FIRST TRY!

### RSA 050-v71-CASECURID02 Exam Features

- Detailed questions and answers for 050-v71-CASECURID02 exam
- Try a demo before buying any RSA exam
- 050-v71-CASECURID02 questions and answers, updated regularly
- Verified 050-v71-CASECURID02 answers by Experts and bear almost 100% accuracy
- 050-v71-CASECURID02 tested and verified before publishing
- 050-v71-CASECURID02 exam questions with exhibits
- 050-v71-CASECURID02 same questions as real exam with multiple choice options

Acquiring RSA certifications are becoming a huge task in the field of I.T. More over these exams like 050-v71-CASECURID02 exam are now continuously updating and accepting this challenge is its own. This 050-v71-CASECURID02 test is an important part of RSA certifications. We have the resources to prepare you for this. The 050-v71-CASECURID02 exam is essential and core part of RSA certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 050-v71-CASECURID02 Test and save time and money while developing your skills to pass your RSA 050-v71-CASECURID02 Exam? Let us help you climb that ladder of success and pass your 050-v71-CASECURID02 Exam?

**QUESTION: 1**

An RSA SecurID tokencode is unique for each successful authentication because

- A. a token periodically calculates a new code
- B. the user continuously changes their secret PIN
- C. the Node Secret is updated after each authentication
- D. the Server's clock is set to Universal Coordinated Time (UTC)

**Answer: A**

**QUESTION: 2**

RSA SecurID tokens are initially supplied with matching token records. After tokens are assigned, deployed and used by end-users, what information might be overwritten if the original token records are re-imported into the RSA Authentication Manager database? (Choose two)

- A. user assignment
- B. tokencode values
- C. Authentication Agent usage
- D. token time offset information
- E. system PIN parameter settings

**Answer: A, D**

**QUESTION: 3**

A user reports a problem while trying to authenticate. The administrator checks recent activities and sees that the last message associated with this user is "New Pin Cancelled." What is the most likely cause?

- A. The user is not in New PIN mode.
- B. The user is not in the server database.
- C. The user did not complete the New PIN operation successfully.
- D. The user is not authorized to authenticate through this Authentication Agent.

**Answer: C**

**QUESTION: 4**

When assigning a user a Temporary Fixed Tokencode to replace a lost token, what is the default value for the expiration period of that Tokencode?

- A. 24 hours
- B. 5 days
- C. 14 days
- D. 30 days

**Answer: C**

**QUESTION: 5**

A user is trying to authenticate from their workstation to the RSA Authentication Manager but receives an "Access Denied" message. The Server's log is showing the following error message: "Node secret mismatch". What is a likely cause?

- A. The sdconf.rec is missing from the Agent machine.
- B. The user is not allowed to authenticate on that Agent.
- C. The Agent has not been added into the Server database.
- D. The secret key used to encrypt Agent communication has been deleted.

**Answer: D**

**QUESTION: 6**

Operation between Windows, Linux and UNIX platforms is supported by RSA Authentication Manager for which types of communications? (Choose two)

- A. Agent to Server
- B. Database Replication
- C. Primary to Replica Server
- D. Trusted Realm authentication
- E. Database server to Server Node

**Answer: A, D**

**QUESTION: 7**

Three consecutive log entries for one user contain the message "Authentication Method Failed", what administrative action would NOT be appropriate?

- A. resynchronize the token
- B. set the user's PIN to Next Tokencode
- C. assign a temporary Fixed Passcode for troubleshooting
- D. check the system time of the RSA Authentication Manager host

**Answer: B**

**QUESTION: 8**

An RSA Authentication Manager administrator would edit an Identity Attribute parameter

- A. to ignore users with duplicate user names.
- B. to store additional user information in a user record.
- C. to specify an LDAP Bind DN and Bind DN password.
- D. when the LDAP server is not in the same domain as the RSA Authentication Manager server.

**Answer: B**

**QUESTION: 9**

If the RSA Authentication Manager places a token into Next Tokencode Mode, and the user waits for three minutes (three tokencode increments) to enter his/her next tokencode, what will be the expected result?

- A. The Server will not accept the value because it is not sequential.
- B. The authentication will be successful even though the input was delayed.
- C. The Server will ask for a third tokencode, so that it has two sequential codes.
- D. The Server will assume that the token has been stolen, and disable the token.

**Answer: A**

**QUESTION: 10**

If a group has been defined with access times of 9 AM to 5 PM, Monday through Friday. When can a member of that group log in?

- A. at any time but must renew their login at 9 AM each day
- B. during the specified time frame, but must log out by 5 PM
- C. during that time frame and can remain logged in indefinitely
- D. during that time frame but is automatically logged out at 5 PM

**Answer: C**

**QUESTION: 11**

When creating and running RSA Authentication Manager version 7.1 reports, the administrator has the option of (Choose two)

- A. allowing the report to run with the scope of the administrator who is running the report.
- B. defining report criteria by writing an SQL query to extract data directly from the database.
- C. customizing a report template by adding and removing columns and applying data filters.
- D. creating and running reports from a Replica database server if the Primary server is down.
- E. previewing the report output before the report is run to make sure the desired data is included.

**Answer: A, C**

**QUESTION: 12**

Authenticators should NOT be shared by multiple users because of

- A. license concerns.
- B. hostname conflicts.
- C. database restrictions.
- D. repudiation concerns.

**Answer: D**

**QUESTION: 13**



## Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;  
<http://www.ipass4sure.com/all exams.asp>

View list of All Study Guides (SG);  
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);  
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.  
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;  
<http://www.ipass4sure.com/all exams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

