

199-01

Riverbed

Riverbed Certified Solutions

<http://www.ipass4sure.com/exams.asp?examcode=199-01>

The 199-01 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 199-01 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 199-01 exam is very challenging, but with our 199-01 questions and answers practice exam, you can feel confident in obtaining your success on the 199-01 exam on your FIRST TRY!

Riverbed 199-01 Exam Features

- Detailed questions and answers for 199-01 exam
- Try a demo before buying any Riverbed exam
- 199-01 questions and answers, updated regularly
- Verified 199-01 answers by Experts and bear almost 100% accuracy
- 199-01 tested and verified before publishing
- 199-01 exam questions with exhibits
- 199-01 same questions as real exam with multiple choice options

Acquiring Riverbed certifications are becoming a huge task in the field of I.T. More over these exams like 199-01 exam are now continuously updating and accepting this challenge is itself a task. This 199-01 test is an important part of Riverbed certifications. We have the resources to prepare you for this. The 199-01 exam is essential and core part of Riverbed certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 199-01 Test and save time and money while developing your skills to pass your Riverbed 199-01 Exam? Let us help you climb that ladder of success and pass your 199-01 now!

QUESTION: 1

Which of the following interface IP addresses can be connected to for management purposes?

- 1) WAN Interface
- 2) LAN Interface
- 3) Primary Interface
- 4) AUX Interface

- A. 1,2
- B. 2,3
- C. 3,4
- D. 1,2,3
- E. 1,2,3,4

Answer: C

QUESTION: 2

What is the default authorization policy used by Steelhead appliances?

- A. Remote-Last
- B. Local-Only
- C. Local-First
- D. Remote-Only
- E. Remote-First

Answer: E

QUESTION: 3

In version 3.x. actively synchronizing the data store in an active/passive mode where one Steelhead is optimizing and replicating its datastore to the passive Steelhead appliance is called

- 1) Fail-Over
- 2) Connection Forwarding
- 3) Serial Cascading
- 4) Parallel Cascading
- 5) Never

- A. 1
- B. 2
- C. 3,4
- D. 3,4,5
- E. 1,2,3,4,5

Answer: A

QUESTION: 4

When troubleshooting a data store wrapping alarm with 1 day wrapping notification configured, which of the following should be examined? (Multiple answers)

- A. If the unit was mis-sized
- B. If stream based encrypted traffic is being sent across the link as optimized
- C. If your fixed target rules are pointing to the correct Steelhead
- D. If Connection forwarding was properly configured

Answer: A,B

QUESTION: 5

Which of the following may be caused by reasons other than route asymmetry?

- A. Receiving a RST packet from the client with an invalid sequence number while the connection is in the SYN_SENT state
- B. Receiving a SYN/ACK packet from the server with an invalid ACK number while the connection is in the SYN_SENT state
- C. Receiving an ACK packet from the client while the connection is in the SYN_SENT state
- D. Receiving SYN retransmits from the client

Answer: D

QUESTION: 6

Under what circumstances will the Netflow cache entries flush (transmitted to the collector)?

- A. When the TCP FIN bit is set.
- B. When the TCP PSH bit is set.
- C. When the TCP RST bit is set
- D. A and C.
- E. A and B.
- F. None of the above.

Answer: D

QUESTION: 7

You would like to mark the DSCP value for an active FTP data connection as AF22. Which of

the following are true? (Hint Use calculator)

- A. Specify qos dscp rule at client-side Steelhead with a dest-port of 21 and with a DSCP value of 22.
- B. Specify qos dscp rule at client-side Steelhead with a src-port of 20 and with a DSCP value of 20.
- C. Specify qos dscp rule at server-side Steelhead with a dest-port of 21 and with a DSCP value of 22
- D. Specify qos dscp rule at client-side Steelhead with a dest-port of 20 and with a DSCP value of 22.
- E. Specify qos dscp rule at server-side Steelhead with a dest-port of 20 and with a DSCP value of 20.

Answer: E

QUESTION: 8

Which of the following demonstrate a valid use of a Peering role?

- 1) To allow auto-discovery probes to pass through specific Steelhead appliances
- 2) To avoid adding auto-discovery probe to a SYN packet
- 3) To avoid “back to back” or unintentional cascaded optimization in serially clustered deployments
- 4) To specify a specific target Steelhead for optimization
- 5) To allow hybrid mode to function correctly

- A. 1,3
- B. 2,3
- C. 1,2,3
- D. 1,2,3,4
- E. 1,2,3,4,5

Answer: A

QUESTION: 9

When cabling a Steelhead for a virtual in-path deployment using WCCP nr PBR, only the following physical interface is required tube wired fur interception (assume a single 2 part card in the unit)

- A. wan0_0
- B. lan0_0
- C. primary
- D. aux
- E. inpath0_0

Answer: A

QUESTION: 10

A customer is reporting higher than normal CPU utilization on certain routers in their network. Looking at their Steelhead logs, they see “intercepy/localkernel/icore.c:1463] nat_check SYN packet for already natted connection 100.100.100.33:1611 -> 100.200.200.32:80 ==> 100.201.201.25:7801”. All connections are showing up optimized but the logs persist. Give the following diagram, what is the likely problem?

- A. Lost Opportunistic Lock
- B. SMB Signing
- C. Fixed-Target rule needed
- D. Asymmetric Route
- E. Packet Ricochet

Answer: E

QUESTION: 11

Which of the following is NOT supported in Alarm SeBings?

- A. Raise alarm when network interface duplex errors ore detected
- B. Raise alarm when network interface link errors are detected
- C. Raise alarm when the number of optimized connections exceeds user specified limit
- D. Raise alarm if a software version mismatch is detected in the network
- E. Raise alarm when asymmetric routes are detected

Answer: C

QUESTION: 12

The Primary interface is REQUIRED for which deployment methods and features?

- 1) In-Path
- 2) Server Side Out-of-Path
- 3) Logical In-Path (WCCP/PBR)
- 4) Hybrid Mode
- 5) Primary Pile Services (PES)

- A. 2
- B. 1,2
- C. 2,3
- D. 2,4
- E. 2,4,5

Answer: E



Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;
<http://www.ipass4sure.com/allexams.asp>

View list of All Study Guides (SG);
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;
<http://www.ipass4sure.com/allexams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

