

# 70-484

## Microsoft

*Essentials of Developing Windows Metro style Apps  
using C#*

The 70-484 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 70-484 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 70-484 exam is very challenging, but with our 70-484 questions and answers practice exam, you can feel confident in obtaining your success on the 70-484 exam on your FIRST TRY!

### Microsoft 70-484 Exam Features

- Detailed questions and answers for 70-484 exam
- Try a demo before buying any Microsoft exam
- 70-484 questions and answers, updated regularly
- Verified 70-484 answers by Experts and bear almost 100% accuracy
- 70-484 tested and verified before publishing
- 70-484 exam questions with exhibits
- 70-484 same questions as real exam with multiple choice options

Acquiring Microsoft certifications are becoming a huge task in the field of I.T. More over these exams like 70-484 exam are now continuously updating and accepting this challenge is itself a task. This 70-484 test is an important part of Microsoft certifications. We have the resources to prepare you for this. The 70-484 exam is essential and core part of Microsoft certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 70-484 Test and save time and money while developing your skills to pass your Microsoft 70-484 Exam? Let us help you climb that ladder of success and pass your 70-484 now!

**Section 1: Sec One (1 to 13)****Details:Topic 1, Scenario 1**

**Background** You are developing a Windows Store app by using C# and XAML. The app will allow users to share and rate photos. The app will also provide information to users about photo competitions. **Application Structure** The app stores data by using a class that is derived from the `DataStoreBase` class. The app coordinates content between users by making calls to a centralized RESTful web service. The app has a reminder system that displays toast notifications when a photo competition is almost over. The app gets the competition schedule data from the web service. The app displays a list of images that are available for viewing in a data-bound list box. The image file list stores paths to the image files. The app downloads new images from the web service on a regular basis. Relevant portions of the app files are shown. (Line numbers are included for reference only and include a two-character prefix that denotes the specific file to which they belong.) **Business Requirements** The app must allow users to do the following:

- Run the app on a variety of devices, including devices that have limited bandwidth connections.
- Share and synchronize high resolution photographs that are greater than 1 MB in size.
- Rate each photo on a scale from 1 through 5.

**Technical Requirements** The app must meet the following technical requirements:

- Retain state for each user and each device.
- Restore previously saved state each time the app is launched.
- Preserve user state and photo edits when switching between this app and other apps.
- When the app resumes after a period of suspension, refresh the user interface, tile images, and data with current information from the web service.
- Update the image list box as new images are added to the image file list.
- Convert the image paths into images when binding the image file list to the list box.

The app must store cached images on the device only, and must display images or notifications on the app tile to meet the following requirements:

- Regularly update the app tile with random images from the user's collection displayed one at a time.
- When a photo is displayed on the tile, one of the following badges must be displayed:
  - If the photo has a user rating, the tile must display the average user rating as a badge.
  - If the photo does not have a rating, the tile must display the Unavailable glyph as a badge.
- Update the app tile in real time when the app receives a notification.
- Display only the most recent notification on the app tile.

The app must display toast notifications to signal the end of a photo competition. The toast notifications must meet the following requirements:

- Display toast notifications based on the schedule that is received from the web service.

- Display toast notifications for as long as possible.
- Display toast notifications regardless of whether the app is running.
- When a user clicks a toast notification that indicates the end of the photo competition, the app must display the details of the photo competition that triggered the toast notification.

### App.xaml.cs

```

AX01 using System;
AX02 using Windows.ApplicationModel.Activation;
AX03 using Windows.UI.Xaml;
AX04 using Windows.UI.Xaml.Controls;
AX05 namespace Application1
AX06 {
AX07     sealed partial class App : Application
AX08     {
AX09         private DispatcherTimer tileUpdateTimer = new DispatcherTimer();
AX10         private DispatcherTimer badgeUpdateTimer = new DispatcherTimer();
AX11         public App()
AX12         {
AX13             this.InitializeComponent();
AX14             tileUpdateTimer.Tick += TileUpdateTimer_Tick;
AX15             tileUpdateTimer.Interval = new TimeSpan(0, 0, 10);
AX16             tileUpdateTimer.Start();
AX17             badgeUpdateTimer.Tick += BadgeUpdateTimer_Tick;
AX18             badgeUpdateTimer.Interval = new TimeSpan(0, 1, 0);
AX19             badgeUpdateTimer.Start();
AX20         }
AX21         private void SendNotification(XmlDocument currentTemplate)
AX22         {
AX23             var tileUpdater = TileUpdateManager.CreateTileUpdaterForApplication();
AX24         }
AX25         void TileUpdateTimer_Tick(object sender, object e)
AX26         {
AX27         }
AX28         }
AX29         void BadgeUpdateTimer_Tick(object sender, object e)
AX30         {
AX31             ...
AX32         }
AX33         }
AX34         protected override void OnLaunched(LaunchActivatedEventArgs args)
AX35         {
AX36             var rootFrame = new Frame();
AX37             rootFrame.Navigate(typeof(MainPage));
AX38             Window.Current.Content = rootFrame;
AX39             Window.Current.Activate();
AX40         }
AX41     }
AX42 }

```

**DataStoreBase.cs**

```
DB01 using System;
DB02 namespace Application1
DB03 {
DB04     public abstract class DataStoreBase
DB05     {
DB06         public abstract bool SaveLocalSetting(string key, string value);
DB07         public abstract bool SaveRoamingSetting(string key, string value);
DB08         public abstract bool SaveDataToWebService(string key, string jsonString);
DB09         public abstract bool SaveDataToLocalStorage(string key, string jsonString);
DB10         public abstract bool SaveDataToRoamingStorage(string key, string jsonString);
DB11         public abstract bool SaveDataToAzureStorage(string key, string jsonString);
DB12         public abstract string GetLocalSetting(string key);
DB13         public abstract string GetRoamingSetting(string key);
DB14         public abstract string GetDataFromWebService(string key);
DB15         public abstract string GetDataFromLocalStorage(string key);
DB16         public abstract string GetDataFromRoamingStorage(string key);
DB17         public abstract string GetDataFromAzureStorage(string key);
DB18     }
DB19 }
```

**QUESTION: 1****DRAG DROP**

You need to update the app tile images. With which four code segments in sequence should you replace line AX23? (To answer, move the appropriate code segments from the list of code segments to the answer area and arrange them in the correct order.)

	Answer Area
<pre>imageNode.SetAttribute("src", string.Format("ms-appdata:// {0}", GetRandomImage()));</pre>	
<pre>var imageNode = (XmlElement) currentTemplate.GetElementsByTagName Name("image")[0];</pre>	
<pre>var tileUpdater = TileUpdateManager.CreateTileUpda terForApplication(); tileUpdater.Insert(new TileNotification (currentTemplate));</pre>	
<pre>var tileUpdater = TileUpdateManager.CreateTileUpda terForApplication(); tileUpdater.Update(new TileNotification (currentTemplate));</pre>	
<pre>imageNode.SetAttribute("src", string.Format("ms-appx://{0}", GetRandomImage()));</pre>	
<pre>currentTemplate = TileUpdateManager.GetTemplateCon tent (TileTemplateType.TileWideImage) ;</pre>	
<pre>currentTemplate.GetXml();</pre>	

**Answer:**

Answer Area	
<pre>imageNode.SetAttribute("src", string.Format("ms-appdata://{0}", GetRandomImage()));</pre>	<pre>var tileUpdater = TileUpdateManager.CreateTileUpda terForApplication(); tileUpdater.Update(new TileNotification (currentTemplate));</pre>
<pre>var imageNode = (XmlElement) currentTemplate.GetElementsByTagName Name("image")[0];</pre>	<pre>currentTemplate = TileUpdateManager.GetTemplateCon tent (TileTemplateType.TileWideImage) ;</pre>
<pre>var tileUpdater = TileUpdateManager.CreateTileUpda terForApplication(); tileUpdater.Insert(new TileNotification (currentTemplate));</pre>	<pre>imageNode.SetAttribute("src", string.Format("ms-appx://{0}", GetRandomImage()));</pre>
<pre>var tileUpdater = TileUpdateManager.CreateTileUpda terForApplication(); tileUpdater.Update(new TileNotification (currentTemplate));</pre>	<pre>var imageNode = (XmlElement) currentTemplate.GetElementsByTagName Name("image")[0];</pre>
<pre>imageNode.SetAttribute("src", string.Format("ms-appx://{0}", GetRandomImage()));</pre>	
<pre>currentTemplate = TileUpdateManager.GetTemplateCon tent (TileTemplateType.TileWideImage) ;</pre>	
<pre>currentTemplate.GetXml();</pre>	

**QUESTION: 2**

You need to identify the class to use as the data context for the image list box. Which class should you use?

- A. System.Collections.ObjectModel.ObservableCollection<T>
- B. System.Collections.ObjectModel.Collection<T>
- C. System.Collections.Generic.List<T>
- D. System.Collections.Generic.Queue<T>

**Answer:** A

**QUESTION: 3**

You need to choose the appropriate data binding strategy for the image list box. Which method should you use?

- A. System.Drawing.ImageConverter.ConvertTo(value, typeof(Image))
- B. System.Drawing.ImageConverter.ConvertFrom(value, typeof(Image), CultureInfo.CurrentCulture)
- C. IValueConverter.ConvertBack ()
- D. IValueConverter.Convert ()

**Answer:** A

**QUESTION: 4**

You need to ensure that launching the app displays the required information. From which ApplicationExecutionState enumeration should you configure the user interface state?

- A. NotRunning
- B. Terminated
- C. Suspended
- D. Running
- E. ClosedByUser

**Answer:** B

**QUESTION: 5**

You need to save cached image data. Which method should you use?

- A. SaveDataToRoaming Storage ()
- B. SaveDataToAzureStorage()
- C. SaveDataToLocalStorage()
- D. SaveRoamingSetting()
- E. SaveLocalSetting()
- F. SaveDataToWebService()

**Answer:** C



## Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;  
<http://www.ipass4sure.com/all exams.asp>

View list of All Study Guides (SG);  
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);  
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.  
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;  
<http://www.ipass4sure.com/all exams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

