



# 1Y0-A11

## Citrix

### *Basic Administration for Citrix NetScaler 9.0*

Thousands of IT Professionals before you have already passed their 1Y0-A11 certification exams using the Citrix 1Y0-A11 Practice Exam from [ipass4sure.com](http://ipass4sure.com). Once you start using our 1Y0-A11 exam questions you simply can't stop! You are guaranteed to pass your Citrix 1Y0-A11 test with ease and in your first attempt.

Here's what you can expect from the [ipass4sure](http://ipass4sure) Citrix 1Y0-A11 course:

- \* Up-to-Date Citrix 1Y0-A11 questions designed to familiarize you with the real exam.
- \* 100% correct Citrix 1Y0-A11 answers you simply can't find in other 1Y0-A11 courses.
- \* All of our tests are easy to download. Your file will be saved as a 1Y0-A11 PDF.
- \* Citrix 1Y0-A11 brain dump free content featuring the real 1Y0-A11 test questions.

Citrix 1Y0-A11 Certification Exam is of core importance both in your Professional life and Citrix Certification Path. With Citrix Certification you can get a good job easily in the market and get on your path for success. Professionals who passed Citrix 1Y0-A11 Certification Exam are an absolute favorite in the industry. If you pass Citrix 1Y0-A11 Certification Exam then career opportunities are open for you.

Our 1Y0-A11 Questions & Answers provide you an easy solution to your Citrix 1Y0-A11 Exam Preparation. Our 1Y0-A11 Q&As contains the most updated Citrix 1Y0-A11 real tests. You can use our 1Y0-A11 Q&As on any PC with most versions of Acrobat Reader and prepare the exam easily.

**Question: 1**

An administrator should configure Link Aggregation on a 7000 NetScaler system when \_\_\_\_\_. (Choose the correct option to complete the sentence.)

- A. redundancy on a half duplex operation is required
- B. redundancy on an operation across multiple data rates is required
- C. the bandwidth requirements inbound to or outbound from the Netscaler are greater than 1 Gb/sec
- D. the bandwidth requirements inbound to or outbound from the Netscaler are greater than 8 Gb/sec

**Answer: C**

**Question: 2**

Scenario: An administrator must set up a NetScaler system network with USIP mode enabled. The NetScaler must be able to preserve client IP addresses in TCP/IP packets reaching the back-end servers except for connections coming from particular IP addresses that are defined in an ACL. In the case of connections coming from the IP addresses defined in the ACL, the packets reaching the back-end servers should receive the NetScaler IP address instead of the client IP address. On which entity should RNAT be configured to meet the requirements in this scenario according to best practices?

- A. ACL
- B. Client
- C. Virtual server
- D. Back-end server

**Answer: A**

**Question: 3**

How can an administrator configure a health check for a server receiving HTTP traffic so that it monitors the responses of the server to actual client requests as opposed to probes whenever possible?

- A. Use the default TCP monitor
- B. Configure an HTTP-ECV monitor
- C. Configure an HTTP-Inline monitor
- D. Use the TCP monitor with the transparent parameter selected
- E. Configure an HTTP monitor with the transparent parameter selected

**Answer: C**

**Question: 4**

An administrator configured cache redirection and needs to provide a report of how that feature is functioning in the network environment. What can the administrator use to see a graphical representation of the statistics for the vservers performing the cache redirection?

- A. The monitor view for the service bound to the correct vserver
- B. The chart option in the Dashboard once the correct vserver is selected
- C. The chart option in the Dashboard for the service bound to the correct vserver
- D. The request and response rates option in the Dashboard once the correct vserver is selected

**Answer: B**

**Question: 5**

An administrator has just enabled caching and wants to make sure that this will positively impact server performance. Which information can the administrator get from the Dashboard to determine whether server performance was positively affected by enabling caching?

- A. Client connection count increases
- B. Server side request rate increases
- C. Client connection count decreases
- D. Server side request rate decreases

**Answer: D**

**Question: 6**

An SNMP manager attempted to poll for an OID but received the error message: "response timeout." Which option could the administrator have misconfigured for SNMPv2 to cause this error message?

- A. SNMP trap
- B. SNMP user
- C. SNMP group
- D. SNMP community

**Answer: D**

**Question: 7**

Which SNMP trap must an administrator configure to be informed when the response time for a monitor probe that had exceeded the set threshold returns to normal?

- A. entityup
- B. entitydown
- C. monRespTimeoutAboveThresh
- D. monRespTimeoutBelowThresh

**Answer: D**

**Question: 8**

Scenario: An administrator needs to create a health check that will mark an HTTP service down if the bound monitor probe fails. The administrator wants to create a monitor and configure the health check so that a trap is sent if the monitor probe reply exceeds 20 milliseconds. How can the administrator create the monitor for this health check using the command line interface?

- A. set mon monitor-HTTP-1 HTTP -interval 20 milli
- B. add lb mon monitor-HTTP-1 HTTP -interval 20 milli
- C. set mon monitor-HTTP-1 HTTP -resptimeout 20 milli
- D. add lb mon monitor-HTTP-1 HTTP -resptimeout 20 milli

**Answer: D**

**Question: 9**

Scenario: An administrator is planning on configuring health checks for services bound to web servers 1 and 2 which are listening on TCP port 80 for HTTP and TCP port 443 for HTTPS. Service1 receives the encrypted traffic and Service 2 receives the clear text traffic. How should the administrator create the monitor for Service1 using the command line interface?

- A. set mon monitor-SVC1-Mon TCP -secure YES
- B. add lb mon monitor-SVC1-Mon HTTP -secure YES

- C. set mon monitor-SVC1-Mon HTTP -transparent NO
- D. add lb mon monitor-SVC1-Mon TCP -transparent NO

**Answer: B**

**Question: 10**

Scenario: A multinational company operates in areas where there is significant threat of natural disaster. The administrator decides to create redundancy in their network because of a continuous power outage threat at the South America site. The company also has two sites in North America, one near New York and the other near the San Andreas fault line, a site of frequent earthquakes and tremors. The company also has a site in Tokyo, Japan, which experiences several natural disaster threats. The company plans to use a NetScaler system for load balancing and to prevent interruption of network services because of a local natural or human disaster. Would a high availability (HA) deployment resolve the issue described in the scenario, and if so, how should the HA nodes be paired?

Click the Task button to answer.

Click the Exhibit button for instructions on how to complete a Drag and Drop item.

Does this scenario require an HA deployment? Place the indicator on the yellow box to the left of the correct response.

<div style="background-color: #cccccc; padding: 2px; font-weight: bold; text-align: center;">Indicator</div> <div style="text-align: center; margin-top: 5px;"> <input checked="" type="checkbox"/> </div>	<div style="background-color: #cccccc; padding: 2px; font-weight: bold; text-align: center;">Responses</div> <div style="text-align: center; margin-top: 5px;"> <input type="checkbox"/> No   <input type="checkbox"/> Yes         </div>
--	---

If so, how should the HA nodes be paired? Place the indicator on the yellow box to the left of the correct response.

Node 1 - Node 2, Node 3 - Node 4  
 Node 1 - Node 3, Node 4 - Node 2  
 Node 1 - Node 4, Node 3 - Node 2  
 Node 1 - Node 4, Node 3 - Node 4, Node 2 - Node 4

**Answer:**



SAMPLE EXAM



### Pass4sure \$89 Lifetime Membership Features;

- Pass4sure \$89 Lifetime Membership includes Over **2100** Exams in One Price.
- **All** Pass4sure **Questions and Answers** are included in \$89 package.
- **All** Pass4sure audio exams are included **free** in \$89 package (See List).
- **All** Pass4sure study guides are included **free** in \$89 package (See List).
- **Lifetime** login access, no hidden fee, no login expiry.
- **Free updates** for Lifetime.
- **Free Download Access** to All new exams added in future.
- Accurate answers with **explanations** (If applicable).
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions, Answers and Study Guides are downloadable in **PDF** format.
- Audio Exams are downloadable in **MP3** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support **24x7**.



View list of All exams (Q&A) provided in \$89 membership;  
<http://www.ipass4sure.com/allexams.asp>

View list of All Study Guides (SG) provided FREE for members;  
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE) provided FREE for members;  
<http://www.ipass4sure.com/audio-exams.asp>

Download All Exams Sample QAs.  
<http://www.ipass4sure.com/samples.asp>

To purchase \$89 Lifetime Full Access Membership click here (One time fee)  
<https://www.regnow.com/softsell/nph-softsell.cgi?item=30820-3>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	SNIA	

and many others.. See complete list Here

