



E20-815

EMC

Business Continuity Expert Exam for Technology Architects

Thousands of IT Professionals before you have already passed their E20-815 certification exams using the EMC E20-815 Practice Exam from ipass4sure.com. Once you start using our E20-815 exam questions you simply can't stop! You are guaranteed to pass your EMC E20-815 test with ease and in your first attempt.

Here's what you can expect from the [ipass4sure](http://ipass4sure.com) EMC E20-815 course:

- * Up-to-Date EMC E20-815 questions designed to familiarize you with the real exam.
- * 100% correct EMC E20-815 answers you simply can't find in other E20-815 courses.
- * All of our tests are easy to download. Your file will be saved as a E20-815 PDF.
- * EMC E20-815 brain dump free content featuring the real E20-815 test questions.

EMC E20-815 Certification Exam is of core importance both in your Professional life and EMC Certification Path. With EMC Certification you can get a good job easily in the market and get on your path for success. Professionals who passed EMC E20-815 Certification Exam are an absolute favorite in the industry. If you pass EMC E20-815 Certification Exam then career opportunities are open for you.

Our E20-815 Questions & Answers provide you an easy solution to your EMC E20-815 Exam Preparation. Our E20-815 Q&As contains the most updated EMC E20-815 real tests. You can use our E20-815 Q&As on any PC with most versions of Acrobat Reader and prepare the exam easily.

QUESTION 1

You are assisting a customer who has a Symmetrix 8530 to write its DR plans. The customer's SRDF recovery site includes both unprotected R2 and unprotected BCV devices. The customer's concerns in priority are:

- 1) Protection from mistakes during application recovery at the DR site
- 2) Protection from hardware failures at the DR site.

Upon a site failover, what is the best action to take before beginning application recovery?

- A. Ensure sufficient cache capacity to meet performance requirements
- B. Establish, then split, all BCV devices from their R2 partners
- C. Establish all R2 and BCV pairs to protect against device failures
- D. Create TimeFinder Snaps of all R2 devices

Answer: B

QUESTION 2

W. Pane Corporation is a Windows 2003 environment. W. Panes' servers are SAN Attached to a DMX2000P running Fibre Channel direct attached SRDF/S over 5km to another DMX2000P. The web servers that boot from the SAN are experiencing higher response times than those that do not. What is the most likely the cause?

- A. Paging space is being replicated
- B. High latency on the link
- C. Insufficient SRDF Ports
- D. Fibre Channel Protocol overhead

Answer: A

QUESTION 3

GZR Corporation has a large Oracle data warehouse that extends across multiple Symmetrix arrays. Replication Manager will be utilized to create a replica for backups. Because of the custom application, pre- and post-processing scripts are required. The database must be brought offline prior to the split. Which three [3] conditions are required to successfully create a replica?

- A. Pre-Processing scripts need to contain freeze or shutdown commands
- B. Oracle archive mode is not required
- C. No special Pre-Processing commands are required
- D. Oracle archive mode is required
- E. Post-Processing scripts need to contain thaw or startup commands
- F. No special Post-Processing commands are required

Answer: A,B,E

E20-815

QUESTION 4

BB Corporation is consolidating six Solaris 8 systems from direct connect storage on multiple 3830 arrays to a single DMX2000 array (70+ microcode) with FC-SW connectivity. Currently BB is reviewing fan-in for servers to storage ports for evaluation. Each Solaris system will have four HBAs, PowerPath used for path redundancy, 400 volumes per server. What is the minimum number of ports needed for redundancy to maximize port utilization?

- A. 4
- B. 8
- C. 2
- D. 12

Answer: D

QUESTION 5

What are three [3] items that determine a customer's Recovery Time Objective?

- A. Distance between source and target sites
- B. Customer's service level agreements
- C. Network bandwidth costs
- D. Time required to perform recovery
- E. Cost of downtime

Answer: B,D,E

QUESTION 6

Your customer is looking to extend an existing local cluster to a remote cluster in an HP-UX environment. The configuration will be located in the same building but separated by multiple floors using a switched Fibre Channel. The customer has only Symmetrix devices for the operating system and application. Which consideration must be made to support this configuration?

- A. Paging space devices cannot be configured on the Symmetrix
- B. Operating System devices cannot failover
- C. The lock disk would need to be reconstructed
- D. A Lock disk cannot be a Symmetrix SRDF device

Answer: D

QUESTION 7

ARK Insurance has an IBM ESS (Shark) and two Symmetrix 8830s. ARK wants to move an application off of the IBM Shark on to one of the 8830s. The shark will eventually be replaced with a Symmetrix DMX. Ark wants to move the data before purchasing the DMX.

ARK wants to use host based mirroring to move the data off of the Shark. The current

E20-815

configuration consists of 200 - 4GB drives spread across 8 Volume Groups. ARK is migrating to the Symmetrix that has a standard split size of 6GB. What is the minimum number of Symmetrix Logical Volumes that must be available on the Symmetrix for the migration?


- A. 104
- B. 148
- C. 133
- D. 136

Answer: D

QUESTION 8

DRV Corporation plans to utilize Open Replicator to migrate several devices from the Production array to the Target Array using a push. DRV will use the Online mode of operation. Which two [2] conditions are correct?

Exhibit:



- A. All target devices should be available to local source directors (FAs)
- B. Can PUSH data to a max of 8 remote target devices
- C. The COFW penalty will be applied to the Production devices
- D. The host may not run I/Os to the source device
- E. The target device must be online to it's host

Answer: A,C

QUESTION 9

In an SRDF/S solution implementation, what is the primary impact to the application which must be considered for distance and bandwidth requirements?

- A. Non-SRDF writes to the Symmetrix
- B. Increased I/O service time
- C. Protocol converter/channel extender delay
- D. TimeFinder activity in the Symmetrix

Answer: B

QUESTION 10

GZR Corporation has a large Oracle data warehouse that extends across multiple

SAMPLE EXAM



Pass4sure \$89 Lifetime Membership Features;

- Pass4sure \$89 Lifetime Membership includes Over **2100** Exams in One Price.
- **All** Pass4sure **Questions and Answers** are included in \$89 package.
- **All** Pass4sure audio exams are included **free** in \$89 package (See List).
- **All** Pass4sure study guides are included **free** in \$89 package (See List).
- **Lifetime** login access, no hidden fee, no login expiry.
- **Free updates** for Lifetime.
- **Free Download Access** to All new exams added in future.
- Accurate answers with **explanations** (If applicable).
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions, Answers and Study Guides are downloadable in **PDF** format.
- Audio Exams are downloadable in **MP3** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support **24x7**.



View list of All exams (Q&A) provided in \$89 membership;
<http://www.ipass4sure.com/allexams.asp>

View list of All Study Guides (SG) provided FREE for members;
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE) provided FREE for members;
<http://www.ipass4sure.com/audio-exams.asp>

Download All Exams Sample QAs.
<http://www.ipass4sure.com/samples.asp>

To purchase \$89 Lifetime Full Access Membership click here (One time fee)
<https://www.regnow.com/softsell/nph-softsell.cgi?item=30820-3>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	SNIA	

and many others.. See complete list Here

