



# 350-040

**Cisco**

*Cisco CCIE Storage Networking*

Thousands of IT Professionals before you have already passed their 350-040 certification exams using the Cisco 350-040 Practice Exam from [ipass4sure.com](http://ipass4sure.com). Once you start using our 350-040 exam questions you simply can't stop! You are guaranteed to pass your Cisco 350-040 test with ease and in your first attempt.

Here's what you can expect from the [ipass4sure](http://ipass4sure) Cisco 350-040 course:

- \* Up-to-Date Cisco 350-040 questions designed to familiarize you with the real exam.
- \* 100% correct Cisco 350-040 answers you simply can't find in other 350-040 courses.
- \* All of our tests are easy to download. Your file will be saved as a 350-040 PDF.
- \* Cisco 350-040 brain dump free content featuring the real 350-040 test questions.

Cisco 350-040 Certification Exam is of core importance both in your Professional life and Cisco Certification Path. With Cisco Certification you can get a good job easily in the market and get on your path for success. Professionals who passed Cisco 350-040 Certification Exam are an absolute favorite in the industry. If you pass Cisco 350-040 Certification Exam then career opportunities are open for you.

Our 350-040 Questions & Answers provide you an easy solution to your Cisco 350-040 Exam Preparation. Our 350-040 Q&As contains the most updated Cisco 350-040 real tests. You can use our 350-040 Q&As on any PC with most versions of Acrobat Reader and prepare the exam easily.

Exam Name:	Storage Networking		
Exam Type:	Cisco		
Exam Code:	350-040	Total Questions:	297

**Question: 1**

Which statements are true about a cascaded FICON topology? (Select three.)

- A. It requires Fabric binding to be configured in all the switches.
- B. Only one hop (ie:traversing 2 switchs) is supported.
- C. Separate ISLs must be used dedicated to FICON traffic.
- D. Two byte link addressing as defined in FC-SB2, is mandatory.

**Answer: A, B, D**

**Question: 2**

```
MDS3 _ 9509# install all system bootflash:m9500-sf1 ek9-mz.1.3.4.bin
kickstart bootflash:m9500-sfek9-kickstart-mz.1.3.4.bin
Verifying image bootflash:/m9500-sf1ek9kickstart-mz.1.3.4.bin
[#####] 100% -- SUCCESS
Verifying image bootflash:/m9500-sf1ek9kickstart-mz.1.3.4.bin
[#####] 100% -- SUCCESS
Extracting "sic" version from image bootflash:/m9500-sf1ek9kickstart-mz.1.3.4.bin
[#####] 100% -- SUCCESS
Extracting "ips" version from image bootflash:/m9500-sf1ek9kickstart-mz.1.3.4.bin
[#####] 100% -- SUCCESS
Extracting "system" version from image bootflash:/m9500-sf1ek9kickstart-mz.1.3.4.bin
[#####] 100% -- SUCCESS
Extracting "kickstart" version from image bootflash:/m9500-sf1ek9kickstart-mz.1.3.4.bin
[#####] 100% -- SUCCESS
Extracting "loader" version from image bootflash:/m9500-sf1ek9kickstart-mz.1.3.4.bin
[#####] 100% -- SUCCESS
```

Compatibility check is done:

Module	bootable	impact	install-type	reason
-----	-----	-----	-----	-----
2	yes	non-disruptive		rolling
3	yes	disruptive		rolling Hitless upgrade is not supported
5	yes	non-disruptive		reset
6	yes	non-disruptive		reset

Images will be upgraded according to following table:

Module	Image	Running-Version	Net-Version	Upg-Required
-----	-----	-----	-----	-----
2	slc	1.3(4b)	1.3(4)	yes
2	bios	v1.1.0 (10/24.03)	v10.8(08/07/03)	no
3	slc	1.3(4b)	1.3(4)	yes
3	bios	v1.1.0(10/24.03)	v10.8(08/07/03)	no
5	system	1.3(4b)	1.3(4)	yes
5	kickstart	1.3(4b)	1.3(4)	yes
5	bios	v1.1.0(10/24.03)	v10.8(08/07/03)	no
5	loader	1.2(2)	1.2(2)	no
6	system	1.3(4b)	1.3(4)	yes
6	kickstart	1.3(4b)	1.3(4)	yes
6	bios	v1.1.0(10/24.03)	v10.8(08/07/03)	no
6	loader	1.2(2)	1.2(2)	no

Do you want to continue with the installation (y/n)? [n]

<b>Exam Name:</b>	<b>Storage Networking</b>		
<b>Exam Type:</b>	<b>Cisco</b>		
<b>Exam Code:</b>	<b>350-040</b>	<b>Total Questions:</b>	<b>297</b>

What is the reason the upgrade would not be hit-less for the entire switch, above?

- A. The supervisor module requires a BIOS upgrade, which is disruptive.
- B. The “rolling-upgrade” for module 2 requires a second “slc” to be hit-less.
- C. Module 3 is an IPS-8 card, which does not support non-disruptive downgrades.
- D. Nodule 3 is an IPS-8 and the switch does not have a second IPS-8 card for route diversity which could provide a “stable” upgrade.
- E. No reason – the upgrade is non-disruptive and hit-less.

**Answer: C**

**Question: 3**

Which methods can be used to control Iscsi INITIATOR ACCESS TO VIRTUAL TARGETS?  
(Select three.)

- A. Zoning
- B. Specifying on which Gigabitethernet port the virtual target is advertised.
- C. Setting up Iscsi PROXY MODE FOR THE INITIATORS
- D. Specifying which IP subnet virtual target can be accessed
- E. Enabling role-based access control.

**Answer: A, ?, ?**

**Question: 4**

In a scenario with three ISLs between two switches, a single host in VSAN 5 on switch A, and a single storage device on switch B in the same VSAN. What would be the effect on the ISLs if Flow based load balancing option was enabled in VSAN 5?

- A. Each subsequent frame will use the least utilized link, based on FCC.
- B. Each subsequent frame will use a different link.
- C. All frames between source and destination would follow same link for given flow.
- D. Flow based load balancing is not enabled for an individual VSAN.

**Answer: C**

Flow based load balancing: all frames between source and destination would follow same link for given flow.

**Question: 5**

Which organization produce standards related to SCSI, Fiber Channel or Fiber Channel protocol?  
Select two.

- A. SNIA
- B. T11 Committee
- C. Cisco Systems
- D. T10 Committee
- E. T12 Committee

**Answer: B, D**

=> T11 for fiber channel, T10 for SCSI

**Question: 6**

What is the User-specified VSAN Ids range?

<b>Exam Name:</b>	<b>Storage Networking</b>		
<b>Exam Type:</b>	<b>Cisco</b>		
<b>Exam Code:</b>	<b>350-040</b>	<b>Total Questions:</b>	<b>297</b>

- A. 1-4093
- B. 2-4093
- C. 2-4094
- D. 2-4092

**Answer: B**

=> user-specific VSAN 2-4093

**Question: 7**

What can be configured on a FCIP Profile?

- A. Max and Min bandwidth, peer-info, compression ratio
- B. Passive mode, peer-info, compression ratio
- C. TCP port number, sack-enable, Max and Min bandwidth
- D. Sack-enable, TCP port number peer-info
- E. TCP port number, write accelerator compression ratio

**Answer: C**

=> FCIP profile for TCP port, sack-enable, Max and Min bandwidth

**Question: 8**

A Brocade 12000 in its native corePID mode (1) is connected to VSAN 1009 on an MDS. What is the correct output of the "show vsan 1009" command?

- A. vsan 1009 information:  
Name: VSAN 1009 state:active  
Interoperability mode:default loadbalancing:src-id/dst-id/oxid  
Operational state:up.
- B. vsan 1009 information:  
Name: VSAN 1009 state:active  
Interoperability mode:1 loadbalancing:src-id/dst-id/oxid  
Operational state:up.
- C. vsan 1009 information:  
Name: VSAN 1009 state:active  
Interoperability mode:2 loadbalancing:src-id/dst-id/oxid  
Operational state:up.
- D. vsan 1009 information:  
Name: VSAN 1009 state:active  
Interoperability mode:3 loadbalancing:src-id/dst-id/oxid  
Operational state:up.
- E. vsan 1009 information: name:  
VSAN 1009 state:active  
Interoperability mode:Brocade Native loadbalancing:src-id/dst-id/oxid  
Operational state:up.

**Answer: D**

=> interop mode 3 for Brocade 12000

**Question: 9**

What TCP feature reduces the chances of oversized IP packets from being fragmented?

- A. SACK

Exam Name:	Storage Networking		
Exam Type:	Cisco		
Exam Code:	350-040	Total Questions:	297

- B. Extended ping
- C. PMTU
- D. Retransmit timeout
- E. Send buffer size

**Answer: C**

**Question: 10**

In Raid 0+1 the loss of a single drive:

- A. Does not affect the redundancy of the array
- B. Reduces the array redundancy to that of a Raid level 0
- C. Same level of redundancy to that of a Raid level 1+0
- D. Reduces the performance of the array
- E. Has no affect what so ever on the array

**Answer: B**

**Question: 11**

Which are functions of the Domain identifier Assigned (DIA) ILS? Select two

- A. It indicates that a Principal Switch has been selected, and that the upstream neighbor Switch has been assigned a Domain identifier.
- B. It indicates that the receiving Switch can proceed requesting a Domain Identifier.
- C. It indicates that the principal switch selection and address assignment phase is completed and the fabric is operational.
- D. It indicates that the principal switch selection is started, but a principal switch has not been identified yet.
- E. It indicates that a Request Domain Identifier ILS has been received by principal switch.

**Answer: A, B**

**Question: 12**

What zoning option can be used in interop mode 2 and 3?

- A. domain / port
- B. nWWN
- C. fcid
- D. lin zoning
- E. sWWN

**Answer: A**

**Question: 13**

You have a legacy JBOD that uses copper DB-9 connectors. You want to connect your JBOD to a Fiber only Fiber Channel switch. You want to convert the DB-9 connection to multi mode Fiber Optics. What device would you use?

- A. HSSC
- B. MIA
- C. GBIC
- D. SFP
- E. DUAL SC

**Answer: B**

SAMPLE EXAM



### Pass4sure \$89 Lifetime Membership Features;

- Pass4sure \$89 Lifetime Membership includes Over **2100** Exams in One Price.
- **All** Pass4sure **Questions and Answers** are included in \$89 package.
- **All** Pass4sure audio exams are included **free** in \$89 package (See List).
- **All** Pass4sure study guides are included **free** in \$89 package (See List).
- **Lifetime** login access, no hidden fee, no login expiry.
- **Free updates** for Lifetime.
- **Free Download Access** to All new exams added in future.
- Accurate answers with **explanations** (If applicable).
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions, Answers and Study Guides are downloadable in **PDF** format.
- Audio Exams are downloadable in **MP3** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support **24x7**.



View list of All exams (Q&A) provided in \$89 membership;  
<http://www.ipass4sure.com/allexams.asp>

View list of All Study Guides (SG) provided FREE for members;  
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE) provided FREE for members;  
<http://www.ipass4sure.com/audio-exams.asp>

Download All Exams Sample QAs.  
<http://www.ipass4sure.com/samples.asp>

To purchase \$89 Lifetime Full Access Membership click here (One time fee)  
<https://www.regnow.com/softsell/nph-softsell.cgi?item=30820-3>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	SNIA	

and many others.. See complete list Here

