



E22-141

EMC

EMC Legato Certified NetWorker 7.x Specialist (LCNS)

Thousands of IT Professionals before you have already passed their E22-141 certification exams using the EMC E22-141 Practice Exam from ipass4sure.com. Once you start using our E22-141 exam questions you simply can't stop! You are guaranteed to pass your EMC E22-141 test with ease and in your first attempt.

Here's what you can expect from the [ipass4sure](http://ipass4sure.com) EMC E22-141 course:

- * Up-to-Date EMC E22-141 questions designed to familiarize you with the real exam.
- * 100% correct EMC E22-141 answers you simply can't find in other E22-141 courses.
- * All of our tests are easy to download. Your file will be saved as a E22-141 PDF.
- * EMC E22-141 brain dump free content featuring the real E22-141 test questions.

EMC E22-141 Certification Exam is of core importance both in your Professional life and EMC Certification Path. With EMC Certification you can get a good job easily in the market and get on your path for success. Professionals who passed EMC E22-141 Certification Exam are an absolute favorite in the industry. If you pass EMC E22-141 Certification Exam then career opportunities are open for you.

Our E22-141 Questions & Answers provide you an easy solution to your EMC E22-141 Exam Preparation. Our E22-141 Q&As contains the most updated EMC E22-141 real tests. You can use our E22-141 Q&As on any PC with most versions of Acrobat Reader and prepare the exam easily.

QUESTION: 1

A tape is brought from another NetWorker server, scanner does not update the client file index, although the Client resource was created on the new NetWorker server. Which two should you check? (Choose two.)

- A. Client ID
- B. Group attribute
- C. client name Aliases
- D. Remote Access attribute

Answer: A, C

QUESTION: 2

Which two commands can you use to recover a single file directly from tape? (Choose two.)

- A. `scanner -S ssid devicename filename | uasm -rv`
- B. `scanner -S ssid devicename | uasm -rv filename`
- C. `scanner -S ssid devicename | uasm -rv -m source=dest filename`
- D. `scanner -i-S ssid devicename | rsh client name '(cd destdir; uasm-rv filename)'`

Answer: B, C

QUESTION: 3

`scanner -v /dev/rmt/1 cbn` returns the following: please enter record size for this volume ('q' to quit) What causes this?

- A. The volume label is corrupted or unreadable.
- B. The volume label is written by a prE. NetWorker 7.x version.
- C. scanner cannot read the volume label because the volume is not mounted.
- D. scanner cannot read the volume label because the volume is not rewound.

Answer: A

QUESTION: 4

A volume will be scanned into a new offsite NetWorker server to recover a client. Currently this client does not exist on the new NetWorker server. Which two resources does the scanner command require to exist on the new NetWorker server? (Choose two.)

- A. the original pool
- B. the original group
- C. the original client
- D. the original device

Answer: A, C

QUESTION: 5

You backed up some data on a NetWorker storage node in evaluation mode. The evaluation period expired before you installed the storage node enabler code. Which statement is correct?

- A. You cannot recover the backed-up data to the storage node
- B. You cannot recover the backed-up data to the NetWorker server.
- C. You can delete the expired storage node license and rE. create it using the same code.
- D. You can recover the backed-up data to the storage node if you have a jukebox enabler.

Answer: A

QUESTION: 6

Storage nodes sn-1 (Solaris) and sn-2(Windows) share a tape drive in a DDS environment. A tape has been labeled and written using sn-1. When trying to read the same tape using sn-2, block size errors occur. What is wrong?

- A. Sleep timers are not correctly set.
- B. The tape is labeled with the wrong block size.
- C. The tape is labeled under a different NetWorker version.
- D. The written block size cannot be handled by HBA/SCSI controller on sn-2.

Answer: D

QUESTION: 7

In a directed recovery, the NetWorker server named Bongo is the administering client. Flute is the source client and Clarinet is the destination client. How should the NetWorker administrator configure remote access rights to successfully run the directed recovery?

- A. in Flute's Client Resource Remote Access attribute, list root@Clarinet
- B. in Clarinet's Client Resource Remote Access attribute, list root@Bongo and root@Flute
- C. in Bongo's Client Resource Remote Access attribute, list root@Flute and root@Clarinet
- D. in Flute's Client Resource Remote Access attribute, list root@Bongo and root@Clarinet

Answer: D

QUESTION: 8

Which statement is true about the Remote Access All Clients privilege and the Remote Access attribute?

- A. Both must be configured to perform a directed recovery.
- B. The Remote Access attribute is required in cluster environments only.
- C. The Remote Access All Clients privilege overrides the Remote Access attribute.
- D. A user who is already defined as an administrator of the NetWorker server must be included in this attribute.

Answer: C

QUESTION: 9

What is the result of leaving the /nsr/res/servers file empty on a client?

- A. Any NetWorker server is able to initiate a backup of that client.
- B. All backups will fail with the error "Cannot request command execution."
- C. The client can be backed up by any NetWorker server, providing the server resides within the same subnet.
- D. Before a NetWorker server can initiate a save of that client, it is prompted for an administrative user name and password.

Answer: A

QUESTION: 10

What are two methods used to authorize NetWorker servers Horn and Flute to back up client Tuba with the least security risk? (Choose two.)

- A. Configure nsrexecd to use nsrexecd -s Horn -s Flute.
- B. Remove all entries from /nsr/res/servers file on Tuba and restart nsrexecd service.
- C. Make Flute and Horn the only entries in the /nsr/res/servers file on Tuba and restart nsrexecd.
- D. Stop the nsrexecd service on Tuba and run the command "nsrexecd -i ipaddress_of_Horn -i ipaddress_of_Flute.

Answer: A, C

QUESTION: 11

A NetWorker client and its storage node are in your company's Demilitarized Zone (DMZ). The NetWorker server is behind your firewall. Which type of data should you let pass through the firewall?

- A. jukebox and security data
- B. resource configuration data
- C. backup and recovery save streams
- D. client file index and media database data

Answer: D

QUESTION: 12

Which two conditions are insecure? (Choose two.)

- A. an empty servers file
- B. a Remote Access list of *@*
- C. an empty Remote Access list
- D. a servers file containing only *@*

Answer: A, B

SAMPLE EXAM



Pass4sure \$89 Lifetime Membership Features;

- Pass4sure \$89 Lifetime Membership includes Over **2100** Exams in One Price.
- **All** Pass4sure **Questions and Answers** are included in \$89 package.
- **All** Pass4sure audio exams are included **free** in \$89 package (See List).
- **All** Pass4sure study guides are included **free** in \$89 package (See List).
- **Lifetime** login access, no hidden fee, no login expiry.
- **Free updates** for Lifetime.
- **Free Download Access** to All new exams added in future.
- Accurate answers with **explanations** (If applicable).
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions, Answers and Study Guides are downloadable in **PDF** format.
- Audio Exams are downloadable in **MP3** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support **24x7**.



View list of All exams (Q&A) provided in \$89 membership;
<http://www.ipass4sure.com/allexams.asp>

View list of All Study Guides (SG) provided FREE for members;
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE) provided FREE for members;
<http://www.ipass4sure.com/audio-exams.asp>

Download All Exams Sample QAs.
<http://www.ipass4sure.com/samples.asp>

To purchase \$89 Lifetime Full Access Membership click here (One time fee)
<https://www.regnow.com/softsell/nph-softsell.cgi?item=30820-3>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	SNIA	

and many others.. See complete list Here

