



000-374

IBM

IBM WebSphere MQ V7.0 System Administration

Thousands of IT Professionals before you have already passed their 000-374 certification exams using the IBM 000-374 Practice Exam from ipass4sure.com. Once you start using our 000-374 exam questions you simply can't stop! You are guaranteed to pass your IBM 000-374 test with ease and in your first attempt.

Here's what you can expect from the [ipass4sure](http://ipass4sure.com) IBM 000-374 course:

- * Up-to-Date IBM 000-374 questions designed to familiarize you with the real exam.
- * 100% correct IBM 000-374 answers you simply can't find in other 000-374 courses.
- * All of our tests are easy to download. Your file will be saved as a 000-374 PDF.
- * IBM 000-374 brain dump free content featuring the real 000-374 test questions.

IBM 000-374 Certification Exam is of core importance both in your Professional life and IBM Certification Path. With IBM Certification you can get a good job easily in the market and get on your path for success. Professionals who passed IBM 000-374 Certification Exam are an absolute favorite in the industry. If you pass IBM 000-374 Certification Exam then career opportunities are open for you.

Our 000-374 Questions & Answers provide you an easy solution to your IBM 000-374 Exam Preparation. Our 000-374 Q&As contains the most updated IBM 000-374 real tests. You can use our 000-374 Q&As on any PC with most versions of Acrobat Reader and prepare the exam easily.

Question: 1

An administrator is setting up sender receiver channels between QMGR1 and QMGR2. As part of the verification test, the administrator puts a message on the remote queue RQ of QMGR1 and notices that the message has correctly reached the local queue LQ of QMGR2. An application then starts putting messages on RQ. A few minutes later, the administrator notices that all the messages being put on RQ end up on QMGR2's dead letter queue. What is a probable cause of the problem?

- A. The application set Message Expiry on the messages
- B. The Max Uncommitted Messages limit on QMGR2 was reached
- C. The application set the Report options in the MQ Header of the messages
- D. The UserIdentifier set in MQ Header of the messages did not have put authorization on LQ

Answer: D

Question: 2

An administrator wants to prevent the channel initiator process from starting when a queue manager QMA on AIX is started. Which action(s) will accomplish this?

- A. Restart the queue manager using `strmqm ns QMA`.
- B. Restart the queue manager using `strmqm chinit no QMA`.
- C. Issue the command `ALTER QMGR SCHINIT(DISABLED)`, then restart the queue manager using `strmqm QMA`.
- D. Edit the file `qm.ini` for QMA and add an entry `ChannelInitiator = No` in the `CHANNELS` stanza, then restart the queue manager using `strmqm QMA`

Answer: A

Question: 3

An IBM WebSphere MQ V6.0 broker environment which is shared with an IBM WebSphere Message Broker V6.0 environment is being migrated to an IBM WebSphere MQ V7.0 broker environment. What action will continue to ensure proper coexistence in the overall shared environment?

- A. Set the `PSMODE` parameter on the IBM WebSphere MQ broker queue managers to `COMPAT`
- B. Set the `coexistence` parameter to `true` in each of the broker's queue manager `qm.ini` file
- C. Enable the `coexist` flag on each broker's queue manager in the broker domain
- D. The IBM WebSphere MQ broker queue managers will automatically reconfigure themselves for coexistence on startup

Answer: A

Question: 4

A financial company has decided that as part of the migration of their existing IBM WebSphere MQ V6.0 broker infrastructure to IBM WebSphere MQ V7.0 they would like to make use of the publish/subscribe clusters topology in IBM WebSphere MQ V7.0. Which MQSC command needs to be issued on all queue managers in the broker infrastructure during the migration to remove the old IBM WebSphere MQ V6.0 broker relationships?

- A. `ALTER QMGR PARENT ('')`
- B. `ALTER QMGR PARENT (EMPTY)`
- C. `ALTER QMGR PARENT ('') CHILD ('')`
- D. `ALTER QMGR PARENT (EMPTY) CHILD (NONE)`

Answer: A

Question: 5

An application receives messages from a queue APPQ using MQGET. Which MQSC command will successfully configure the queue manager so that the application can receive messages published to topic Stock/IBM/Price?

- A. DEFINE SUB(TO_APP) TOPICSTR(Stock/IBM/Price) + DEST(APPQ)
- B. DEFINE SUB(TO_APP) TOPICSTR(Stock/IBM/Price) + DESTQ(APPQ)
- C. DEFINE SUB(TO_APP) TOPICSTR(Stock/IBM/Price) + TARGET(APPQ)
- D. DEFINE SUB(TO_APP) TOPIC(Stock/IBM/Price) + DEST(APPQ)

Answer: A

Question: 6

An administrator wants to prevent applications from publishing messages to the topic tree below Counters/Application. What MQSC command will accomplish this task?

- A. DEFINE TOPIC(Counters/Application) PUB(NO)
- B. DEFINE TOPIC(Counters/Application) PUB(DISABLED)
- C. DEFINE TOPIC(CTOPIC) TOPICSTR(Counters/Application) + PUB(NO)
- D. DEFINE TOPIC(CTOPIC) TOPICSTR(Counters/Application) + PUB(DISABLED)

Answer: D

Question: 7

A financial company is looking to take advantage of the publish/subscribe feature that IBM WebSphere MQ V7.0 offers. They would like to be able to share stock quotes between their feedhandler applications as quickly as possible. They also need to make sure that the publish/subscribe infrastructure is highly scalable as they will be adding additional feedhandler applications. What is the best publish/subscribe topology to meet the company's needs?

- A. Publish/subscribe clusters
- B. Publish/subscribe hierarchies
- C. Publish/subscribe broker bundles
- D. Publish/subscribe interconnections

Answer: A

Question: 8

A routing application has been modified to generate smaller messages no larger than 10KB in size. The operations team has decided to reduce their queue resources need for the routing application's primary queue ROUTING_Q as well to better make use of their file system resources. What command will allow them to do this?

- A. ALTER QL(ROUTING_Q) MAXLENGTH(20000)
- B. REPLACE QL(ROUTING_Q) MAXMSGL(20000)
- C. ALTER QLOCAL (ROUTING_Q) MSGLENGTH(20000)
- D. DEFINE QLOCAL (ROUTING_Q) MAXMSGL(20000) REPLACE

Answer: D

Question: 9

What should a company do to set up its MQ environment for media recovery?

- A. No additional configuration is needed

- B. Configure queue managers for linear logging
- C. Configure queue managers for advanced logging
- D. Modify logging so that log files are viewed as a closed loop

Answer: B

Question: 10

Queue manager QMA had previously been configured to disable the publish/subscribe broker. Now, the administrator has been asked to turn on the native publish/subscribe engine. The administrator can accomplish this task by executing the following command:

- A. strmqbrk m QMA
- B. ALTER QMGR PSMODE(ENABLED)
- C. START SERVICE(SYSTEM.BROKER)
- D. ALTER BROKER PSMODE(ENABLED)

Answer: B

Question: 11

The warehouse application is reporting issues with trying to read messages from its input message queue, PRIME_REPOS_Q. There are three applications that access this queue via QALIAS definitions, as follows: DEFINE QLOCAL (PRIME_REPOS_Q) DEFINE QALIAS (WAREHOUSE1_AQ) TARGET (PRIME_REPOS_Q) DEFINE QALIAS (WAREHOUSE2_AQ) TARGET (PRIME_REPOS_Q) DEFINE QALIAS (WAREHOUSE3_AQ) TARGET (PRIME_REPOS_Q) The warehouse application has notified the operations team they need to stop the incoming messaging traffic while they work to resolve their message read issue. What action does the operation team need to take to fulfill the warehouse application team's request? Issue the command(s):

- A. ALTER QLOCAL (PRIME_REPOS_Q) PUT (DISABLED) GET (ENABLED)
- B. ALTER QLOCAL (PRIME_REPOS_Q) PUTMSG (DISABLED) GETMSG (ENABLED)
UPDATE ALIASES FOR QUEUE (PRIME_REPOS_Q)
- C. ALTER QALIAS (WAREHOUSE1_AQ) TARGET (PRIME_REPOS_Q) PUT (DISABLED) GET (ENABLED) PUSHUPDATE
ALTER QALIAS (WAREHOUSE2_AQ) TARGET (PRIME_REPOS_Q) PUT (DISABLED) GET (ENABLED) PUSHUPDATE
ALTER QALIAS (WAREHOUSE3_AQ) TARGET (PRIME_REPOS_Q) PUT (DISABLED) GET (ENABLED) PUSHUPDATE
- D. ALTER QLOCAL (PRIME_REPOS_Q) PUTMSG (DISABLED) GETMSG (ENABLED)
REFRESH QALIAS (WAREHOUSE1_AQ)
REFRESH QALIAS (WAREHOUSE2_AQ)
REFRESH QALIAS (WAREHOUSE3_AQ)

Answer: A

Question: 12

The operations team has created a new queue manager infrastructure using default settings to support the deployment of a company's new database warehousing application. This application sends messages to applications running on other queue managers, which process the messages and send replies. After deployment of the application the message throughput is much lower than expected. The operations team doesn't notice any resource issues with disk space, memory usage, or CPU usage, however, they do notice that there are many more messages on the reply-to-queues than expected. They also notice that error messages are frequently generated as the application processes reply messages. What is the most probable cause of the performance slowdown?

SAMPLE EXAM



Pass4sure \$89 Lifetime Membership Features;

- Pass4sure \$89 Lifetime Membership includes Over **2100** Exams in One Price.
- **All** Pass4sure **Questions and Answers** are included in \$89 package.
- **All** Pass4sure audio exams are included **free** in \$89 package (See List).
- **All** Pass4sure study guides are included **free** in \$89 package (See List).
- **Lifetime** login access, no hidden fee, no login expiry.
- **Free updates** for Lifetime.
- **Free Download Access** to All new exams added in future.
- Accurate answers with **explanations** (If applicable).
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions, Answers and Study Guides are downloadable in **PDF** format.
- Audio Exams are downloadable in **MP3** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support **24x7**.



View list of All exams (Q&A) provided in \$89 membership;
<http://www.ipass4sure.com/allexams.asp>

View list of All Study Guides (SG) provided FREE for members;
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE) provided FREE for members;
<http://www.ipass4sure.com/audio-exams.asp>

Download All Exams Sample QAs.
<http://www.ipass4sure.com/samples.asp>

To purchase \$89 Lifetime Full Access Membership click here (One time fee)
<https://www.regnow.com/softsell/nph-softsell.cgi?item=30820-3>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	SNIA	

and many others.. See complete list Here

