



000-314

IBM

IBM WebSphere Message Broker V6.1. System Administration

Thousands of IT Professionals before you have already passed their 000-314 certification exams using the IBM 000-314 Practice Exam from ipass4sure.com. Once you start using our 000-314 exam questions you simply can't stop! You are guaranteed to pass your IBM 000-314 test with ease and in your first attempt.

Here's what you can expect from the [ipass4sure](http://ipass4sure.com) IBM 000-314 course:

- * Up-to-Date IBM 000-314 questions designed to familiarize you with the real exam.
- * 100% correct IBM 000-314 answers you simply can't find in other 000-314 courses.
- * All of our tests are easy to download. Your file will be saved as a 000-314 PDF.
- * IBM 000-314 brain dump free content featuring the real 000-314 test questions.

IBM 000-314 Certification Exam is of core importance both in your Professional life and IBM Certification Path. With IBM Certification you can get a good job easily in the market and get on your path for success. Professionals who passed IBM 000-314 Certification Exam are an absolute favorite in the industry. If you pass IBM 000-314 Certification Exam then career opportunities are open for you.

Our 000-314 Questions & Answers provide you an easy solution to your IBM 000-314 Exam Preparation. Our 000-314 Q&As contains the most updated IBM 000-314 real tests. You can use our 000-314 Q&As on any PC with most versions of Acrobat Reader and prepare the exam easily.

Question: 1

An application has a requirement that tables in the broker database be accessible with an ID that is not the service ID of the broker using ODBC Data Source Names (DSN).

What are the two tasks the administrator needs to do?

- A. Create an ODBC DSN to the broker database with mqsicreatedb.
- B. Setup an ODBC DSN to the broker database with mqsi_setupdatabase.
- C. Define an ODBC DSN to the broker database with another alias name.
- D. Associate the application ID and password with the alias name with the mqsisetdbparms command.
- E. Associate the application ID and password with the alias name with the mqsisetsecurity command.

Answer: C, D

Question: 2

A large enterprise is building several application message flows that include HTTPInput nodes. There is a requirement to take advantage of WS-Security for the decryption of incoming messages to these flows as well as encryption of data from the flows. The administrator needs to handle the necessary configuration.

What is the most efficient way to do this with the least impact on changing code or broker configuration?

- A. Use the IBM WebSphere MQ Internet Gateway.
- B. Implement a WebSphere DataPower appliance.
- C. Set up IBM WebSphere Transformation Extender for Integration Servers.
- D. Create a new broker on a separate system using it to front-end all the security.

Answer: B

Question: 3

A developer is writing an application that needs to coordinate the processing of MQ messages and database updates in a message flow for distributed systems.

What does the broker administrator need to configure as the XA Resource Manager?

- A. The broker
- B. The database
- C. The queue manager
- D. The operating system
- E. The configuration manager

Answer: C

Question: 4

An administrator wants to quickly configure a broker to make use of HTTP over SSL on a development environment with minimum configuration.

Which property must be set by running the command mqsichangeproperties?

- A. Port
- B. Keystorepass
- C. Keystorefile

D. Enablesslconnector

Answer: D

Question: 5

In a new implementation of the WebSphere Message Broker (WMB), an insurance company has decided that the Message Broker Explorer (SupportPac IS02) will be implemented. They have never used JMS with WebSphere MQ.

Which feature in the Message Broker Explorer requires MQ JMS configuration?

- A. Adopt a new broker
- B. Full service tracing
- C. WebSphere DataPower Security Wizard
- D. Connect to a remote configuration manager

Answer: C

Question: 6

A large bank has six brokers that are geographically dispersed. Three of the brokers are used in a publish/subscribe collective while three are not. For backup purposes, the decision has been made to use three cloned brokers.


Which choice is the most appropriate?

- A. Use only one broker in the collective as a clone.
- B. Use all three of the brokers in the collective as the clones.
- C. Make two brokers from the collective clones, in case one fails.
- D. Use no brokers in the collective as clones, it is not permitted.

Answer: A

Question: 7

An administrator has set up topic-based security as shown in the Exhibit.



Which user(s) will have access to perform publish action on the topic TopicA/TopicY/TopicM?

- A. Only user1

- B. Only user2
- C. Only user3
- D. Both user1 and user3

Answer: A

Question: 8

A production broker in a large bank is being configured to allow WebSphere Application Server to be the JMS provider. Defaults were used for directory paths during installation of the product. When creating a JMSProvider configurable service for the WebSphere_WAS_Client, the administrator issues the following command:

```
mqsichangeproperties WBRK6_DEFAULT_BROKER -c JMSProviders -o  
WebSphere_WAS_Client
```

By default, where must the provider's Jar files be located on an AIX production broker system?

- A. /var/mqsi/shared-classes
- B. /opt/IBM/mqsi/6.1/classes
- C. /var/mqsi/common/profiles
- D. /opt/IBM/mqsi/6.1/JMSProviders

Answer: A

Question: 9

A company has its broker BRK running on machine brk.comp.com under the queue manager BRKQM listening at port 1414. It is registered to configuration manager CFGMGR running on machine cfg.comp.com under the queue manager CFGQM listening at port 1420. An administrator is entrusted with the task of creating an execution group EXE1 under the broker BRK.

Which command should be run to achieve this task?

- A. mqsicreateexecutiongroup -i brk.comp.com -q CFGQM -b BRK -e EXE1
- B. mqsicreateexecutiongroup -i cfg.comp.com -n CFGMGR -b BRK -e EXE1
- C. mqsicreateexecutiongroup -i cfg.comp.com -p 1420 -q CFGQM -b BRK -e EXE1
- D. mqsicreateexecutiongroup -i brk.comp.com -p 1414 -q BRKQM -b BRK -e EXE1

Answer: C

Question: 10

A broker administrator must set up policy set bindings for a new message flow. The flow includes the following SOAP nodes: SOAPInput, SOAPAsyncRequest, SOAPAsyncResponse and SOAPReply.

Which two SOAP nodes result in the need for a consumer policy set binding definition?

- A. SOAPInput
- B. SOAPReply
- C. SOAPAsyncRequest
- D. SOAPAsyncResponse

Answer: C, D

Question: 11

SAMPLE EXAM



Pass4sure \$89 Lifetime Membership Features;

- Pass4sure \$89 Lifetime Membership includes Over **2100** Exams in One Price.
- **All** Pass4sure **Questions and Answers** are included in \$89 package.
- **All** Pass4sure audio exams are included **free** in \$89 package (See List).
- **All** Pass4sure study guides are included **free** in \$89 package (See List).
- **Lifetime** login access, no hidden fee, no login expiry.
- **Free updates** for Lifetime.
- **Free Download Access** to All new exams added in future.
- Accurate answers with **explanations** (If applicable).
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions, Answers and Study Guides are downloadable in **PDF** format.
- Audio Exams are downloadable in **MP3** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support **24x7**.



View list of All exams (Q&A) provided in \$89 membership;
<http://www.ipass4sure.com/allexams.asp>

View list of All Study Guides (SG) provided FREE for members;
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE) provided FREE for members;
<http://www.ipass4sure.com/audio-exams.asp>

Download All Exams Sample QAs.
<http://www.ipass4sure.com/samples.asp>

To purchase \$89 Lifetime Full Access Membership click here (One time fee)
<https://www.regnow.com/softsell/nph-softsell.cgi?item=30820-3>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	SNIA	

and many others.. See complete list Here

