



000-268

IBM

i5 iSeries RPG ILE Programmer

Thousands of IT Professionals before you have already passed their 000-268 certification exams using the IBM 000-268 Practice Exam from ipass4sure.com. Once you start using our 000-268 exam questions you simply can't stop! You are guaranteed to pass your IBM 000-268 test with ease and in your first attempt.

Here's what you can expect from the [ipass4sure](http://ipass4sure.com) IBM 000-268 course:

- * Up-to-Date IBM 000-268 questions designed to familiarize you with the real exam.
- * 100% correct IBM 000-268 answers you simply can't find in other 000-268 courses.
- * All of our tests are easy to download. Your file will be saved as a 000-268 PDF.
- * IBM 000-268 brain dump free content featuring the real 000-268 test questions.

IBM 000-268 Certification Exam is of core importance both in your Professional life and IBM Certification Path. With IBM Certification you can get a good job easily in the market and get on your path for success. Professionals who passed IBM 000-268 Certification Exam are an absolute favorite in the industry. If you pass IBM 000-268 Certification Exam then career opportunities are open for you.

Our 000-268 Questions & Answers provide you an easy solution to your IBM 000-268 Exam Preparation. Our 000-268 Q&As contains the most updated IBM 000-268 real tests. You can use our 000-268 Q&As on any PC with most versions of Acrobat Reader and prepare the exam easily.

Exam Name:	i5 iSeries RPG ILE Programmer		
Exam Type:	IBM	Exam Code:	000-268
Doc Type:	Q & A with Explanations	Total Questions:	95

Question: 1

Review the following sample subfile:

```

+-----+
| Option  Data |
|-----|
|  || Record 1 |
|  || Record 2 |
| |X| Record 3 |
|  || Record 4 |
+-----+

```

The SFLNXTCHG keyword was inactive when Record 1 was written and active when each subsequent subfile record was written. The operator has entered the "X" in the option field for Record 3. Which subfile record will be read when the next READC operation is performed on the subfile?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: B

Question: 2

Given the following code segment

```

AAN01N02 N03T.Name+++++RLen++TDpBLinPosFunctions+++++
A   R D1SF           SFL
A   OPTNBR          1A B 10 3
A   SCNDDTA         50A O 10 7
A   R D1SC           SFLCTL(D1SF)
A 79                SFLDSP
A 81                SFLDSPCTL
A                   SFLSIZ(1000)
A                   SFLPAG(0011)
A                   9 2'Opt Data

```

What DDS keyword needs to be added to this code segment to remove all of the records from the subfile?

- A. SFLCLR
- B. SFLDLT
- C. SFLRMV
- D. SFLINZ

Answer: A

Question: 3

Given the following code segment

Exam Name:	i5 iSeries RPG ILE Programmer		
Exam Type:	IBM	Exam Code:	000-268
Doc Type:	Q & A with Explanations	Total Questions:	95

```

0001.00  D DateField      S          D DATFMT(*ISO)
0002.00  D CharField     S          6A INZ('040696')

0003.00  C *MDY         MOVE      CharField  DateField

```

This code will not compile. Which of the following changes will allow a successful compile?

- A. Change line 0001.00 to: D DateField S D DATFMT(*MDY)
- B. Change line 0003.00 to: C *MDY0 MOVE CharField DateField
- C. Change line 0003.00 to: C *MDY MOVE(D) CharField DateField
- D. Change line 0003.00 to: C *130 MOVE CharField DateField

Answer: B

Question: 4

Given the following code segment

```

CLON01Factor1+++++++Opcode(E)+Factor2+++++++Result+++++++Len++D+HiLoEq
C  CODE          CASEQ  1          SRONE
C  CODE          CASEQ  2          SRTWO
C           CAS           SRTHREE
C           END

```

W

Which of the following code segments will perform the equivalent function?

- A. /FREE Select CODE; WHEN = 1; ExSr SRONE; WHEN = 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSI; /END-FREE
- B. /FREE Select; WHEN CODE = 1; ExSr SRONE; WHEN CODE = 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSI; /END-FREE
- C. /FREE Select CODE; 1; ExSr SRONE; 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSI; /END-FREE
- D. /FREE Select WHEN CODE; Other; ExSr SRTHREE; EndSI; /END-FREE
- E. /FREE Select WHEN CODE; 1; EndSI; /END-FREE
- F. /FREE Select WHEN CODE; 1; ExSr SRONE; /END-FREE
- G. /FREE Select WHEN CODE; 1; ExSr SRONE; 2;
- H. /FREE Select WHEN CODE; 1; ExSr SRONE; 2; ExSr SRTWO;
- I. /FREE Select WHEN CODE; 1; ExSr SRONE; 2; ExSr SRTWO; Other; Select WHEN CODE; 1; ExSr SRONE; 2; ExSrSRTWO; Other; ExSrSRTHREE; EndSI; 1; ExSrSRONE; 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSI; /END-FREE ExSr SRONE; 2; ExSr SRTWO; Other; ExSr SRTHPEE; EndSI; /END-FREE 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSI; /END-FREE

Answer: B

Question: 5

In the following code sample, file CUSSALES contains a record format CUSSALESR, with unique key fields CSCONO, CSCSNO and CSYEAP.

Exam Name:	i5 iSeries RPG ILE Programmer		
Exam Type:	IBM	Exam Code:	000-268
Doc Type:	Q & A with Explanations	Total Questions:	95

```

fcussales  if  e          k disk

d keycus          e ds          extname(cussales:*key)

/free

      cscsno = 3;          // company
      cscsno = 100;       // customer
      csyear = 2003;     // year

      setgt %kds(keycus)  cussalesr;
      reade %kds(keycus: 2) cussalesr;

/end-free

```

Assuming the READE operation is successful, which record is retrieved?

- A. The first record with a company greater than 3
- B. The first record for company 3, with a customer greater than 100
- C. The first record for company 3, customer 100
- D. The first record for company 3, customer 100 with a year greater than 2003

Answer: D

Question: 6

Given the following expression:

$$\text{TotalReturnPct} = \left(\frac{\text{SoldAmt} + \text{Dividends}}{\text{PaidAmt} + \text{Commissions}} - 1 \right) * 100$$

Which /free form expression below is correct?

- A. /free TotalReturnPct = ((SoldAmt + Dividends) / (PaidAmt + Commissions) - 1) * 100; /end-free
- B. /free TotalReturnPct = (SoldAmt + Dividends) / (PaidAmt + Commissions) - 1 * 100; /end-free
- C. /free TotalReturnPct = (SoldAmt + Dividends / PaidAmt + Commissions - 1) * 100; /end-free
- D. /free TotalReturnPct = ((SoldAmt + Dividends) / PaidAmt + Commissions - 1) * 100; /end-free

Answer: A

Question: 7

Given the following code segment

```

d CusInfo      ds          dim(10) qualified
d  CusNum      5 0
d  AmtDue      7 2
d  OrdYTD      7 2
d  OrdPrv      7 2

```

How would the AmtDue subfield for the 5th element of the CusInfo array be referenced?

- A. AmtDue(5)

Exam Name:	i5 iSeries RPG ILE Programmer		
Exam Type:	IBM	Exam Code:	000-268
Doc Type:	Q & A with Explanations	Total Questions:	95

- B. CusInfo(5).AmtDue
- C. CusInfo.AmtDue(5)
- D. CusInfo(5).AmtDue(5)

Answer: B

Question: 8

Given the following code segment:

```

DName+++++ETDsFrom+++To/L+++IDc.Keywords+++++
D ObjNameDS      DS      qualified
D  Lib           10      Inz('*libl')
D  Name          10      Inz('OBJA')

D PgmNameDS      DS      LikeDS(ObjNameDS) Inz(*LIKEDS)
D Result         S       20

/Free
  ObjNameDS.Lib = 'QGPL';
  PgmNameDS.Name = 'PGMA';
  Result = PgmNameDS;
/End-Free

```

After this code runs, what is the value of Result?

- A. OBJA
- B. 'libl PGMA
- C. QGPL OBJA
- D. QGPL PGMA

Answer: B

Question: 9

Procedure PROC 1 in a Service Program must be called passing to it a 5 position field. Which of the following code segments will accomplish this task?

- A. D AField S 5A C CallPrc PROC1' C ParmAField
- B. D AField S 5A C Call 'PROC1' C Parm AField
- C. D Prodl PR D MyField 5A D AField S 5A C CallP Proc1(AField)
- D. D Proc 1 PR ExtPgm('PROC1') D MyField 5A D AField S 5A C CallP Proc1(AField)

Answer: C

Question: 10

Given the following field definitions, if field mmddy contains a date in MDY format, what is the correct syntax to populate DateFld with the content of mmddy?

```

D mmddy S 6A
D DateFld S D Inz(D'2003-06-27') DatFmt(*ISO)

```

- A. DateFld = %Date(mmddy: *MDY);
- B. DateFld = %Date(mmddy: *MDY0);
- C. DateFld = %Date(mmddy: *ISO);
- D. DateFld = %Date(mmddy: *ISO0);

Answer: B

SAMPLE EXAM



Pass4sure \$89 Lifetime Membership Features;

- Pass4sure \$89 Lifetime Membership includes Over **2100** Exams in One Price.
- **All** Pass4sure **Questions and Answers** are included in \$89 package.
- **All** Pass4sure audio exams are included **free** in \$89 package (See List).
- **All** Pass4sure study guides are included **free** in \$89 package (See List).
- **Lifetime** login access, no hidden fee, no login expiry.
- **Free updates** for Lifetime.
- **Free Download Access** to All new exams added in future.
- Accurate answers with **explanations** (If applicable).
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions, Answers and Study Guides are downloadable in **PDF** format.
- Audio Exams are downloadable in **MP3** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support **24x7**.



View list of All exams (Q&A) provided in \$89 membership;
<http://www.ipass4sure.com/allexams.asp>

View list of All Study Guides (SG) provided FREE for members;
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE) provided FREE for members;
<http://www.ipass4sure.com/audio-exams.asp>

Download All Exams Sample QAs.
<http://www.ipass4sure.com/samples.asp>

To purchase \$89 Lifetime Full Access Membership click here (One time fee)
<https://www.regnow.com/softsell/nph-softsell.cgi?item=30820-3>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	SNIA	

and many others.. See complete list Here

