

Examcollection

<http://www.ipass4sure.com/examcollection.htm>



<http://www.ipass4sure.com>

000-376

IBM

IBM WebSphere MQ V7.0, Solution Design

<http://www.ipass4sure.com/exams.asp?examcode=000-376>

The 000-376 practice exam is written and formatted by Certified Senior IT Professionals working in today's prospering companies and data centers all over the world! The 000-376 Practice Test covers all the exam topics and objectives and will prepare you for success quickly and efficiently. The 000-376 exam is very challenging, but with our 000-376 questions and answers practice exam, you can feel confident in obtaining your success on the 000-376 exam on your FIRST TRY!

IBM 000-376 Exam Features

- Detailed questions and answers for 000-376 exam
- Try a demo before buying any IBM exam
- 000-376 questions and answers, updated regularly
- Verified 000-376 answers by Experts and bear almost 100% accuracy
- 000-376 tested and verified before publishing
- 000-376 examcollection vce questions with exhibits
- 000-376 same questions as real exam with multiple choice options

Acquiring IBM certifications are becoming a huge task in the field of I.T. More over these exams like 000-376 exam are now continuously updating and accepting this challenge is itself a task. This 000-376 test is an important part of IBM certifications. We have the resources to prepare you for this. The 000-376 exam is essential and core part of IBM certifications and once you clear the exam you will be able to solve the real life problems yourself. Want to take advantage of the Real 000-376 Test and save time and money while developing your skills to pass your IBM 000-376 Exam? Let us help you climb that ladder of success and pass your 000-376 now!

DEMO EXAM

For Full Version visit

<http://www.ipass4sure.com/allexams.asp>

Exam Name:	IBM WebSphere MQ V7.0, Solution Design		
Exam Type:	IBM		
Exam Code:	000-376	Total Questions:	98

Question: 1

Which new feature in WebSphere MQ V7.0 needs to be taken into account when WebSphere MQ solutions are deployed into mixed z/OS and distributed environments?

- A. Queue sharing groups are now available between z/OS and other platforms; however, at least one queue manager in the group must still be hosted on z/OS.
- B. The use of WebSphere MQ Explorer for the administration of z/OS based queue managers no longer requires a license for the Client Attachment Feature (CAF) for a limited number of users.
- C. WebSphere MQ Client applications from distributed environments can now directly connect to z/OS queue managers; the Client Attachment Feature (CAF) is no longer required.
- D. A WebSphere MQ Client implementation on z/OS is now available, so that full WebSphere MQ no longer needs to be installed on all z/OS systems that want to participate in message queuing.

Answer: B

Question: 2

An application queue is triggered for trigger type of DEPTH. Following this, what action should the job or program that was started as a result of the trigger take before it ends, so that the queue will be triggered again the next time that trigger depth (TRIGDPTH) is reached?

- A. It needs to use MQSET or an ALTER QLOCAL command to reset triggering (TRIGGER) for the queue.
- B. It needs to reset trigger depth (TRIGDPTH) for the queue through an MQSET or ALTER QLOCAL command.
- C. It needs to reset trigger depth (TRIGDPTH) and triggering (TRIGGER) for the queue, using MQSET or an ALTER QLOCAL command.
- D. No action needs to be taken. The queue manager will create the next trigger message when the current depth of the queue once again reaches trigger depth (TRIGDPTH).

Answer: A

Question: 3

An application is required to retrieve rows from a relational database table and send them across WebSphere MQ to a remote queue manager, where a receiving application consumes them. After a successful MQPUT of a message, the corresponding row is to be deleted from the database. It is intended to run this application using the free WebSphere MQ Client. The delivery of each message is to be guaranteed. Which of the following is true about this implementation?

- A. It cannot be done using the free WebSphere MQ Client; the Extended Transactional Client is required, since two phase commits are needed for this solution.
- B. It cannot be done using the free WebSphere MQ Client; a local queue manager is required to support the guaranteed delivery of the messages.
- C. This solution can be implemented using the free WebSphere MQ Client, provided that the receiving application can recognize and handle repeated delivery of the same message.
- D. This solution cannot be implemented using the free WebSphere MQ Client; persistent messaging is not supported by the free WebSphere MQ Client.

Answer: C

Question: 4

A solution developer is writing a C language application on a UNIX platform. There is a requirement for the transactions to be processed within syncpoint control. What is the MINIMUM required MQ component on the application platform to achieve this functionality?

Exam Name:	IBM WebSphere MQ V7.0, Solution Design		
Exam Type:	IBM		
Exam Code:	000-376	Total Questions:	98

- A. WebSphere MQ Client Installation
- B. WebSphere MQ Extended Transactional Client Installation
- C. WebSphere MQ Server Installation
- D. WebSphere MQ Server Installation with the XA capabilities configured

Answer: A

Question: 5

A master data management solution has been implemented for the enterprise. Updates with customer and product data need to be distributed to several applications. What is the BEST approach given that not all applications might be interested in every customer type?

- A. Use the publish/subscribe paradigm.
- B. Receive updates on application-specific queues. Message properties and selectors should be used for filtering.
- C. Browse a common queue for updates.
- D. Use a request-reply pattern and query the MDM (Master Data Management) application.

Answer: A

Question: 6

A new WebSphere MQ application with high volume requirements is being designed to run on Solaris. The solution designer is concerned about the performance of the application. The WebSphere MQ for Solaris V7 Performance Evaluation Report SupportPac provides all but one of the following types of information to the solution designer. Which is NOT discussed in this document?

- A. Suggestions for tuning WebSphere MQ
- B. Information that can be used to size the company new application
- C. Evaluation of the relative cost of one WebSphere MQ API vs. another in different scenarios
- D. Evaluation of the relative cost of persistent messages vs. nonpersistent messages in different scenarios

Answer: C

Question: 7

Which of the following should generally be avoided if an application is being designed for optimal efficiency?

- A. Make messages nonpersistent if they do not need to be recoverable.
- B. Code programs to open and close queues, or connect and disconnect from the queue manager only once, if the queues or connection will be used again.
- C. Bundle the data to be transmitted into as few messages as possible (e.g., rather than sending a hundred 1MB messages, send one 100MB message).
- D. Group a batch of messages within a unit of work where appropriate, so that they can be committed all at once (e.g., get and put messages under syncpoint and commit them in groups of 10, rather than committing them individually).

Answer: C

Question: 8

In designing a solution with availability in mind, the designer is considering the following two alternatives, one using a cluster queue and the other using a shared queue. In each scenario,

Exam Name:	IBM WebSphere MQ V7.0, Solution Design		
Exam Type:	IBM		
Exam Code:	000-376	Total Questions:	98

Queue Managers QMA and QMB will both be capable of running Application A. In the first scenario, Application A will run on QMA and QMB on Windows accessing cluster queue QA. In the second scenario, Application A will run on QMA and QMB on z/OS accessing shared queue QA. Which of the following describes the availability scenarios in the situation where QMA fails?

- A. For Windows, the delivered messages on QA that Application A on QMA did not get to process are available for processing by Application A on QMB
- B. For z/OS, the delivered messages on QA that Application A on QMA did not get to process are available for processing by Application A on QMB
- C. For Windows, messages from QA that were in flight on QMA when it failed are made available for processing on QMB
- D. For z/OS, messages from QA that were in flight on QMA when it failed are unavailable for processing by QMB

Answer: B

Question: 9

A solution designer is evaluating distribution scenarios and wants to understand the circumstances where messages are not delivered as expected. Which of the following are reasons that a message is placed on the DLQ?

- A. A trigger monitor is unable to start the triggered program
- B. The destination queue is full when the program puts the message to the local queue
- C. The queue manager is quiescing when the program puts the message to the queue
- D. A sending message channel agent is unable to perform data conversion when required for the message
- E. The program tries to put a message to an invalid local queue

Answer: A, D

Question: 10

An organization has a widely distributed online environment, where applications are connected via WebSphere MQ messaging. A business requirement is brought forward that certain mission critical applications record audit trail data which is to be collected in a central location. No information can be lost. A central data warehouse must be loaded daily with this information as soon as possible after end of business. Which of the following proposed solutions is best in terms of the requirement, reliability and overall performance? The audit trail data is:

- A. written to a file on the local file system and transmitted to the central audit trail server via reliable file transfer over WebSphere MQ.
- B. sent as a persistent WebSphere MQ message and forwarded to the queue manager of the central server asynchronously.
- C. inserted into a central database table via a remote access database client under control of the local WebSphere MQ transaction.
- D. inserted into a local database table under two phase commit using WebSphere MQ as the transaction manager and a bulk update is performed at end of day.

Answer: B

Question: 11

A suite of server applications is to be designed to support the graceful shutdown capabilities of WebSphere MQ implemented via the fail if quiescing feature. Which of the following best describes the use of this feature?



Pass4sure Certification Exam Features;

- Pass4sure offers over **2500** Certification exams for professionals.
- More than **98,800** Satisfied Customers Worldwide.
- Average **99.8%** Success Rate.
- Over **120** Global Certification Vendors Covered.
- Services of **Professional & Certified Experts** available via support.
- Free **90 days** updates to match real exam scenarios.
- **Instant Download Access!** No Setup required.
- Price as low as **\$19**, which is 80% more **cost effective** than others.
- **Verified answers** researched by industry experts.
- Study Material **updated** on regular basis.
- Questions / Answers are downloadable in **PDF** format.
- Mobile Device Supported (**Android, iPhone, iPod, iPad**)
- **No authorization** code required to open exam.
- **Portable** anywhere.
- **Guaranteed Success.**
- **Fast**, helpful support **24x7**.



View list of All certification exams offered;
<http://www.ipass4sure.com/allexams.asp>

View list of All Study Guides (SG);
<http://www.ipass4sure.com/study-guides.asp>

View list of All Audio Exams (AE);
<http://www.ipass4sure.com/audio-exams.asp>

Download Any Certification Exam DEMO.
<http://www.ipass4sure.com/samples.asp>

To purchase Full version of exam click below;
<http://www.ipass4sure.com/allexams.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

and many others.. See complete list [Here](#)

